

DAFTAR PUSTAKA

- A Zainal Abidin, G. Susanto, N M T Sastra, & T. Puspasari. (2012). Sintesis dan Karakterisasi Polimer Superabsorban dari Akrilamida. *Jurnal Teknik Kimia Indonesia*, 11(2), 87–93.
- Agustin, S., Prijono, A., & Rahayu, K. (2023). Uji Efektivitas Beberapa Jenis Insektisida terhadap Pengendalian Hama Ulat Penggulung Daun (*Strepsicrates sp.*) pada Bibit Eucalyptus hybrid. *Agroforetech*, 1(1), 810–815.
- Al-Dosary, M. A.-M.-H. (2021). Enhancing pesticide efficacy using *super absorbent* polymers: A review of applications in pest control. *Journal of Agricultural Science and Technology*, 12(5), 710–720.
- Anggraini, R., Khabibi, J., & Tamin, R. P. (2019). Karakteristik Minyak Atsiri Eucalyptus dari 3 Klon Pohon Eucalyptus pellita F. Muell. *Jurnal Silva Tropika*, 3(1), 71–83.
- Astri, N., Firdara, E. K., & Yulianti, R. (2022). Monitoring Kesehatan pada Tanaman Eucalyptus (*Eucalyptus urograndis*) di PT. Industrial Forest Plantation (IFP) Kabupaten Kapuas Kalimantan Tengah. *Jurnal Hutan Tropika*, 17(2), 132–141.
- Fadhlurrahman, M. M., Budi, S. W., & Wulandari, A. S. (2024). Analisis Fisiologi Stek Pucuk dalam Perbanyak Eucalyptus pellita F. Muell Tanpa Menggunakan Hormon. *Journal of Tropical Silviculture*, 15(01), 36–43. <https://doi.org/10.29244/j-siltrop.15.01.36-43>
- Gomez, K., & Gomez, A. (1995). *Prosedur Statistik Untuk Penelitian Pertanian Edisi Kedua* .
- Jafari, S. E., & Mohammadi, J. (2020). Synergistic effects of *super absorbent* polymers and insecticides in pest management. *Journal of Pest Science*, 87–96.
- Kumar, A., & Verma, L. K. (2018). *Super absorbent* polymers in agriculture: Applications and environmental impact. *Journal of Soil Science and Plant Nutrition*, 45(3), 178–195.
- Maia, J. M., Barros, P. L., & Santos, R. T. (2022). A review on the ecology and control of Eucalyptus pests: A focus on leafroller and other significant pests. *Forest Ecology and Management*, 119–130.
- Ostrand, M. S., DeSutter, T. M., Daigh, A. L. M., Limb, R. F., & Steele, D. D. (2020). Superabsorbent polymer characteristics, properties, and applications. *Agrosystems, Geosciences and Environment*, 3(1), 1–14. <https://doi.org/10.1002/agg2.20074>

- Pacholczak, A., Nowakowska, K., & Monder, M. J. (2023). Starch-Based Superabsorbent Enhances the Growth and Physiological Traits of Ornamental Shrubs. *Agriculture (Switzerland)*, 13(10). <https://doi.org/10.3390/agriculture13101893>
- Pamoengkas, P., & Maharani, P. (2019). Manajemen Tempat Tumbuh Pada Tanaman Eucalyptus pellita di PT. Perawang Sukses Perkasa Industri, Distrik Lipat Kain, Riau Site Management Eucalyptus pellita at PT. Perawang Sukses Perkasa Industri, Riau. *Journal of Tropical Silviculture*, 9, 79–84. <https://doi.org/10.29244/j-siltrop.9.2.79-84>
- PT.RAPP. (2024). Modul Tentang Plantation. *PT Riau Andalan Pulp and Paper*.
- Reddy, P. P. (2019). Role of *super absorbent* polymers in integrated pest management systems. *Agricultural Chemistry*, 275–283.
- Ruthven, D., Johnson, M., & Patel, K. (2017). Impact of Eucalyptus species on pest and disease management in forestry. *Forest Research Journal*, 12–18.
- Smith, R., & Jones, T. (2019). Efficacy of Platinum insecticide in controlling leafroller infestation in Eucalyptus plantations. *International Journal of Pest Management*, 45–53.
- Sparks, T. C., & Nauen, R. (2015). IRAC: Mode of action classification and insecticide resistance management. *Pesticide Biochemistry and Physiology*, 121(December 2014), 122–128. <https://doi.org/10.1016/j.pestbp.2014.11.014>
- Stefanus, Prijono, A., & Kusumaningsih, K. R. (2024). Uji Efektivitas Konsentrasi Insektisida Platinum pada Dipping Tanaman Eucalyptus pellita terhadap Serangan Hama Leafroller pada Umur 1 Bulan. *Agroforetech*, 686–694.
- Sufardi, S. (2020). Pertumbuhan tanaman. *Researchgate*, May, 1–26.
- Suharti, M., Asmaliyah, & Harun, M. K. (2015). Hama Utama pada tanaman Eucalyptus pellita dan Teknik pengendaliannya. *Jurnal Penelitian Hutan Tanaman*, 12(2), 105–113.
- Tando, E. (2019). Upaya Efisiensi dan Peningkatan Ketersediaan Nitrogen Dalam Tanah Serta Serapan Nitrogen Pada Tanaman Padi Sawah (*Oryza sativa* L.). *Buana Sains*, 18(2), 171. <https://doi.org/10.33366/bs.v18i2.1190>
- Virgian, S. (2012). Sintesis Kopolimer *Superabsorbent* Selulosa Batang Pisang-Asam Akrilat Di Bawah Radiasi Microwave Universitas Pendidikan Indonesia | repository.upi.edu. 1–6.
- Zhengzhou Delong kimia Co. (2018). *Pengantar Clothianidin*.

LAMPIRAN

Lampiran 1. Gambar Layout Penelitian

P2U1	P3U2	P4U5	P2U2	P3U5	P6U1
P3U1	P1U1	P2U3	P4U1	P5U5	P1U4
P2U4	P5U1	P6U4	P1U2	P4U2	P5U2
P1U3	P3U4	P5U4	P6U3	P6U6	P2U5
P5U3	P4U3	P1U5	P6U2	P3U3	P4U4

Keterangan :

P = Perlakuan

U= Ulangan

P2U1 = Perlakuan 2 Ulangan 1

P1 = *No Dipping (Control)*

P2 = Platinum 5ml/L (SOP)

P3 = Platinum 5ml/L + Aquaklir 3.3 g/L

P4 = Platinum 5ml/L + Aquaklir 6.6 g/L

P5 = Platinum 5ml/L + Zeba 3g/L

P6 = Platinum 5ml/L + Zeba 6g/L

**Lampiran 2. Persentase Insidensi/Tingkat Kejadian (%) Serangan Hama
Leafroller (*Strepsicrates sp.*) pada Tanaman *Eucalyptus pellita*
pada Berbagai minggu pengamatan**

No Dipping									
Plot	1 MG	2 MG	3 MG	4 MG	5 MG	6 MG	7 MG	8 MG	9 MG
1	0	0	0	0	0	0	60	80	90
2	0	0	0	0	0	10	70	80	80
3	0	0	0	0	0	10	70	70	70
4	0	0	0	0	20	30	90	90	90
5	0	0	0	10	20	20	80	80	80
Platinum 5 ml/L (SOP)									
Plot	1 MG	2 MG	3 MG	4 MG	5 MG	6 MG	7 MG	8 MG	9 MG
1	0	0	0	0	0	0	30	50	50
2	0	0	0	0	0	10	40	40	40
3	0	0	0	0	0	10	60	60	70
4	0	0	0	0	0	0	50	50	50
5	0	0	0	0	20	20	60	60	60
Platinum 5 ml/L + Aquaklir 3,3 g/L									
Plot	1 MG	2 MG	3 MG	4 MG	5 MG	6 MG	7 MG	8 MG	9 MG
1	0	0	0	0	0	0	10	10	20
2	0	0	0	0	0	0	40	60	60
3	0	0	0	0	0	0	30	30	30
4	0	0	0	0	0	0	30	40	40
5	0	0	0	10	10	30	40	40	40

Keterangan :

1 Plot berisi 10 tanaman

MG = Minggu

Cth : 60 = (6tanaman : 10 tanaman) x 100%

Lanjutan Lampiran 2. Persentase Insidensi/Tingkat Kejadian (%) Serangan Hama *Leafroller (Strepsicrates sp.)* pada Tanaman *Eucalyptus pellita* pada Berbagai minggu pengamatan

Platinum 5 ml/L + Aquaklir 6,6 g/L									
Plot	1 MG	2 MG	3 MG	4 MG	5 MG	6 MG	7 MG	8 MG	9 MG
1	0	0	0	0	0	0	10	20	20
2	0	0	0	0	0	10	30	30	40
3	0	0	0	0	0	0	40	40	40
4	0	0	0	0	0	10	30	30	40
5	0	0	0	10	10	30	50	50	50
Platinum 5 ml/L + Zeba 3 g/L									
Plot	1 MG	2 MG	3 MG	4 MG	5 MG	6 MG	7 MG	8 MG	9 MG
1	0	0	0	0	0	0	20	40	40
2	0	0	0	0	0	0	30	30	40
3	0	0	0	0	0	0	20	20	20
4	0	0	0	0	0	0	20	20	20
5	0	0	0	0	0	0	60	60	60
Platinum 5 ml/L + Zeba 6 g/L									
Plot	1 MG	2 MG	3 MG	4 MG	5 MG	6 MG	7 MG	8 MG	9 MG
1	0	0	0	0	0	0	0	10	10
2	0	0	0	0	0	0	20	20	20
3	0	0	0	0	0	0	20	30	30
4	0	0	0	0	0	0	10	20	20
5	0	0	0	0	0	0	20	20	20

Lampiran 3. Rata-rata Tingkat Kejadian (Insidensi) Serangan Hama *Leafroller (Strepsicrates sp.)* Setelah Aplikasi Larutan Insektisida dengan Campuran *Super absorbent*

INSIDENSI						
Perlakuan	Ulangan (%)					Rata-rata
	1	2	3	4	5	
No Dipping	38.33	40	36.67	53.33	48.33	43.33
Platinum 5 ml/L (SOP)	21.67	21.67	33.33	25	36.67	27.67
Platinum 5 ml/L + Aquaklir 3,3 g/L	6.67	26.67	15	18.33	28.33	19.00
Platinum 5 ml/L + Aquaklir 6,6 g/L	8.33	18.33	20	18.33	33.33	19.66
Platinum 5 ml/L + Zeba 3 g/L	16.67	16.67	10	10	30	16.67
Platinum 5 ml/L + Zeba 6 g/L	3.33	10	13.33	8.33	10	9.00

Lampiran 4. Rata-rata Pertambahan (cm) Tinggi Tanaman *Eucalyptus pellita*

TINGGI						
Perlakuan	Ulangan (cm)					Rata-rata
	1	2	3	4	5	
No Dipping	14.4	15.3	15.8	15.4	14.3	15.04
Platinum 5 ml/L (SOP)	13.8	16.2	17.6	19.1	19	17.14
Platinum 5 ml/L + Aquaklir 3,3 g/L	11.2	15.6	15.2	21.1	22.2	17.06
Platinum 5 ml/L + Aquaklir 6,6 g/L	16	20.1	18.8	19.5	20.7	19.02
Platinum 5 ml/L + Zeba 3 g/L	21.8	17.7	20.9	18.9	22.9	20.44
Platinum 5 ml/L + Zeba 6 g/L	15.8	18.6	19	18.2	21.6	18.64

Lampiran 5. Rata-rata Tinggi Awal Tanaman (cm) *Eucalyptus pellita*

Perlakuan	Ulangan (cm)					Rata-rata
	1	2	3	4	5	
No Dipping	25.8	21.6	22.1	21.7	26.3	23.5
Platinum 5 ml/L (SOP)	30.9	32.1	33.5	33.6	28.9	31.8
Platinum 5 ml/L + Aquaklir 3,3 g/L	34.2	34.7	34.5	27	27.3	31.5
Platinum 5 ml/L + Aquaklir 6,6 g/L	26.9	27.1	28.1	34.2	27.7	28.8
Platinum 5 ml/L + Zeba 3 g/L	20.2	22.9	24.2	24.9	21.1	22.7
Platinum 5 ml/L + Zeba 3 g/L	26.2	29	29	29	27.9	28.2

Lampiran 6. Rata-rata Tinggi Akhir Tanaman (cm) *Eucalyptus pellita*

Perlakuan	Ulangan (cm)					Rata-rata
	1	2	3	4	5	
No Dipping	40.2	36.9	37.9	37.1	40.6	38.5
Platinum 5 ml/L (SOP)	44.7	48.3	51.1	52.7	47.9	48.9
Platinum 5 ml/L + Aquaklir 3,3 g/L	45.4	50.3	49.7	48.9	49.5	48.8
Platinum 5 ml/L + Aquaklir 6,6 g/L	42.9	47.2	46.9	53.7	48.4	47.8
Platinum 5 ml/L + Zeba 3 g/L	42	40.6	45.1	43.8	44	43.1
Platinum 5 ml/L + Zeba 3 g/L	42	45.8	48	47.2	49.5	46.5

**Lampiran 7. Berbagai Daun yang Terserang Hama Ulat Penggulung Daun
(*Strepsicrates* sp.)**



Lampiran 8. Pencelupan Tanaman *Eucalyptus pellita* pada Larutan Insektisida dengan Campuran Super Absorbent



Lampiran 9. Tanaman *Eucalyptus pellita* setelah Aplikasi larutan Insektisida dengan campuran *Super absorbent*




Aqualkir 3.3 gr/l



Aqualkir 6.6gr/l



Zeba 3gr/L



Zeba 6gr/L



Keterangan :

Zeba = terdapat butiran putih lebih besar

Aquaklir = terdapat serabut putih