

DAFTAR PUSTAKA

- Adileksana, C., Yudono, P., Purwanto, B. H., & Wijaya, R. B. (2020). The Growth Performance of Oil Palm Seedlings in Pre-Nursery and Main Nursery Stages as a Response to the Substitution of NPK Compound Fertilizer and Organic Fertilizer. *Gadjah Mada University, Vol 35, No.*
- Agustina. (2008). Isolasi dan Uji Aktivitas Selulose Mikroba Termofilik dari Pengomposan Ampas Tebu (Ampas). *Universitas Lampung.*
- Asmono, D., Purba, A. R., Suprianto, E., & Yenni, Y. (2003). *Budidaya Kelapa Sawit*. Pusat Penelitian Kelapa Sawit.
- Azhari, R., Soverda, N., & Alia, Y. (2018). Respon Pertumbuhan dan Hasil Kacang Hijau (*Vigna radiata* L.) Terhadap Pupuk Kandang Sapi. *Agroecotania, 6(14)*, 63–65.
- Campbell, N. A., Reece, J. B., & Mitchell, L. G. (2003). *Biologi* (5th ed.). Penerbit Erlangga.
- Ditjenbun. (2021). Statistik perkebunan unggulan nasional 2019-2021, kelapa sawit. *Direktorat Jendral Perkebunan Kementerian Pertanian Republik Indonesia*, 1–88.
- Hari, A., Titiaryanti, N. M., & Santosa, T. N. B. (2018). Pengaruh Lama Simpan Kecambah Kelapa Sawit dan Volume Penyiraman Terhadap Pertumbuhan di Pre-Nursery. *AGROMAST, Volume 3*.
- Hastuti, P. B. (2011). *Pengolahan Limbah Kelapa Sawit*. Deepublish.
- Herniwanti. (2022). *Evaluasi Revegetasi Pasca Penambangan Batubara*. Syiah Kuala University Press.
- Indriani, Y. H. (2004). *Membuat Kompos Secara Kilat*. Penebar Swadaya Grup.
- Lubis, R. E., & Widarnako, A. (2011). *Buku Pintar Kelapa Sawit*. AgroMedia. https://books.google.co.id/books?id=PUU1TkIn%5C_L8C
- Makiyah, M. (2013). Analisis Kadar N, P dan K pada Pupuk Cair Limbah Tahu dengan Penambahan Tanaman Matahari Meksiko (*Thitonia diversivolia*). *Skripsi Universitas Negeri Semarang*, 1–77.
- Marsha, N. D., Aini, N., & Sumarni, T. (2014). Influence of frequency and volume of water supply on *Crotalaria mucronata* Desv. Growth. *Jurnal Produksi Tanaman, 2(8)*, 673–678.
- Ministry of Agriculture. (2019). *Regulation of the Minister of Agriculture of the Republic of Indonesia Number 01 of 2019 concerning Registration of Organic Fertilizers, Biological Fertilizers, and Soil Improvements* (pp. 1–44). <https://psp.pertanian.go.id/2019/03/peraturan-menteri-pertanian-nomor-01-tahun-2019-tentang-pendaftaran-pupuk-organik-pupuk-hayati-dan-pembenah-tanah/>

- Ningsih, S., & Nusyirwan. (2018). Pengaruh Kompos Ampas Tebu (*Saccharum officinarum* L.) Terhadap Pertumbuhan Tanaman Cabai Rawit (*Capsicum frutescent* L.). *Universitas Negeri Medan, Vol 4, No.*
- Nugraha, D. A., Hartati, R. M., & Astuti, M. (2017). Kajian Peran Endosperm Terhadap Pertumbuhan Bibit Kelapa Sawit Di Pre Nursery. *Agromast, 3(2)*, 58–66.
- Pahan, I. (2013). *Panduan Lengkap Kelapa Sawit, manajemen Agrobisnis Kelapa Sawit Dari Hulu Hingga Hilir*. Penebar Swadaya Grup.
- Pratomo, B., Afrianti, S., & Sihombing, H. S. (2018). Pengaruh Pemberian Kompos Ampas Tebu Dan Ekstrak Rebung Bambu Terhadap Pertumbuhan Bibit Kelapa Sawit (*Elaeis guineensis* Jacq.) Di Pre Nursery. *Agroprimatech, 1(2)*, 72–90.
<http://jurnal.unprimdn.ac.id/index.php/Agroprimatech/article/view/765>
- Riduan, M., Rosmiah, & Aminah, R. I. S. (2017). Pengaruh pemberian pupuk hayati mikoriza dan volume pemberian air terhadap pertumbuhan bibit kelapa sawit (*Elaeis guineensis* Jacq.) pada stadia pre nursery. *Klorofil, XII(1)*, 7–11.
- Sage, R. F., & Kubien, D. S. (2007). The temperature response of C3 and C4 photosynthesis. *Plant, Cell and Environment, 30(9)*, 1086–1106.
<https://doi.org/10.1111/j.1365-3040.2007.01682.x>
- Septyani, I. A. P., Yasin, S., & Gusmini, G. (2019). Utilization of sugarcane filter press mud compost as organic fertilizer for improving chemical properties of ultisols and oil palm seedlings. *Tropical and Subtropical Agroecosystems, 22(3)*, 647–653.
- Sianipar, E. M. (2021). Pengaruh Perubahan Iklim Terhadap Ekofisiologi Tanaman Kelapa Sawit (*Elaeis guineensis* Jacq.). *Majalah Ilmiah Methoda, 11(1)*, 75–80. <https://doi.org/10.46880/methoda.vol11no1.pp75-80>
- Silitonga, Y. R., Heryanto, R., Taufik, N., Indrayana, K., Nas, M., & Kusri, N. (2020). *Budidaya Kelapa Sawit & Varietas Kelapa Sawit*.

LAMPIRAN

Lampiran 1. Sidik Ragam Tinggi Tanaman

Source	Type III Sum of Squares	df	Mean Square	F	Sig.
Corrected Model	173.174 ^a	11	15.743	2.083	.048
Intercept	18683.521	1	18683.521	2471.865	.000
REGOSOL_AMPAS_TEBU	26.880	2	13.440	1.778	.183
VOLUME_PENYIRAMAN	60.383	3	20.128	2.663	.063
REGOSOL_AMPAS_TEBU * VOLUME_PENYIRAMAN	85.911	6	14.319	1.894	.109
Error	272.105	36	7.558		
Total	19128.800	48			
Corrected Total	445.279	47			

Lampiran 2. Sidik Ragam Jumlah Daun

Source	Type III Sum of Squares	df	Mean Square	F	Sig.
Corrected Model	.417 ^a	11	.038	.182	.998
Intercept	494.083	1	494.083	2371.600	.000
REGOSOL_AMPAS_TEBU	.042	2	.021	.100	.905
VOLUME_PENYIRAMAN	.083	3	.028	.133	.940
REGOSOL_AMPAS_TEBU * VOLUME_PENYIRAMAN	.292	6	.049	.233	.963
Error	7.500	36	.208		
Total	502.000	48			
Corrected Total	7.917	47			

Lampiran 3. Sidik Ragam Luas Daun

Source	Type III Sum of Squares	df	Mean Square	F	Sig.
Corrected Model	40940707.167 ^a	11	3721882.470	.643	.780
Intercept	4633155605.333	1	4633155605.333	800.216	.000
REGOSOL_AMPAS_TEBU	19312275.042	2	9656137.521	1.668	.203
VOLUME_PENYIRAMAN	13478988.500	3	4492996.167	.776	.515
REGOSOL_AMPAS_TEBU VOLUME_PENYIRAMAN	8149443.625	6	1358240.604	.235	.962
Error	208435611.500	36	5789878.097		
Total	4882531924.000	48			
Corrected Total	249376318.667	47			

Lampiran 4. Sidik Ragam Diameter Batang

Source	Type III Sum of Squares	df	Mean Square	F	Sig.
Corrected Model	445.750 ^a	11	40.523	1.126	.371
Intercept	173520.750	1	173520.750	4821.881	.000
REGOSOL_AMPAS_TEBU	102.125	2	51.063	1.419	.255
VOLUME_PENYIRAMAN	108.917	3	36.306	1.009	.400
REGOSOL_AMPAS_TEBU * VOLUME_PENYIRAMAN	234.708	6	39.118	1.087	.389
Error	1295.500	36	35.986		
Total	175262.000	48			
Corrected Total	1741.250	47			

Lampiran 5. Sidik Ragam Panjang Akar

Source	Type III Sum of Squares	df	Mean Square	F	Sig.
Corrected Model	81.750 ^a	11	7.432	1.864	.079
Intercept	13668.750	1	13668.750	3429.094	.000
REGOSOL_AMPAS_TEBU	45.500	2	22.750	5.707	.007
VOLUME_PENYIRAMAN	.750	3	.250	.063	.979
REGOSOL_AMPAS_TEBU * VOLUME_PENYIRAMAN	35.500	6	5.917	1.484	.211
Error	143.500	36	3.986		
Total	13894.000	48			
Corrected Total	225.250	47			

Lampiran 6. Sidik Ragam Berat Segar Akar

Source	Type III Sum of Squares	df	Mean Square	F	Sig.
Corrected Model	1683.000 ^a	11	153.000	.513	.882
Intercept	167088.000	1	167088.000	560.019	.000
REGOSOL_AMPAS_TEBU	579.875	2	289.938	.972	.388
VOLUME_PENYIRAMAN	979.500	3	326.500	1.094	.364
REGOSOL_AMPAS_TEBU * VOLUME_PENYIRAMAN	123.625	6	20.604	.069	.999
Error	10741.000	36	298.361		
Total	179512.000	48			
Corrected Total	12424.000	47			

Lampiran 7. Sidik Ragam Berat Kering

Source	Type III Sum of Squares	df	Mean Square	F	Sig.
Corrected Model	133030.229 ^a	11	12093.657	.985	.477
Intercept	10161400.521	1	10161400.521	827.640	.000
REGOSOL_AMPAS_TEBU	85801.792	2	42900.896	3.494	.041
VOLUME_PENYIRAMAN	23116.729	3	7705.576	.628	.602
REGOSOL_AMPAS_TEBU * VOLUME_PENYIRAMAN	24111.708	6	4018.618	.327	.918
Error	441992.250	36	12277.563		
Total	10736423.000	48			
Corrected Total	575022.479	47			

Lampiran 8. Sidik Ragam Berat Segar Tanaman


Source	Type III Sum of Squares	df	Mean Square	F	Sig.
Corrected Model	168862.729 ^a	11	15351.157	1.065	.414
Intercept	10340705.021	1	10340705.021	717.685	.000
REGOSOL_AMPAS_TEBU	93111.167	2	46555.583	3.231	.051
VOLUME_PENYIRAMAN	40333.896	3	13444.632	.933	.435
REGOSOL_AMPAS_TEBU * VOLUME_PENYIRAMAN	35417.667	6	5902.944	.410	.868
Error	518703.250	36	14408.424		
Total	11028271.000	48			
Corrected Total	687565.979	47			

Lampiran 9. Sidik Ragam Berat Kering Tanaman

Source	Type III Sum of Squares	df	Mean Square	F	Sig.
Corrected Model	9090.729 ^a	11	826.430	.979	.482
Intercept	566588.021	1	566588.021	671.219	.000
REGOSOL_AMPAS_TEBU	3178.167	2	1589.083	1.883	.167
VOLUME_PENYIRAMAN	4438.563	3	1479.521	1.753	.174
REGOSOL_AMPAS_TEBU * VOLUME_PENYIRAMAN	1474.000	6	245.667	.291	.937
Error	30388.250	36	844.118		
Total	606067.000	48			
Corrected Total	39478.979	47			

Lampiran 10. Dokumentasi Penelitian







Lampiran 11. Layout Penelitian

A0V1 U1	A0V2 U1	A0V3 U1	A0V4 U1	A0V3 U2
A0V2 U2	A0V1 U2	A0V4 U2	A0V1 U3	A0V2 U3
A0V3 U3	A0V4 U3	A0V1 U4	A0V2 U4	A0V3 U4
A0V4 U4	A1V1 U1	A1V2 U1	A1V3 U1	A1V4 U1
A1V1 U3	A1V4 U2	A1V3 U2	A1V2 U2	A1V1 U2
A1V2 U3	A1V3 U3	A1V4 U3	A1V1 U4	A1V2 U4
A2V3 U1	A2V2 U1	A2V1 U1	A1V4 U4	A1V3 U4
A2V4 U1	A2V1 U2	A2V2 U2	A2V3 U2	A2V4 U2
A2V1 U4	A2V4 U3	A2V3 U3	A2V2 U3	A2V1 U3
A2V2 U4	A2V3 U4	A2V4 U4		

Keterangan:

A0V1: Npk 2,5g + volume penyiraman 100ml

A0V2: Npk 2,5g + volume penyiraman 150ml

A0V3: Npk 2,5g + volume penyiraman 200ml

A0V4: Npk 2,5g + volume penyiraman 250ml

A1V1: 200g ampas tebu + volume penyiraman 100ml

A1V2: 200g ampas tebu + volume penyiraman 150ml

A1V3: 200g ampas tebu + volume penyiraman 200ml

A1V4: 200g ampas tebu + volume penyiraman 250ml

A2V1: 300g ampas tebu + volume penyiraman 100ml

A2V2: 300g ampas tebu + volume penyiraman 150ml

A2V3: 300g ampas tebu + volume penyiraman 200ml

A2V4: 300g ampas tebu + volume penyiraman 250ml