

DAFTAR PUSTAKA

- Brady, N. C., & Weil, R. R. (2016). *The nature and properties of soils* (15th ed.). Pearson.
- Choi, H. S., & Song, H. S. (2018). Comparative study of phytochemicals and vitamin C content in different cultivars of *Brassica Rapa L. subsp. pekinensis* and *Brassica Rapa L. subsp. chinensis*. *Journal of Agricultural Science and Technology*, 20(3), 301-307.
- Darmawijaya, I. M. (1990). *Klasifikasi Tanah*. Bogor: Institut Pertanian Bogor.
- Farnham, M. W., Wilson, P. E., & Stephenson, K. K. (2000). *Brassica Rapa L. taxonomy and nomenclature*. *HortTechnology*, 10(1), 101-103.
- Guo, L., Yang, J., & Wei, J. (2019). Nutritional and phytochemical content of Chinese pak choi (*Brassica Rapa var. chinensis*) and Japanese Komatsuna (*Brassica Rapa var. perviridis*). *Food Chemistry*, 295, 289-294.
- Hageman, R. H., & Huffaker, R. C. (Eds.). (2014). *Nitrogen Metabolism of Plants*. Springer.
- Han, J. H., Lee, S. J., & Baek, J. Y. (2016). Comparison of vitamin C, glucosinolates and antioxidant capacity in *Brassica Rapa L. subsp. pekinensis* and *Brassica Rapa L. subsp. chinensis*. *International Journal of Food Science & Technology*, 51(3), 687-693.
- Hidayat, A., Suryani, L., & Prasetyo, E. (2020). Pengaruh Pupuk Organik terhadap Pertumbuhan dan Hasil Tanaman Sayuran. *Jurnal Agronomi Indonesia*, 48(3), 117-125.
- Kii, M., dkk. (2020). Pengaruh Komposisi Media Tanam Pada Berbagai Jenis Varietas Sawi Terhadap Kualitas dan Hasil. *Jurnal Pertanian dan Agroekosistem*, 22(1), 75-82.
- Lal, R. (2015). Soil and sustainable agriculture: A review. *Agronomy for Sustainable Development*, 35(3), 657-686.
- Marschner, H. (2012). *Mineral Nutrition of Higher Plants*. Academic Press.

- Nuraini, L. (2021). Optimasi Dosis Pupuk Organik dalam Budidaya Sayuran Berdaun. *Jurnal Ilmu Pertanian*, 12(2), 93-102.
- Safitri, R., Widodo, H., & Prasetya, R. (2020). Pengaruh Komposisi Media Tanam terhadap Pertumbuhan dan Hasil Tanaman Pakcoy (*Brassica chinensis* L.). *Jurnal Agronomi*, 15(2), 55-62.
- Sambas Nugraha, I., Siregar, R., & Wijaya, M. (2018). Pengaruh Komposisi Media Tanam Terhadap Pertumbuhan dan Hasil Tanaman Pakcoy (*Brassica Rapa* L.). *Jurnal Hortikultura Indonesia*, 10(4), 150-157.
- Seow, A., Shi, C. Y., Chung, F. L., Jiao, D., Hankin, J. H., Lee, H. P., ... & Yu, M. C. (1998). Urinary total isothiocyanate (ITC) in a population-based sample of middle-aged and older Chinese in Singapore: relationship with dietary total ITC and glutathione S-transferase M1/T1/P1 genotypes. *Cancer Epidemiology and Prevention Biomarkers*, 7(9), 775-781.
- Slaton, N. A., & Norman, R. J. (Eds.). (2012). *Nitrogen in Agricultural Systems: Implications for Conservation Policy*. Soil Science Society of America.
- Sotelo, T., Lema, M., Soengas, P., & Cartea, M. E. (2015). Intraspecific variation in glucosinolates in green and red cabbage (*Brassica oleracea* var. *capitata*) grown in northwestern Spain. *Scientia Horticulturae*, 183, 144-152.
- Suryadi, T., Prabowo, F., & Sutrisno, B. (2019). Efek Pupuk Organik terhadap Pertumbuhan dan Produksi Tanaman Pakcoy. *Jurnal Pertanian Modern*, 14(1), 45-52.
- Sutton, M. A., Oenema, O., Erisman, J. W., Leip, A., van Grinsven, H., & Winiwarter, W. (2011). Too much of a good thing. *Nature*, 472(7342), 159-161.
- Taiz, L., & Zeiger, E. (2010). *Plant Physiology* (5th ed.). Sinauer Associates.
- Wahyudi, A. (2020). Pengaruh Dosis Pupuk Organik terhadap Berat Segar Tajuk Sayuran Berdaun. *Agrivita Journal of Agricultural Science*, 32(2), 89-95.
- Warwick, S. I., & Black, L. D. (1991). Molecular systematics of *Brassica* and allied genera (subtribe Brassicinae, Brassiceae)—chloroplast genome and cytodeme congruence. *Theoretical and Applied Genetics*, 82(1), 81-92.

LAMPIRAN

Lampiran 1. Deskriptif Statistik

Descriptive Statistics

Dependent Variable: Tinggi_Tanaman

Media_Tanam	Pupuk_Organik	Mean	Std. Deviation	N
T1	P0	16.8167	1.34672	6
	P1	16.7000	1.10454	6
	P2	16.7000	.66633	6
	P3	16.9000	.63561	6
	Total	16.7792	.92265	24
T2	P0	16.6167	.64317	6
	P1	17.4667	.70899	6
	P2	16.6500	1.04451	6
	P3	17.1833	.97245	6
	Total	16.9792	.88169	24
Total	P0	16.7167	1.01160	12
	P1	17.0833	.97125	12
	P2	16.6750	.83571	12
	P3	17.0417	.79711	12
	Total	16.8792	.89845	48

Descriptive Statistics

Dependent Variable: Jumlah_Daun

Media_Tanam	Pupuk_Organik	Mean	Std. Deviation	N
T1	P0	16.8333	.40825	6
	P1	15.0000	.63246	6
	P2	15.0000	.89443	6
	P3	15.3333	.81650	6
	Total	15.5417	1.02062	24
T2	P0	15.3333	.81650	6
	P1	15.5000	1.22474	6
	P2	15.3333	1.86190	6
	P3	15.1667	.75277	6
	Total	15.3333	1.16718	24
Total	P0	16.0833	.99620	12
	P1	15.2500	.96531	12
	P2	15.1667	1.40346	12
	P3	15.2500	.75378	12
	Total	15.4375	1.08972	48

Descriptive Statistics

Dependent Variable: Luas_Daun

Media_Tanam	Pupuk_Organik	Mean	Std. Deviation	N
T1	P0	67.8000	5.06004	6
	P1	71.9667	10.40455	6
	P2	68.2833	8.87342	6
	P3	69.4667	4.96172	6
	Total	69.3792	7.36755	24
T2	P0	70.7833	10.42371	6
	P1	70.7833	5.72727	6
	P2	67.6833	4.87582	6
	P3	72.6000	8.05854	6
	Total	70.4625	7.30050	24
Total	P0	69.2917	7.96577	12
	P1	71.3750	8.03109	12
	P2	67.9833	6.83332	12
	P3	71.0333	6.58681	12
	Total	69.9208	7.27628	48

Descriptive Statistics

Dependent Variable: BST

Media_Tanam	Pupuk_Organik	Mean	Std. Deviation	N
T1	P0	60.3767	4.92425	6
	P1	59.7050	3.86247	6
	P2	55.4500	7.57749	6
	P3	59.7150	5.07134	6
	Total	58.8117	5.53135	24
T2	P0	64.0533	4.26930	6
	P1	59.5217	5.67790	6
	P2	55.9400	5.05122	6
	P3	57.0950	8.41825	6
	Total	59.1525	6.48236	24
Total	P0	62.2150	4.79516	12
	P1	59.6133	4.63079	12
	P2	55.6950	6.14511	12
	P3	58.4050	6.76569	12
	Total	58.9821	5.96369	48

Descriptive Statistics

Dependent Variable: BKA

Media_Tanam	Pupuk_Organik	Mean	Std. Deviation	N
T1	P0	1.5500	.44873	6
	P1	1.8183	.41921	6
	P2	1.4800	.44299	6
	P3	1.7150	.37962	6
	Total	1.6408	.41776	24
T2	P0	2.2200	.73288	6
	P1	1.5933	.32819	6
	P2	1.4667	.28925	6
	P3	1.5317	.55032	6
	Total	1.7029	.56507	24
Total	P0	1.8850	.67683	12
	P1	1.7058	.37768	12
	P2	1.4733	.35676	12
	P3	1.6233	.46080	12
	Total	1.6719	.49259	48

Lampiran 2. Hasil Sidik Ragam

Tests of Between-Subjects Effects

Dependent Variable: Tinggi_Tanaman

Source	Type III Sum of Squares	df	Mean Square	F	Sig.
Corrected Model	3.766 ^a	7	.538	.630	.728
Intercept	13675.501	1	13675.501	16007.219	.000
Media_Tanam	.480	1	.480	.562	.458
Pupuk_Organik	1.634	3	.545	.638	.595
Media_Tanam * Pupuk_Organik	1.652	3	.551	.644	.591
Error	34.173	40	.854		
Total	13713.440	48			
Corrected Total	37.939	47			

a. R Squared = .099 (Adjusted R Squared = -.058)

Tests of Between-Subjects Effects

Dependent Variable: Jumlah_Daun

Source	Type III Sum of Squares	df	Mean Square	F	Sig.
Corrected Model	14.646 ^a	7	2.092	2.033	.075
Intercept	11439.187	1	11439.187	11115.000	.000
Media_Tanam	.521	1	.521	.506	.481
Pupuk_Organik	6.729	3	2.243	2.179	.105
Media_Tanam * Pupuk_Organik	7.396	3	2.465	2.395	.042
Error	41.167	40	1.029		
Total	11495.000	48			
Corrected Total	55.812	47			

a. R Squared = .262 (Adjusted R Squared = .133)

Tests of Between-Subjects Effects

Dependent Variable: Luas_Daun

Source	Type III Sum of Squares	df	Mean Square	F	Sig.
Corrected Model	151.459 ^a	7	21.637	.370	.914
Intercept	234668.301	1	234668.301	4016.711	.000
Media_Tanam	14.083	1	14.083	.241	.626
Pupuk_Organik	90.024	3	30.008	.514	.675
Media_Tanam * Pupuk_Organik	47.352	3	15.784	.270	.847
Error	2336.920	40	58.423		
Total	237156.680	48			
Corrected Total	2488.379	47			

a. R Squared = .061 (Adjusted R Squared = -.103)

Tests of Between-Subjects Effects

Dependent Variable: BST

Source	Type III Sum of Squares	df	Mean Square	F	Sig.
Corrected Model	325.826 ^a	7	46.547	1.384	.239
Intercept	166986.535	1	166986.535	4963.356	.000
Media_Tanam	1.394	1	1.394	.041	.840
Pupuk_Organik	263.858	3	87.953	2.614	.034
Media_Tanam * Pupuk_Organik	60.574	3	20.191	.600	.619
Error	1345.755	40	33.644		
Total	168658.116	48			
Corrected Total	1671.581	47			

a. R Squared = .195 (Adjusted R Squared = .054)

BST

Duncan^{a,b}

Pupuk_Organik	N	Subset	
		1	2
P2	12	55.6950	
P3	12	58.4050	58.4050
P1	12	59.6133	59.6133
P0	12		62.2150
Sig.		.125	.136

Means for groups in homogeneous subsets are displayed.

Based on observed means.

The error term is Mean Square(Error) = 33.644.

a. Uses Harmonic Mean Sample Size = 12.000.

b. Alpha = .05.

Tests of Between-Subjects Effects

Dependent Variable: BKA

Source	Type III Sum of Squares	df	Mean Square	F	Sig.
Corrected Model	2.660 ^a	7	.380	1.738	.128
Intercept	134.168	1	134.168	613.761	.000
Media_Tanam	.046	1	.046	.212	.648
Pupuk_Organik	1.060	3	.353	1.617	.201
Media_Tanam * Pupuk_Organik	1.554	3	.518	2.369	.085
Error	8.744	40	.219		
Total	145.572	48			
Corrected Total	11.404	47			

a. R Squared = .233 (Adjusted R Squared = .099)

Lampiran 3. Layout

T1P2U1	T1P2U6	T2P0U5	T1P3U3	T2P2U2	T2P0U1
T2P1U5	T1P3U1	T2P3U6	T2P2U6	T2P2U1	T1P1U2
T2P1U3	T1P0U1	T1P1U1	T2P1U1	T2P3U5	T1P2U2
T2P0U2	T1P0U3	T2P3U1	T2P0U3	T2P3U2	T1P3U6
T2P2U5	T1P1U3	T2P1U6	T2P3U4	T1P3U2	T1P2U5
T2P1U2	T1P0U4	T1P1U6	T1P3U4	T1P0U5	T1P2U4
T1P1U5	T2P0U4	T2P3U3	T1P0U2	T2P2U3	T1P0U6
T1P2U3	T1P1U4	T2P0U6	T2P1U4	T2P2U4	T1P3U5

Keterangan:

1. Faktor pertama adalah media tanam (T) yang terdiri dari 2 aras, yaitu:
T1 = Tanah *Top soil*
T2 = Tanah *Subsoil*
Jenis tanah yang digunakan adalah tanah Regosol.
2. Faktor yang kedua adalah adalah perlakuan dosis pupuk organik (kotoran sapi) yang terdiri dari empat aras yaitu :
P0= NPK Dosis 1
P1 = $50 \text{ g} + \frac{1}{2}$ dosis pupuk NPK/polybag
P2 = $100 \text{ g} + \frac{1}{2}$ dosis pupuk NPK polybag
P3 = $150 \text{ g} + \frac{1}{2}$ dosis pupuk NPK/polybag
3. Ulangan
U1: Ulangan 1
U2: Ulangan 2
U3: Ulangan 3
U4: Ulangan 4
U5: Ulangan 5
U6: Ulangan 6

Lampiran 4. Dokumentasi Penelitian



Pengambilan Tanah Regosol



Pupuk Kotoran Sapi dan NPK



Penyiraman





Pertumbuhan Tanaman



Pengukuran Tanaman



Panen Tanaman



Pengukuran Berat Segar Tanaman



Pengovenan Tanaman