

DAFTAR PUSTAKA

- Adnan, I. S., Utoyo, B., & Kusumastuti, A. (2015). Pengaruh Pupuk NPK dan Pupuk Organik terhadap Pertumbuhan Bibit Kelapa Sawit (*Elaeis guineensis* Jacq.) di Main Nursery. *Jurnal Online Politeknik Negeri Lampung*, 3(2), 69–81.
- Ariyanti, M., Natali, G., & Suherman, C. (2017). Respons Pertumbuhan Bibit Kelapa Sawit (*Elaeis guineensis* Jacq.) terhadap Pemberian Pupuk Organik Asal Pelepah Kelapa Sawit dan Pupuk Majemuk NPK. *Agrikultura*, 28(2), 64–67. <https://doi.org/10.24198/agrikultura.v28i2.14955>
- Kamal, N. (2018). Karakterisasi dan Potensi Pemanfaatan Limbah Sawit. *Itenas Library*, 61–68.
- Kasno, A., & Anggria, L. (2017). Peningkatan Pertumbuhan Kelapa Sawit Di Pembibitan Dengan Pemupukan NPK. *Jurnal Penelitian Tanaman Industri*, 22(3), 107.
- Khasanah, M. N. (2013). Pengaruh Pupuk NPK Tablet Dan Pupuk Nutrisi Organik Cair Terhadap Pertumbuhan Bibit Kelapa Sawit (*Elaeis guineensis* Jacq.) Di Pembibitan Utama. *Fakultas Pertanian Universitas Riau*, 1(1827), 18–19.
- Manahan, S., Idwar, & Wardati. (2016). Pengaruh pupuk npk dan kascing terhadap pertumbuhan kelapa sawit (*Elaeis guineensis* jacq.). *JOM Faperta*, 3(2), 1–10. <https://jom.unri.ac.id/index.php/JOMFAPERTA/article/view/11802>
- Maria Vombora Sitorus, C., Setyorini, T., & Suryanti, S. (2021). Pengaruh Pupuk NPK Dan Pupuk Silika Terhadap Pertumbuhan Bibit Kelapa Sawit (*Elaeis guineensis* Jacq.) Di Pembibitan Utama. *Journal Agroista*, 5(2).
- Pamungkas, B., Kristalisasi, E. N., & Himawan, A. (2023). Pengaruh Pupuk Kascing sebagai Campuran Media Tanam dan Pupuk NPK 15 : 15 : 15 terhadap Pertumbuhan Bibit Kelapa Sawit (*Elaeis guineensis* Jacq .) di Main Nursery. *Agroforetech*, 99, 6218242.
- Purba, J. (2020). Efektivitas Penambahan Pupuk Hayati Dan Pupuk NPK Terhadap Pertumbuhan Dan Produksi Selada (*Lactuca sativa* L.). *Agroprimatech*, 4(1), 18–26. <https://doi.org/10.34012/agroprimatech.v4i1.1327>
- Purba, J. H. V, & Sipayung, T. (2017). *PERKEBUNAN KELAPA SAWIT INDONESIA DALAM*. 81–94.
- Ramanda, D., Rohmiyati, S. M., & Wilisiani, F. (2024). Pengaruh Volume Air Siraman dan Dosis Pupuk NPK terhadap Pertumbuhan Bibit Kelapa Sawit di Main Nursery. *Agroforetech*, 2(2).
- Sudrajat, Darwis, A., & Wachjar, A. (2014). Optimasi Dosis Pupuk Nitrogen dan Fosfor pada Bibit Kelapa Sawit (*Elaeis guineensis* Jacq.) di Pembibitan Utama. *J. Agron. Indonesia*, 42(3), 222–227.
- Sukmawan, Y., Riniarti, D., Utoyo, B., & Rifai, A. (2019). Efisiensi Air Pada Pembibitan Utama Kelapa Sawit Melalui Aplikasi Mulsa Organik Dan

Pengaturan Volume Penyiraman. *Jurnal Pertanian Presisi (Journal of Precision Agriculture)*, 3(2), 141–154.
<https://doi.org/10.35760/jpp.2019.v3i2.2331>

Utoyo, B., Shifa Usodri, K., Sukmawan, Y., Esa Putra Arahman, R., Hamdani, H., & Sudirman, A. (2022). Aplikasi Pupuk KNO₃ dan NPK Pada Pertumbuhan Bibit Kelapa Sawit (*Elaeis Guineensis* Jacq.) Double Tone Di Main-Nursery. *Jurnal Penelitian Pertanian Terapan*, 22(3), 224–231.
<https://doi.org/10.25181/jppt.v22i3.2600>

LAMPIRAN

Lampiran 1 *Layout* Penelitian

A1 G 1	A2 T 1	A4 G 1	A3 B 3	A2 G 4	A1 T 4
A1 B 1	A3 B 1	A4 T 1	A3 G 3	A2 T 4	A2 B 4
A1 T 1	A3 G 1	A1 G 2	A3 T 3	A3 B 4	A2 G 3
A2 B 1	A3 T 1	A1 B 2	A4 B 3	A3 G 4	A2 T 3
A2 G 1	A4 B 1	A1 T 2	A4 G 3	A3 T 4	A4 T 2
A2 B 2	A3 T 2	A1 B 3	A4 T 3	A4 B 4	A1 G 3
A2 G 2	A4 B 2	A1 T 3	A1 G 4	A4 G 4	A3 B 2
A2 T 2	A4 G 2	A2 B 3	A1 B 4	A4 T 4	A3 G 2

Keterangan :

A1 = NPK dosis 2,5 gram

A2 = NPK dosis 5 gram

A3 = NPK dosis 7,5 gram

A4 = NPK dosis 10 gram

B = Bubuk

G = Granul

T = Tablet

Lampiran 2 Hasil uji Anova dan DMRT tinggi tanaman

Descriptive Statistics

Dependent Variable: Tinggi Tanaman

Jenis Pupuk	Dosis Pupuk	Mean	Std. Deviation	N
TABLET	NPK 2.5	31.3250	.90063	12
	NPK 5	32.6417	1.95795	12
	NPK 7.5	34.9917	4.34081	12
	NPK 10	39.7500	1.66160	12
	Total	34.6771	4.08236	48
GRANUL	NPK 2.5	31.8417	2.44557	12
	NPK 5	33.4833	2.02118	12
	NPK 7.5	33.9500	1.53889	12
	NPK 10	40.0333	2.35114	12
	Total	34.8271	3.74931	48
BUBUK	NPK 2.5	32.2083	1.17663	12
	NPK 5	35.6583	1.08582	12
	NPK 7.5	41.0083	2.54325	12
	NPK 10	41.2500	1.84120	12
	Total	37.5312	4.20173	48
Total	NPK 2.5	31.7917	1.64462	36
	NPK 5	33.9278	2.12625	36
	NPK 7.5	36.6500	4.31903	36
	NPK 10	40.3444	2.02632	36
	Total	35.6785	4.19910	144

Tests of Between-Subjects Effects

Dependent Variable: Tinggi Tanaman

Source	Type III Sum of Squares	df	Mean Square	F	Sig.
Corrected Model	1898.492 ^a	11	172.590	36.571	.000
Intercept	183305.287	1	183305.287	38841.425	.000
Jenis_Pupuk	247.701	2	123.850	26.243	.000
Dosis_Pupuk	1471.945	3	490.648	103.966	.000
Jenis_Pupuk * Dosis_Pupuk	178.847	6	29.808	6.316	.000
Error	622.951	132	4.719		
Total	185826.730	144			
Corrected Total	2521.443	143			

a. R Squared = .753 (Adjusted R Squared = .732)

Tinggi Tanaman

Duncan^{a,b}

Dosis Pupuk	N	Subset			
		1	2	3	4
NPK 2.5	36	31.7917			
NPK 5	36		33.9278		
NPK 7.5	36			36.6500	
NPK 10	36				40.3444
Sig.		1.000	1.000	1.000	1.000

Means for groups in homogeneous subsets are displayed.

Based on observed means.

The error term is Mean Square(Error) = 4.719.

a. Uses Harmonic Mean Sample Size = 36.000.

b. Alpha = .05.

Tinggi Tanaman

Duncan^{a,b}

Jenis Pupuk	N	Subset	
		1	2
TABLET	48	34.6771	
GRANUL	48	34.8271	
BUBUK	48		37.5312
Sig.		.736	1.000

Means for groups in homogeneous subsets are displayed.

Based on observed means.

The error term is Mean Square(Error) = 4.719.

a. Uses Harmonic Mean Sample Size = 48.000.

b. Alpha = .05.

Lampiran 3 Hasil uji Anova dan DMRT Jumlah daun

Descriptive Statistics

Dependent Variable: Jumlah Daun

Jenis Pupuk	Dosis Pupuk	Mean	Std. Deviation	N
Tablet	NPK 2.5	5.0833	.99620	12
	NPK 5	5.1667	1.46680	12
	NPK 7.5	5.3333	1.23091	12
	NPK 10	5.9167	1.44338	12
	Total	5.3750	1.29853	48
Granul	NPK 2.5	5.2500	1.42223	12
	NPK 5	5.7500	1.60255	12
	NPK 7.5	6.3333	1.43548	12
	NPK 10	7.0000	2.08893	12
	Total	6.0833	1.73614	48
Bubuk	NPK 2.5	5.8333	.93744	12
	NPK 5	6.4167	1.78164	12
	NPK 7.5	6.8333	1.02986	12
	NPK 10	7.6667	1.23091	12
	Total	6.6875	1.41656	48
Total	NPK 2.5	5.3889	1.15333	36
	NPK 5	5.7778	1.65807	36
	NPK 7.5	6.1667	1.36277	36
	NPK 10	6.8611	1.74279	36
	Total	6.0486	1.57928	144

Tests of Between-Subjects Effects

Dependent Variable: Jumlah Daun

Source	Type III Sum of Squares	Df	Mean Square	F	Sig.
Corrected Model	88.410 ^a	11	8.037	3.955	.000
Intercept	5268.340	1	5268.340	2592.436	.000
Jenis_Pupuk	41.431	2	20.715	10.194	.000
Dosis_Pupuk	42.576	3	14.192	6.984	.000
Jenis_Pupuk * Dosis_Pupuk	4.403	6	.734	.361	.902
Error	268.250	132	2.032		
Total	5625.000	144			

Corrected Total	356.660	143			
-----------------	---------	-----	--	--	--

a. R Squared = .248 (Adjusted R Squared = .185)

Jumlah Daun

Duncan^{a,b}

Jenis_Pupuk	N	Subset		
		1	2	3
Tablet	48	5.3750		
Granul	48		6.0833	
Bubuk	48			6.6875
Sig.		1.000	1.000	1.000

Means for groups in homogeneous subsets are displayed.

Based on observed means.

The error term is Mean Square(Error) = 2.032.

a. Uses Harmonic Mean Sample Size = 48.000.

b. Alpha = ,05.

Jumlah Daun

Duncan^{a,b}

Dosis_Pupuk	N	Subset		
		1	2	3
NPK 2.5	36	5.3889		
NPK 5	36	5.7778	5.7778	
NPK 7.5	36		6.1667	
NPK 10	36			6.8611
Sig.		.249	.249	1.000

Means for groups in homogeneous subsets are displayed.

Based on observed means.

The error term is Mean Square(Error) = 2.032.

a. Uses Harmonic Mean Sample Size = 36.000.

b. Alpha = ,05.

Lampiran 4 Hasil uji Anova dan DMRT Diameter batang

Descriptive Statistics

Dependent Variable: Diameter Batang

Jenis Pupuk	Dosis Pupuk	Mean	Std. Deviation	N
Tablet	NPK 2.5	13.3167	2.52401	12
	NPK 5	14.0667	3.15575	12
	NPK 7.5	16.6000	4.07297	12
	NPK 10	17.1583	3.67756	12
	Total	15.2854	3.68447	48
Granul	NPK 2.5	14.0583	4.58306	12
	NPK 5	17.1917	4.61961	12
	NPK 7.5	17.2500	4.03564	12
	NPK 10	17.5417	4.92165	12
	Total	16.5104	4.63209	48
Bubuk	NPK 2.5	13.5833	3.48212	12
	NPK 5	13.7250	3.59624	12
	NPK 7.5	15.6250	3.10692	12
	NPK 10	15.9750	3.76397	12
	Total	14.7271	3.55436	48
Total	NPK 2.5	13.6528	3.53711	36
	NPK 5	14.9944	4.05025	36
	NPK 7.5	16.4917	3.71817	36
	NPK 10	16.8917	4.09553	36
	Total	15.5076	4.02800	144

Tests of Between-Subjects Effects

Dependent Variable: Diameter Batang

Source	Type III Sum of Squares	df	Mean Square	F	Sig.
Corrected Model	360.207 ^a	11	32.746	2.205	.018
Intercept	34630.108	1	34630.108	2332.310	.000
Jenis_Pupuk	79.882	2	39.941	2.690	.072
Dosis_Pupuk	237.158	3	79.053	5.324	.002
Jenis_Pupuk * Dosis_Pupuk	43.167	6	7.195	.485	.819
Error	1959.934	132	14.848		
Total	36950.250	144			

Corrected Total	2320.142	143			
-----------------	----------	-----	--	--	--

a. R Squared = .155 (Adjusted R Squared = .085)

Diameter Batang

Duncan^{a,b}

Jenis Pupuk	N	Subset	
		1	2
Bubuk	48	14.7271	
Tablet	48	15.2854	15.2854
Granul	48		16.5104
Sig.		.479	.122

Means for groups in homogeneous subsets are displayed.

Based on observed means.

The error term is Mean Square(Error) = 14.848.

a. Uses Harmonic Mean Sample Size = 48.000.

b. Alpha = .05.

Diameter Batang

Duncan^{a,b}

Dosis Pupuk	N	Subset		
		1	2	3
NPK 2.5	36	13.6528		
NPK 5	36	14.9944	14.9944	
NPK 7.5	36		16.4917	16.4917
NPK 10	36			16.8917
Sig.		.142	.102	.660

Means for groups in homogeneous subsets are displayed.

Based on observed means.

The error term is Mean Square(Error) = 14.848.

a. Uses Harmonic Mean Sample Size = 36.000.

b. Alpha = .05.

Lampiran 5 Hasil uji Anova dan DMRT Panjang akar

Tests of Between-Subjects Effects

Dependent Variable: Panjang akar

Source	Type III Sum of Squares	df	Mean Square	F	Sig.
Corrected Model	2672.125 ^a	11	242.920	1.326	.250
Intercept	209088.000	1	209088.000	1141.453	.000
Jenis_Pupuk	1576.500	2	788.250	4.303	.021
Dosis_Pupuk	472.458	3	157.486	.860	.471
Jenis_Pupuk * Dosis_Pupuk	623.167	6	103.861	.567	.754
Error	6594.375	36	183.177		
Total	218354.500	48			
Corrected Total	9266.500	47			

a. R Squared = .288 (Adjusted R Squared = .071)

Panjang akar

Duncan^{a,b}

Jenis_Pupuk	N	Subset	
		1	2
TABLET	16	60.8750	
GRANUL	16	63.1250	
BUBUK	16		74.0000
Sig.		.641	1.000

Means for groups in homogeneous subsets are displayed.

Based on observed means.

The error term is Mean Square(Error) = 183.177.

a. Uses Harmonic Mean Sample Size = 16.000.

b. Alpha = .05.

Panjang akar

Duncan^{a,b}

Dosis_Pupuk	N	Subset 1
NPK 7.5	12	62.3333
NPK 2.5	12	63.4583
NPK 5	12	68.7917
NPK 10	12	69.4167
Sig.		.251

Means for groups in homogeneous subsets are displayed.

Based on observed means.

The error term is Mean Square(Error) = 183.177.

a. Uses Harmonic Mean Sample Size = 12.000.

b. Alpha = .05.

Lampiran 6 Hasil uji Anova dan DMRT Berat segar akar

Tests of Between-Subjects Effects

Dependent Variable: Berat Segar Akar

Source	Type III Sum of Squares	Df	Mean Square	F	Sig.
Corrected Model	16090.432 ^a	11	1462.767	28.362	.000
Intercept	24548.130	1	24548.130	475.973	.000
Jenis_Pupuk	4670.948	2	2335.474	45.283	.000
Dosis_Pupuk	5471.141	3	1823.714	35.361	.000
Jenis_Pupuk *	5948.344	6	991.391	19.222	.000
Dosis_Pupuk					
Error	1856.688	36	51.575		
Total	42495.250	48			
Corrected Total	17947.120	47			

a. R Squared = .897 (Adjusted R Squared = .865)

Berat Segar Akar

Duncan^{a,b}

Dosis_Pupuk	N	Subset	
		1	2
NPK 2.5	12	15.5833	
NPK 10	12	15.9167	
NPK 7.5	12	17.9167	
NPK 5	12		41.0417
Sig.		.460	1.000

Means for groups in homogeneous subsets are displayed.

Based on observed means.

The error term is Mean Square(Error) = 51.575.

a. Uses Harmonic Mean Sample Size = 12.000.

b. Alpha = ,05.

Berat Segar Akar

Duncan^{a,b}

Jenis_Pupuk	N	Subset	
		1	2
GRANUL	16	14.8125	
TABLET	16	16.5000	
BUBUK	16		36.5312
Sig.		.511	1.000

Means for groups in homogeneous subsets are displayed.

Based on observed means.

The error term is Mean Square(Error) = 51.575.

a. Uses Harmonic Mean Sample Size = 16.000.

b. Alpha = ,05.

Lampiran 7 Hasil uji Anova dan DMRT Berat kering akar

Tests of Between-Subjects Effects

Dependent Variable: Berat kering akar

Source	Type III Sum of Squares	df	Mean Square	F	Sig.
Corrected Model	55.603 ^a	11	5.055	1.034	.439
Intercept	1304.167	1	1304.167	266.746	.000
NPK	6.737	3	2.246	.459	.712
Jenis Pupuk	6.976	2	3.488	.713	.497
NPK * Jenis Pupuk	41.889	6	6.981	1.428	.231
Error	176.010	36	4.889		
Total	1535.780	48			
Corrected Total	231.613	47			

a. R Squared = .240 (Adjusted R Squared = .008)

Berat kering akar

Duncan^{a,b}

NPK	N	Subset 1
NPK 2.5	12	4.8083
NPK 7.5	12	5.0833
NPK 10	12	5.1333
NPK 5	12	5.8250
Sig.		.313

Means for groups in homogeneous subsets are displayed.

Based on observed means.

The error term is Mean Square(Error) = 4.889.

a. Uses Harmonic Mean Sample Size = 12.000.

b. Alpha = .05.

Berat kering akar

Duncan^{a,b}

Jenis_Pupuk	N	Subset 1
Granul	16	4.8438
Tablet	16	5.0563
Bubuk	16	5.7375
Sig.		.289

Means for groups in homogeneous subsets are displayed.

Based on observed means.

The error term is Mean Square(Error) = 4.889.

a. Uses Harmonic Mean Sample Size = 16.000.

b. Alpha = ,05.

Lampiran 8 Hasil uji Anova dan DMRT Berat segar tajuk

Tests of Between-Subjects Effects

Dependent Variable: Berat Segar Tajuk

Source	Type III Sum of Squares	Df	Mean Square	F	Sig.
Corrected Model	11861.417 ^a	11	1078.311	.974	.486
Intercept	328352.083	1	328352.083	296.626	.000
Jenis_Pupuk	2100.792	2	1050.396	.949	.397
Dosis_Pupuk	3172.250	3	1057.417	.955	.424
Jenis_Pupuk * Dosis_Pupuk	6588.375	6	1098.062	.992	.445
Error	39850.500	36	1106.958		
Total	380064.000	48			
Corrected Total	51711.917	47			

a. R Squared = .229 (Adjusted R Squared = -.006)

Descriptive Statistics

Dependent Variable: Berat Segar Tajuk

Jenis Pupuk	Dosis Pupuk	Mean	Std. Deviation	N
BUBUK	NPK 2.5	96.2500	43.85107	4
	NPK 5	75.2500	16.52019	4
	NPK 7.5	107.2500	30.75034	4
	NPK 10	89.5000	41.34812	4
	Total	92.0625	33.36958	16
GRANUL	NPK 2.5	86.0000	42.59890	4
	NPK 5	79.5000	22.00757	4
	NPK 7.5	80.2500	26.93665	4
	NPK 10	67.0000	18.85029	4
	Total	78.1875	26.96719	16
TABLET	NPK 2.5	95.2500	62.13627	4
	NPK 5	101.2500	23.42897	4
	NPK 7.5	61.5000	23.69951	4
	NPK 10	53.5000	9.00000	4
	Total	77.8750	38.29687	16
Total	NPK 2.5	92.5000	45.77713	12
	NPK 5	85.3333	22.30912	12
	NPK 7.5	83.0000	31.52200	12
	NPK 10	70.0000	28.73705	12
	Total	82.7083	33.17007	48

Berat Segar Tajuk

Duncan^{a,b}

Dosis Pupuk	N	Subset 1
NPK 10	12	70.0000
NPK 7.5	12	83.0000
NPK 5	12	85.3333
NPK 2.5	12	92.5000
Sig.		.139

Means for groups in homogeneous subsets are displayed.

Based on observed means.

The error term is Mean Square(Error) = 1106.958.

a. Uses Harmonic Mean Sample Size = 12.000.

b. Alpha = ,05.

Berat Segar Tajuk

Duncan^{a,b}

Jenis_Pupuk	N	Subset 1
TABLET	16	77.8750
GRANUL	16	78.1875
BUBUK	16	92.0625
Sig.		.263

Means for groups in homogeneous subsets are displayed.

Based on observed means.

The error term is Mean Square(Error) = 1106.958.

a. Uses Harmonic Mean Sample Size = 16.000.

b. Alpha = ,05.

Lampiran 9 Hasil uji Anova dan DMRT Berat kering tajuk

Descriptive Statistics

Dependent Variable: Berat Kering Tajuk

Jenis Pupuk	Dosis Pupuk	Mean	Std. Deviation	N
Bubuk	NPK 2.5	27.5500	11.59152	4
	NPK 5	23.5750	4.62772	4
	NPK 7.5	23.0750	13.02264	4
	NPK 10	24.3250	11.25000	4
	Total	24.6312	9.67607	16
Granul	NPK 2.5	16.6750	7.65218	4
	NPK 5	21.4500	6.31955	4
	NPK 7.5	22.9750	6.87865	4
	NPK 10	23.0750	7.79845	4
	Total	21.0438	6.96802	16
Tablet	NPK 2.5	25.0000	15.60278	4
	NPK 5	29.4000	5.37463	4
	NPK 7.5	18.1250	7.20711	4
	NPK 10	15.5750	3.59386	4
	Total	22.0250	9.97260	16
Total	NPK 2.5	23.0750	11.93872	12
	NPK 5	24.8083	6.07715	12
	NPK 7.5	21.3917	8.89632	12
	NPK 10	20.9917	8.42102	12
	Total	22.5667	8.91387	48

Tests of Between-Subjects Effects

Dependent Variable: Berat Kering Tajuk

Source	Type III Sum of Squares	df	Mean Square	F	Sig.
Corrected Model	747.247 ^a	11	67.932	.819	.622
Intercept	24444.213	1	24444.213	294.584	.000
Jenis_Pupuk	110.003	2	55.001	.663	.522
Dosis_Pupuk	109.737	3	36.579	.441	.725
Jenis_Pupuk * Dosis_Pupuk	527.507	6	87.918	1.060	.404
Error	2987.240	36	82.979		
Total	28178.700	48			
Corrected Total	3734.487	47			

a. R Squared = .200 (Adjusted R Squared = -.044)

Berat Kering Tajuk

Duncan^{a,b}

Jenis_Pupuk	N	Subset 1
Granul	16	21.0438
Tablet	16	22.0250
Bubuk	16	24.6312
Sig.		.301

Means for groups in homogeneous subsets are displayed.

Based on observed means.

The error term is Mean Square(Error) = 82.979.

a. Uses Harmonic Mean Sample Size = 16.000.

b. Alpha = .05.

Lampiran 10 Hasil uji Anova dan DMRT Kandungan klorofil

Descriptive Statistics

Dependent Variable: Kandungan Klorofil

Jenis Pupuk	Dosis Pupuk	Mean	Std. Deviation	N
Bubuk	NPK 2.5	45.4000	3.14431	4
	NPK 5	49.8250	2.61964	4
	NPK 7.5	42.2500	13.98678	4
	NPK 10	37.7250	4.58721	4
	Total	43.8000	8.21762	16
Granul	NPK 2.5	50.0000	4.78539	4
	NPK 5	44.0500	4.91155	4
	NPK 7.5	50.3500	11.45615	4
	NPK 10	48.1750	5.54459	4
	Total	48.1438	6.96333	16
Tablet	NPK 2.5	47.7750	4.63132	4
	NPK 5	42.4750	5.67590	4
	NPK 7.5	45.5500	2.12368	4
	NPK 10	49.3500	4.77877	4
	Total	46.2875	4.82851	16
Total	NPK 2.5	47.7250	4.31743	12
	NPK 5	45.4500	5.30360	12
	NPK 7.5	46.0500	10.12140	12
	NPK 10	45.0833	7.08068	12
	Total	46.0771	6.90665	48

Tests of Between-Subjects Effects

Dependent Variable: Kandungan Klorofil

Source	Type III Sum of Squares	df	Mean Square	F	Sig.
Corrected Model	671.657 ^a	11	61.060	1.400	.215
Intercept	101908.685	1	101908.685	2336.272	.000
Jenis_Pupuk	152.008	2	76.004	1.742	.190
Dosis_Pupuk	49.166	3	16.389	.376	.771
Jenis_Pupuk * Dosis_Pupuk	470.484	6	78.414	1.798	.127
Error	1570.327	36	43.620		
Total	104150.670	48			
Corrected Total	2241.985	47			

a. R Squared = .300 (Adjusted R Squared = .086)

Kandungan Klorofil

Duncan^{a,b}

Jenis_Pupuk	N	Subset 1
Bubuk	16	43.8000
Tablet	16	46.2875
Granul	16	48.1438
Sig.		.086

Means for groups in homogeneous subsets are displayed.

Based on observed means.

The error term is Mean Square(Error) = 43.620.

a. Uses Harmonic Mean Sample Size = 16.000.

b. Alpha = .05.

Kandungan Klorofil

Duncan^{a,b}

Dosis Pupuk	N	Subset 1
NPK 10	12	45.0833
NPK 5	12	45.4500
NPK 7.5	12	46.0500
NPK 2.5	12	47.7250
Sig.		.380

Means for groups in homogeneous subsets are displayed.

Based on observed means.

The error term is Mean Square(Error) = 43.620.

a. Uses Harmonic Mean Sample Size = 12.000.

b. Alpha = .05.

Lampiran 11 Hasil uji Anova dan DMRT Luas daun

Descriptive Statistics

Dependent Variable: Luas Daun

Jenis Pupuk	Dosis Pupuk	Mean	Std. Deviation	N
BUBUK	NPK 2.5	191.6775	56.77926	4
	NPK 5	224.1025	39.79421	4
	NPK 7.5	194.6350	42.91118	4
	NPK 10	236.5450	31.61035	4
	Total	211.7400	43.81549	16
GRANUL	NPK 2.5	219.1225	12.76562	4
	NPK 5	255.7250	85.57419	4
	NPK 7.5	264.5800	32.90759	4
	NPK 10	314.9375	112.04010	4
	Total	263.5913	73.96956	16
TABLET	NPK 2.5	209.8625	12.93614	4
	NPK 5	276.3775	71.07253	4
	NPK 7.5	252.1500	40.33942	4
	NPK 10	343.9100	88.41426	4
	Total	270.5750	73.81857	16
Total	NPK 2.5	206.8875	33.33320	12
	NPK 5	252.0683	65.65686	12
	NPK 7.5	237.1217	47.47665	12
	NPK 10	298.4642	89.84357	12
	Total	248.6354	69.29244	48

Tests of Between-Subjects Effects

Dependent Variable: Luas Daun

Source	Type III Sum of Squares	df	Mean Square	F	Sig.
Corrected Model	95369.291 ^a	11	8669.936	2.395	.024
Intercept	2967339.380	1	2967339.380	819.842	.000
Jenis_Pupuk	33060.705	2	16530.352	4.567	.017
Dosis_Pupuk	52441.731	3	17480.577	4.830	.006
Jenis_Pupuk * Dosis_Pupuk	9866.855	6	1644.476	.454	.837
Error	130298.525	36	3619.403		
Total	3193007.196	48			

Corrected Total	225667.816	47			
-----------------	------------	----	--	--	--

a. R Squared = .423 (Adjusted R Squared = .246)

Warnings

Post hoc tests are not performed for Soil+Tanah because there are fewer than three groups.

Post hoc tests are not performed for Pupuk Kandang because there are fewer than three groups.

Luas Daun

Duncan^{a,b}

Jenis Pupuk	N	Subset	
		1	2
BUBUK	16	211.7400	
GRANUL	16		263.5913
TABLET	16		270.5750
Sig.		1.000	.745

Means for groups in homogeneous subsets are displayed.

Based on observed means.

The error term is Mean Square(Error) = 3619.403.

a. Uses Harmonic Mean Sample Size = 16.000.

b. Alpha = ,05.

Luas Daun

Duncan^{a,b}

Dosis Pupuk	N	Subset	
		1	2
NPK 2.5	12	206.8875	
NPK 7.5	12	237.1217	
NPK 5	12	252.0683	252.0683
NPK 10	12		298.4642
Sig.		.090	.067

Means for groups in homogeneous subsets are displayed.

Based on observed means.

The error term is Mean Square(Error) = 3619.403.

a. Uses Harmonic Mean Sample Size = 12.000.

b. Alpha = ,05.

Lampiran 12 Gambar proses pemindahan bibit



Lampiran 13 Gambar proses pemupukan bibit kelapa sawit



Lampiran 14 Gambar proses pengukuran bibit kelapa sawit



