

## DAFTAR PUSTAKA

- Amato, M., Basso, B., Celano, G., Bitella, G., Morelli, G., & Rossi, R. (2008). In situ detection of tree root distribution and biomass by multielectrode resistivity imaging. *Tree Physiology*, 28(8), 1441–1448. <https://doi.org/10.1093/treephys/28.8.1441>
- Ariyanti, M. (2021). Manfaat Pelepah Sebagai Sumber Bahan Organik Pada Media Tanam Kelapa Sawit. *Paspalum: Jurnal Ilmiah Pertanian*, 9(1), 77. <https://doi.org/10.35138/paspalum.v9i1.280>
- Bulan, R., Mandang, T., & Hermawan, W. (2015). Physical and Mechanical Properties of Palm Frond for the Development of Palm Oil Waste Chopper and Pressing Machine Design. *International Journal of Scientific & Engineering Research*, 6(2), 117–120.
- Corley, R. H. V., & Tinker, P. B. (Philip B. (2015). *The Oil Palm* (R. H. V. Corley & P. B. Tinker (eds.); 5th ed.). Blackwell Science.
- Dassou, O. S., Adjanohoun, A., Vanhove, W., Impens, R., Aholoukpè, H., Bonneau, X., Flori, A., Cochard, B., Sinsin, B. A., Van Damme, P., & Ollivier, J. (2022). Oil palm (*Elaeis guineensis* Jacq.) genetic differences in mineral nutrition: specific leaflet mineral concentrations of high-yielding oil palm progenies and their implications for managing K and Mg nutrition. *Plant and Soil*, 475(1–2), 279–292. <https://doi.org/10.1007/s11104-022-05367-8>
- Dirjenbun. (2019). Statistik perkebunan Indonesia 2018-2020. *Buku Statistik Perkebunan Indonesia*, 1–82.
- Ega Aprilia. (2020). Pemupukan Pada Tanaman Kelapa Sawit (*elaies guinessis jacq*) di PT. Bumi Palma Lestari, Bagan Jaya Kecamatan Enok Kabupaten Indragiri Hilir Riau. *Jurnal Agro Indragiri*, 6(2), 48–51. <https://doi.org/10.32520/jai.v6i2.1469>
- Fairhurst, T., Griffiths, W., & Rankine, I. (2019). *TCCL Field Handbooks. Oil Palm - Agronomy. June*.
- Formaglio, G., Veldkamp, E., Damris, M., Tjoa, A., & Corre, M. D. (2021). Mulching with pruned fronds promotes the internal soil N cycling and soil fertility in a large-scale oil palm plantation. *Biogeochemistry*, 154(1), 63–80. <https://doi.org/10.1007/s10533-021-00798-4>
- Haniff, M. H., Zuraidah, Y., & Roslan, M. M. N. (2014). Oil Palm Root Study at a Northern Region in Peninsula Malaysia. *International Journal of Agriculture Innovation and Research*, 3(3), 797–801.
- Hermantoro, & Rudyanto. (2018). Modeling and Simulation of Oil Palm Plantation Productivity Based on Land Quality and Climate Using Artificial Neural Network. *International Journal of Oil Palm*, 1(2), 65–70.
- Intara, Y. I., Nusantara, A. D., Supanjani, S., Caniago, Z., & Ekawita, R. (2018).

Oil Palm Roots Architecture in Response to Soil Humidity. *International Journal of Oil Palm*, 1(2), 79–89.

- Jourdan, C., Michaux-Ferrière, N., & Perbal, G. (2000). Root system architecture and gravitropism in the oil palm. *Annals of Botany*, 85(6), 861–868. <https://doi.org/10.1006/anbo.2000.1148>
- Junaedi. (2020). Data Dan Fakta Sawit Indonesia: Luas , Sebaran Dan Tantangannya Webinar ; Ngopini Sawit # 2. *Webinar ; Ngopini Sawit*.
- Kheong, L. V., Rahman, Z. A., Musa, M. H., & Hussein, A. (2010). Nutrient absorption by oil palm primary roots as affected by empty fruit bunch application. *Journal of Oil Palm Research*, 22(April), 711–720.
- Khoiri, M. A., Hamdani, J. S., Suherman, C., & Ruminta. (2019). Control of Frond Number and Root Pruning to Improve Growth and Development of Palm Oil (*Elaeis Guineensis* Jacq) for 6 Months. *International Journal of Science and Research*, 8(2018), 1379–1382.
- Kurniawan, S., Corre, M. D., Utami, S. R., & Veldkamp, E. (2018). Soil Biochemical Properties and Nutrient Leaching from Smallholder Oil Palm Plantations, Sumatra-Indonesia. *AGRIVITA Journal of Agricultural Science*, 40(2), 257–266. <https://doi.org/10.1017/S0021859609990268>
- Lakeside, P. P. (2014). International Agriculture Congress 2014 SOIL , NUTRIENTS AND WATER CONSERVATION PRACTICES IN OIL PALM PLANTATIONS ON SLOPING AND STEEP LANDS IN MALAYSIA. *International Agriculture Congress 2014, November*. <https://doi.org/10.13140/RG.2.1.4396.1842>
- Mandang, T., Sinambela, R., & Pandianuraga, N. R. (2018). Physical and mechanical characteristics of oil palm leaf and fruits bunch stalks for bio-mulching. *IOP Conference Series: Earth and Environmental Science*, 196(012015), 1–14. <https://doi.org/10.1088/1755-1315/196/1/012015>
- Ningsih, T., O.Y. Sitompul, I., & D. Siahaan, S. (2023). Analisa Faktor-Faktor Yang Mempengaruhi Produksi Kelapa Sawit Di Kebun Tanah Raja PT. Bakrie Sumatera Plantations. *Journal Agribusiness Sciences*, 07(2), 166–174.
- Paul N., N., Marcus, S., Lénaïc, P., Han She, L., & Rai S., K. (2018). Achieving sustainable cultivation of oil palm Volume 1. In R. A. (Ed.), *Achieving sustainable cultivation of oil palm Volume* (Vol. 2, pp. 1–49). Burleigh Dodds Science Publishing. <https://doi.org/10.4324/9781351114387>
- Pradiko, I., Hidayat, F., Darlan, N. H., Santoso, H., Winarna, W., Rahutomo, S., & Sutarta, E. S. (2016). Root Distribution of Oil Palm and Soil Physical Properties in Different Planting Hole and Empty Fruit Bunches Application. *Jurnal Penelitian Kelapa Sawit*, 24(1), 23–38. <https://doi.org/10.22302/iopri.jur.jpks.v24i1.4>
- Prasetyo, A. E., Supena, N., & Susanto, A. (2021). Kajian Penunasan Berat Pelepah

- terhadap Kuantitas dan Kualitas Bunga Jantan Kelapa Sawit serta Ketertarikan *Elaeidobius kamerunicus* FAUST. *Buletin Palma*, 22(1), 52–61. <https://doi.org/10.21082/bp.v22n1.2021.52-61>
- Pulunggono, H. B., Anwar, S., Mulyanto, B., & Sabiham, S. (2019). Decomposition of oil palm frond and leaflet residues. *Agrivita*, 41(3), 524–536. <https://doi.org/10.17503/agrivita.v41i3.2062>
- Putri, V. (2015). *Oil palm (Elaeis guineensis) root growth in response to different fertilization practices* (Issue January).
- Sedifa, F., Dyah, W., Parwati, U., Gunawan, S., & Pertumbuhan, K. (2023). *Kajian produktivitas tanaman kelapa sawit pada tanah mineral dan tanah gambut. XX*.
- SONG, H.-X., & LI, S. (2006). Root Function in Nutrient Uptake and Soil Water Effect on N N Migration. *Agricultural Sciences in China*, 5(May), 377–383.
- Srivastava, A. K., Shankar, A., Chandran, A. K. N., Sharma, M., Jung, K. H., Suprasanna, P., & Pandey, G. K. (2020). Emerging concepts of potassium homeostasis in plants. *Journal of Experimental Botany*, 71(2), 608–619. <https://doi.org/10.1093/jxb/erz458>
- Woittiez, L. S., van Wijk, M. T., Slingerland, M., van Noordwijk, M., & Giller, K. E. (2017). Yield gaps in oil palm: A quantitative review of contributing factors. *European Journal of Agronomy*, 83(2017), 57–77. <https://doi.org/10.1016/j.eja.2016.11.002>
- Yahya, Z., Husin, A., Talib, J., Othman, J., Ahmed, O. H., & Jalloh, M. B. (2010). Oil palm (*Elaeis guineensis*) roots response to mechanization in Bernam series soil. *American Journal of Applied Sciences*, 7(3), 343–348. <https://doi.org/10.3844/ajassp.2010.343.348>
- Yew, F. K., Ng, F. Y., Sundram, K., & Basiron, Y. (2009). Mitigating climate change through oil palm cultivation: The Malaysian experience. *IOP Conference Series: Earth and Environmental Science*, 6(24), 242042. <https://doi.org/10.1088/1755-1307/6/4/242042>

## LAMPIRAN

Lampiran 1. Pengaruh Pola Penataan Pelepah terhadap sifat tanah di berbagai kedalaman.

| Perlakuan | Kelembapan (%) | K (mg/100 g) | pH  | C-organik (%) | N total (%) | P total (%) |
|-----------|----------------|--------------|-----|---------------|-------------|-------------|
| P1K1      | 3.39           | 530          | 5.8 | 1.13          | 0.113       | 0.01        |
| P1K2      | 3.77           | 590          | 6.2 | 0.94          | 0.094       | 0.008       |
| P1K3      | 3.63           | 525          | 5.5 | 0.44          | 0.044       | 0.004       |
| P1K4      | 3.25           | 432          | 5.9 | 0.51          | 0.051       | 0.004       |
| P2K1      | 1.33           | 515          | 5.1 | 0.58          | 0.058       | 0.005       |
| P2K2      | 1.32           | 316          | 4.8 | 0.63          | 0.063       | 0.005       |
| P2K3      | 1.58           | 485          | 4.2 | 0.22          | 0.022       | 0.002       |
| P2K4      | 1.57           | 504          | 4.4 | 0.15          | 0.015       | 0.001       |

Lampiran 2. Dosis pupuk di lahan gambut dan mineral periode 2017-2021 (kg tanaman-1 tahun-1)

| JenisTanah | Tahun | Urea | RP   | MOP  | Dolomit | TSP  | Kieserit | Kaptan | Tahun | HGFB | CuSo <sub>4</sub> | ZnSo <sub>4</sub> |
|------------|-------|------|------|------|---------|------|----------|--------|-------|------|-------------------|-------------------|
| Gambut     | 2017  | 2613 | 2875 | 2888 | 450     | 0    | 2500     | 5360   | 2017  | 150  | 180               | 180               |
|            | 2018  | 2463 | 3625 | 2275 | 0       | 0    | 2650     | 5350   | 2018  | 0    | 180               | 180               |
|            | 2019  | 1325 | 2225 | 2975 | 6000    | 0    | 2650     | 5360   | 2019  | 150  | 180               | 180               |
|            | 2020  | 1613 | 2463 | 1700 | 3000    | 0    | 900      | 5350   | 2020  | 280  | 180               | 180               |
|            | 2021  | 3575 | 5325 | 5225 | 5325    | 0    | 0        | 0      | 2021  | 240  | 0                 | 0                 |
| JenisTanah | Tahun | Urea | RP   | MOP  | Dolomit | TSP  | Kieserit | Kaptan | Tahun | HGFB | CuSo <sub>4</sub> | ZnSo <sub>4</sub> |
| Mineral    | 2017  | 2288 | 4550 | 4000 | 2250    | 5025 | 2650     | 5400   | 2017  | 270  | 180               | 200               |
|            | 2018  | 4875 | 5328 | 6175 | 4100    | 1100 | 1650     | 5400   | 2018  | 0    | 300               | 270               |
|            | 2019  | 5043 | 5400 | 4950 | 1600    | 4075 | 2913     | 5400   | 2019  | 270  | 180               | 140               |
|            | 2020  | 3413 | 5825 | 4000 | 0       | 6550 | 1300     | 0      | 2020  | 270  | 180               | 180               |
|            | 2021  | 3656 | 4663 | 2275 | 2700    | 6550 | 1300     | 0      | 2021  | 130  | 0                 | 0                 |

Lampiran 3. Rerata curah hujan siang hari di lokasi penelitian periode 2017-2021  
(kg tanaman-1 tahun-1)

| Bulan     | 2017  | 2018 | 2019 | 2020 | 2021 | Curah Hujan (mm) |
|-----------|-------|------|------|------|------|------------------|
| Januari   | 23    | 30   | 46   | 139  | 105  | 68.6             |
| Februari  | 183   | 142  | 229  | 96   | 111  | 152.2            |
| Maret     | 116   | 72   | 122  | 68   | 98.5 | 95.3             |
| April     | 107.5 | 136  | 125  | 231  | 72.5 | 134.4            |
| Mei       | 113   | 80   | 15   | 120  | 144  | 94.4             |
| Juni      | 85    | 118  | 171  | 107  | 45   | 105.2            |
| Juli      | 172.5 | 95   | 0    | 115  | 42.5 | 85               |
| Agustus   | 98.5  | 41   | 43   | 253  | 119  | 110.9            |
| September | 83    | 111  | 0    | 146  | 194  | 106.8            |
| Oktober   | 173.5 | 128  | 54   | 101  | 137  | 118.7            |
| November  | 70    | 80   | 62   | 330  | 68   | 122              |
| Desember  | 167   | 52   | 314  | 167  | 92   | 158.4            |

Lampiran 4. Rerata curah hujan malam hari di lokasi penelitian periode 2017-2021  
(kg tanaman-1 tahun-1)

| Bulan     | 2017  | 2018 | 2019  | 2020  | 2021 | Curah Hujan (mm) |
|-----------|-------|------|-------|-------|------|------------------|
| Januari   | 18    | 32   | 164.5 | 157   | 110  | 96.3             |
| Februari  | 174   | 79   | 197   | 189   | 24   | 132.6            |
| Maret     | 248   | 147  | 158   | 119   | 116  | 157.6            |
| April     | 202   | 113  | 128   | 211   | 26   | 136              |
| Mei       | 79    | 46   | 87    | 78    | 21   | 62.2             |
| Juni      | 20    | 9    | 183   | 54    | 86   | 70.4             |
| Juli      | 124.5 | 72.9 | 12    | 179.5 | 14   | 80.58            |
| Agustus   | 133.5 | 65   | 3     | 40    | 69   | 62.1             |
| September | 169.5 | 60.5 | 0     | 70    | 68   | 73.6             |
| Oktober   | 118.5 | 73   | 94    | 301   | 96   | 136.5            |
| November  | 145   | 202  | 58    | 252   | 61   | 143.6            |
| Desember  | 149   | 167  | 161   | 45    | 66   | 117.6            |