

DAFTAR PUSTAKA

- Ainun, Artisa., Hilwa, W., Badrul, A, D., & Khairul, R. 2019. Status Hara Serapan Kalium Pada Tanaman Kelapa Sawit Di Desa Perlabian Kecamatan Kampung Rakyat Kabupaten Labuhan Batu Selatan. *Jurnal Ziraa'ah*. Vol. 46 (2). 193-197.
- Ashari, Rian 2017. Tingkat Produktivitas Tanaman Kelapa Sawit (*Elaeis guineensis* Jacq) Berdasarkan Umur Tanaman Di PT Sinergi Perkebunan Nusantara. 6(2), 55-66.
- Badan Pusat Statistik, 2019. Statistik Kelapa Sawit Indonesia (*Indonesian Oil Palm Statistis*). Jakarta: Badan Pusat Statistik Indonesia.
- Densiana, Yasinta. 2020. Pengaruh Umur Terhadap Produktivitas Tanaman Kelapa Sawit (*Elaeis guineensis* Jacq) Di PT Manakarra Unggul Lestari (PT MUL) Mamuju Sulawesi Barat, Toraja. 8(1).
- Hastuti P.B. 2011. *Pengelolaan Limbah Kelapa Sawit*. Yogyakarta : Deepublish
- Lelyana, D. V., Erwinsyah., Henny, L. 2013. *Aplikasi Limbah Cair Pabrik Kelapa sawit (Land Application) di perkebunan kelapa sawit*. Medan :pusat penelitian kelapa sawit.
- Lubis, A. U. 1992. *Kelapa Sawit (Elaeis Guineensis Jacq) di Indonesia*. Pematang Siantar : Pusat Penelitian Marihat-Bandar Kuala.
- Prayitno, Sapto., Bambang, H. S. & Dewa, D, I. 2008. Produktifitas Kelapa Sawit (*Elaeis guineensis* Jacq.) Yang Dipupuk Tandan Kosong dan Limbah Cair Pabrik Kelapa Sawit. Vol. 15 (1). 38-40.
- Riwandi., Prasetyo., Hasanudin., & Cahyadinata, I. 2017. *Bahan Ajar Kesuburan Tanah dan Pemupukan*. Bengkulu : Yayasan Sahabat Alam Rafflesia.
- Rohman, Aminuddin dan Pauliz, B, H. 2018. Perbandingan Efektivitas Aplikasi Limbah Cair Pabrik Kelapa Sawit dan Tandan Kosong kelapa Sawit Terhadap Produksi Kelapa Sawit. 64-65. Prosiding Seminar Instiper 2018.
- Sitepu, F, A., Yenni, Y.,& Sujadi. 2021. Mengenal Fenomena Feminin Pada Kelapa Sawit (*Elaeis guinnensis* Jacq.). Vol 26 (3) : 154-161.
- Sunarko. (2007). *Petunjuk Praktis Budidaya dan Pengolahan Kelapa Sawit*. Agromedia Pustaka. Jakarta.
- Susilawati dan Supijatno. 2015. Pengelolaan Limbah Kelapa Sawit (*Elaeis guineensis* Jacq.) di Perkebunan Kelapa Sawit, Riau. Vol. 3 (2). 203-212.
- Sutarman, & Miftakuhrohmat, A. 2019. *Kesuburan Tanah*. Sidoarjo : UMSIDA PRESS.

Tim SOP Budidaya Tanaman Kelapa Sawit, 2020. *Management Comitee Agronomi And Research* (MCAR). Jakarta. SMARTRI

Wiharja, A, M., Neni Andayani & Sri, M, R. 2016. Pengaruh Aplikasi Limbah Cair Pabrik Kelapa Sawit dan Tandan Kosong Kelapa Sawit Terhadap Produksi Kelapa Sawit. Vol. 1 (2).

LAMPIRAN

Lampiran 1. Curah hujan bulanan 10 tahun terakhir.

Tahun	Bulan												Total
	Januari	Februari	Maret	April	Mei	Juni	Juli	Agustus	September	Oktober	Nopember	Desember	
2012	116,50	311,25	101,75	289,25	113,50	41,25	126,25	223,50	147,00	372,50	522,00	563,75	2.928,50
2013	192,75	369,25	215,25	131,75	233,75	58,25	107,25	112,25	241,25	546,75	644,25	405,75	3.258,50
2014	245,25	68,75	153,25	302,50	124,50	18,25	79,00	194,25	117,25	217,75	432,00	331,00	2.283,75
2015	194,25	34,00	158,00	167,00	55,00	52,00	22,00	35,00	90,00	160,00	442,00	261,00	1.670,25
2016	194,00	131,00	88,00	258,00	143,00	53,00	69,00	26,00	191,00	123,00	360,00	107,00	1.743,00
2017	275,00	137,00	111,00	419,00	238,00	131,00	49,00	118,00	274,00	212,00	431,00	287,00	2.682,00
2018	109,00	116,00	318,00	133,00	276,00	210,00	144,00	40,00	296,00	474,00	427,00	220,00	2.763,00
2019	279,00	184,00	126,00	221,00	195,00	345,00	55,00	70,00	170,00	229,00	276,00	217,00	2.367,00
2020	247,00	127,00	243,00	296,00	159,00	167,00	106,00	58,00	203,00	140,00	231,00	136,00	2.113,00
2021	203,00	54,00	271,00	204,00	160,00	178,00	103,00	131,00	140,00	241,00	195,00	163,00	2.043,00
Total													23.852

(Sumber : Kantor Besar Naga Sakti Estate)

Lampiran 2. Ton/ha/bulan 10 tahun terakhir (kg/blok).

Tahun	Perlakuan	Blok	Januari	Februari	Maret	April	Mei	Juni	Juli	Agustus	September	Oktober	Nopember	Desember	Rerata	Total
2012	K0	A53	1.813	2.525	1.614	2.148	1.889	2.459	1.920	2.289	1.513	2.192	2.786	2.058	2.101	25.207
	K1	A50	2.728	2.004	1.748	1.959	1.545	2.108	2.424	2.269	2.735	2.375	2.663	2.663	2.268	27.221
	K2	F44	2.168	2.064	1.710	2.248	2.439	2.803	2.643	2.314	1.972	2.573	2.804	2.574	2.359	28.311
2013	K0	A53	2.793	1.822	1.749	1.364	2.590	1.835	1.451	1.974	3.427	1.960	1.710	1.665	2.028	24.339
	K1	A50	2.183	2.778	1.625	1.654	1.603	1.756	2.164	2.291	2.868	4.060	2.751	2.099	2.319	27.831
	K2	F44	2.145	2.247	2.325	2.167	2.088	2.202	2.300	2.342	2.768	2.436	2.610	2.389	2.335	28.020
2014	K0	A53	1.473	2.388	1.622	2.232	1.803	1.965	1.352	2.397	1.808	2.381	1.883	1.946	1.937	23.249
	K1	A50	2.705	1.830	2.175	1.439	1.871	2.481	1.117	2.943	2.881	1.553	2.300	2.593	2.157	25.888
	K2	F44	2.574	1.926	3.078	2.523	1.756	2.273	2.568	2.200	2.700	2.381	2.075	3.137	2.433	29.192
2015	K0	A53	2.314	1.783	1.957	1.517	2.028	1.688	2.665	1.858	2.036	2.349	1.756	1.578	1.961	23.528
	K1	A50	2.801	1.881	2.605	2.039	2.610	2.330	2.533	2.648	2.201	2.291	2.679	1.864	2.373	28.481
	K2	F44	1.962	1.608	2.214	2.199	2.866	2.083	2.486	2.729	4.338	2.110	2.037	1.453	2.340	28.085
2016	K0	A53	1.777	1.667	1.625	1.568	1.611	2.055	1.437	1.800	2.110	2.451	2.589	2.036	1.894	22.725
	K1	A50	2.273	1.975	2.094	1.754	1.825	1.861	1.958	2.517	2.761	2.263	1.931	2.240	2.121	25.451
	K2	F44	1.601	1.582	1.494	1.414	1.964	1.976	3.124	2.991	2.594	3.829	2.427	2.549	2.296	27.547
2017	K0	A53	2.634	1.579	1.938	1.593	1.771	1.527	1.574	1.920	2.188	2.493	1.350	2.154	1.893	22.721
	K1	A50	2.056	1.830	1.963	1.906	2.421	1.803	2.264	1.976	1.953	2.464	1.818	2.409	2.072	24.864
	K2	F44	1.735	2.107	2.348	2.046	2.272	2.560	2.289	2.489	2.512	2.149	2.531	2.006	2.254	27.044
2018	K0	A53	1.831	1.929	1.620	2.142	1.540	1.108	2.088	1.768	2.557	1.313	1.066	1.637	1.716	20.597
	K1	A50	1.872	1.747	2.349	2.143	2.427	1.797	1.734	2.370	2.376	1.643	2.050	1.595	2.008	24.101
	K2	F44	2.610	2.361	2.273	2.161	2.064	1.894	2.535	2.135	2.038	1.894	2.230	1.926	2.177	26.120
2019	K0	A53	1.616	1.564	1.854	1.607	1.482	1.707	2.493	1.862	2.793	1.088	2.169	1.457	1.808	21.692
	K1	A50	2.940	1.825	1.590	2.028	1.518	1.623	2.504	1.448	1.740	2.123	2.464	1.408	1.934	23.212
	K2	F44	2.545	2.155	1.925	1.890	2.558	2.062	2.535	2.054	2.119	2.138	1.817	1.455	2.104	25.253
2020	K0	A53	1.423	1.937	1.536	1.774	1.707	1.418	1.037	1.799	1.600	1.833	1.427	1.803	1.608	19.294
	K1	A50	1.890	1.778	1.889	1.371	2.065	2.086	1.913	1.602	1.784	2.324	2.199	1.826	1.894	22.727
	K2	F44	1.860	1.462	1.509	1.797	1.869	2.169	2.147	2.570	2.229	1.998	1.638	1.517	1.897	22.766
2021	K0	A53	1.065	1.583	1.731	1.383	1.298	1.177	1.313	1.715	1.244	1.628	1.502	1.166	1.400	16.804
	K1	A50	1.850	2.000	1.858	1.579	1.996	2.336	2.014	1.865	2.071	1.762	2.336	1.612	1.940	23.279
	K2	F44	1.546	1.615	1.803	1.932	1.680	1.874	1.777	2.390	1.677	2.771	1.838	1.624	1.877	22.528

(Sumber : Kantor Besar Naga Sakti Estate)

Lampiran 3. Jumlah Janjang 10 tahun terakhir (jgg/blok).

Tahun	Perlakuan	Januari	Februari	Maret	April	Mei	Juni	Juli	Agustus	September	Oktober	Nopember	Desember	Rerata	Total
2012	K0	2.632	3.902	2.385	2.834	2.596	3.323	2.463	3.474	2.242	3.094	4.038	3.257	3.020	36.240
	K1	4.297	3.174	2.540	2.750	2.028	3.019	3.409	1.863	4.674	3.761	4.119	3.814	3.287	39.448
	K2	3.172	2.826	2.034	2.911	3.179	3.693	3.941	2.879	2.325	3.333	3.648	3.221	3.097	37.162
2013	K0	3.909	2.573	2.720	1.874	3.579	2.670	2.216	2.971	4.961	2.805	2.635	2.699	2.968	35.612
	K1	3.150	3.942	2.430	2.493	1.975	2.458	2.902	3.105	3.712	4.674	3.736	2.881	3.122	37.458
	K2	2.845	2.748	2.796	2.603	2.711	2.790	2.801	2.841	3.708	3.077	3.428	2.851	2.933	35.199
2014	K0	2.250	3.337	1.388	3.051	2.705	2.836	2.020	3.364	2.783	3.426	2.865	2.939	2.747	32.964
	K1	3.515	2.308	2.964	2.015	2.475	3.680	1.788	4.380	4.083	2.090	2.647	3.132	2.923	35.077
	K2	2.412	1.928	4.048	3.252	2.232	3.031	3.248	2.538	3.338	3.112	2.343	3.312	2.900	34.794
2015	K0	3.463	2.481	2.670	2.002	2.846	2.361	3.998	3.034	3.089	3.448	2.810	2.579	2.898	34.781
	K1	3.504	2.538	3.339	2.608	3.375	2.961	3.453	3.329	2.686	3.030	3.552	2.408	3.065	36.783
	K2	2.121	1.874	2.669	2.598	3.478	2.542	3.437	3.119	5.775	2.555	2.316	1.927	2.868	34.411
2016	K0	2.648	2.473	2.397	2.567	2.424	3.077	2.145	2.716	3.418	3.737	3.876	3.262	2.895	34.740
	K1	2.925	2.657	2.832	2.340	2.261	2.485	2.550	3.096	3.430	2.854	2.345	2.761	2.711	32.536
	K2	1.969	1.916	1.847	1.791	2.477	2.485	3.756	3.559	3.201	4.290	2.700	3.034	2.752	33.025
2017	K0	3.863	2.304	2.878	2.466	2.854	2.283	2.495	2.874	3.032	3.659	2.029	3.333	2.839	34.070
	K1	2.570	2.297	2.510	2.449	3.213	2.254	2.904	2.539	2.498	2.762	2.395	2.984	2.615	31.375
	K2	2.124	2.658	2.912	2.547	2.727	3.044	2.849	3.111	3.163	2.711	3.129	2.450	2.785	33.425
2018	K0	2.893	2.814	2.460	2.986	2.237	1.624	3.043	2.543	3.781	2.042	1.537	2.442	2.534	30.402
	K1	2.129	2.131	2.797	2.694	3.152	2.335	2.151	2.815	2.853	2.030	2.497	2.140	2.477	29.724
	K2	3.235	2.767	2.510	2.420	2.588	2.348	3.137	2.490	2.399	2.402	2.779	2.446	2.627	31.521
2019	K0	2.284	2.250	2.585	2.183	2.300	2.583	3.430	2.758	3.955	1.616	3.212	2.101	2.605	31.257
	K1	3.666	2.286	2.058	2.758	2.024	2.156	3.413	1.942	2.308	2.798	3.235	1.828	2.539	30.472
	K2	3.201	2.645	2.389	2.343	3.155	2.628	3.181	2.541	2.682	2.673	2.301	1.869	2.634	31.608
2020	K0	2.413	2.747	2.193	2.479	2.278	2.199	1.635	2.588	2.547	2.872	1.957	2.632	2.378	28.540
	K1	2.521	2.380	2.574	1.803	2.714	2.816	2.607	2.230	2.465	3.151	2.988	2.443	2.558	30.692
	K2	2.316	2.050	1.992	2.232	2.259	2.767	2.804	3.032	2.799	2.453	2.081	1.980	2.397	28.765
2021	K0	1.805	2.636	2.784	2.260	1.983	1.995	2.147	2.577	1.956	2.572	2.505	1.948	2.264	27.168
	K1	2.529	2.690	2.521	1.948	2.523	3.203	2.687	2.468	2.689	2.291	2.989	2.095	2.553	30.633
	K2	2.114	2.270	2.266	2.679	2.297	2.640	2.530	3.074	2.266	3.875	2.404	2.210	2.552	30.625

(Sumber : Kantor Besar Naga Sakti Estate)

Lampiran 4. Berat janjang rata-rata 10 tahun terakhir (kg).

Tahun	Perlakuan	Januari	Februari	Maret	April	Mei	Juni	Juli	Agustus	September	Oktober	Nopember	Desember	Rerata	Total
2012	K0	21,51	20,20	21,13	23,67	22,72	23,10	24,33	20,57	21,07	22,12	21,54	19,73	21,81	261,69
	K1	19,82	19,71	21,48	22,24	23,79	21,80	22,19	38,02	18,27	19,72	20,19	21,80	22,42	269,03
	K2	20,86	22,29	25,65	23,57	23,41	23,16	20,47	24,53	25,89	23,56	23,46	24,39	23,44	281,24
2013	K0	22,31	22,11	20,08	22,72	19,80	21,45	20,45	20,74	21,63	21,82	20,26	19,26	21,05	252,62
	K1	21,63	22,00	20,88	20,72	25,34	22,31	23,28	23,03	24,12	27,12	22,99	22,75	23,01	276,16
	K2	23,01	24,96	25,38	25,40	23,50	24,09	25,06	25,16	22,79	24,16	23,24	25,58	24,36	292,33
2014	K0	20,43	22,34	22,06	22,84	20,81	21,63	20,90	22,25	20,28	21,69	20,52	20,68	21,37	256,44
	K1	24,03	24,76	22,91	22,29	23,60	21,05	19,50	20,97	22,03	23,20	27,13	25,84	23,11	277,31
	K2	32,57	30,49	23,21	23,67	24,01	22,89	24,13	26,45	24,68	23,35	27,03	28,91	25,95	311,41
2015	K0	20,86	22,44	22,88	23,65	22,25	22,32	20,81	19,12	20,58	21,27	19,51	19,10	21,23	254,79
	K1	24,96	23,14	24,35	24,41	24,14	24,57	22,90	24,83	25,58	23,61	23,54	24,17	24,18	290,20
	K2	28,23	26,19	25,32	25,83	25,15	25,01	22,08	26,70	22,93	25,21	26,85	23,01	25,21	302,49
2016	K0	20,95	21,05	21,16	19,07	20,75	20,85	20,91	20,69	19,28	20,47	20,85	19,49	20,46	245,51
	K1	24,26	23,21	23,08	23,40	25,20	23,38	23,97	25,38	25,13	24,75	25,71	25,33	24,40	292,80
	K2	24,82	25,21	24,69	24,09	24,21	24,27	25,39	25,65	24,73	27,24	27,43	25,64	25,28	303,38
2017	K0	21,29	21,40	21,02	20,17	19,37	20,88	19,70	20,86	22,53	21,27	20,76	20,18	20,79	249,42
	K1	24,98	24,87	24,42	24,29	23,53	24,97	24,34	24,30	24,41	27,85	23,70	25,20	24,74	296,87
	K2	24,93	24,19	24,61	24,51	25,43	25,67	24,52	24,41	24,24	24,20	24,69	25,00	24,70	296,39
2018	K0	19,76	21,40	20,56	22,39	21,50	21,30	21,42	21,70	21,11	20,07	21,64	20,93	21,15	253,77
	K1	27,46	25,60	26,22	24,83	24,04	24,02	25,17	26,28	26,00	25,26	25,63	23,27	25,31	303,76
	K2	24,62	26,04	27,63	27,26	24,34	24,62	24,67	26,17	25,92	24,06	24,49	24,03	25,32	303,85
2019	K0	22,09	21,70	22,39	22,98	20,12	20,63	22,69	21,08	22,05	21,02	21,08	21,64	21,62	259,49
	K1	25,04	24,93	24,11	22,96	23,42	23,51	22,90	23,27	23,54	23,69	23,78	24,05	23,77	285,20
	K2	24,26	24,86	24,60	24,62	24,75	23,94	24,32	24,68	24,11	24,41	24,09	23,76	24,37	292,41
2020	K0	18,41	22,01	21,87	22,34	23,39	20,13	19,80	21,70	19,61	19,93	22,77	21,39	21,11	253,35
	K1	23,40	23,33	22,91	23,73	23,75	23,13	22,91	22,43	22,59	23,03	22,98	23,33	23,13	277,53
	K2	24,51	21,76	23,11	24,57	25,26	23,93	23,37	25,87	24,31	24,85	24,03	23,39	24,08	288,97
2021	K0	18,42	18,74	19,41	19,10	20,43	18,43	19,09	20,78	19,86	19,76	18,72	18,68	19,29	231,42
	K1	22,84	23,21	23,00	22,31	24,70	22,77	23,40	23,60	23,05	21,02	23,40	22,02	22,94	275,31
	K2	22,32	21,72	24,28	22,01	22,32	21,66	21,44	23,73	22,59	21,83	23,34	22,43	22,47	269,66

(Sumber : Kantor Besar Naga Sakti Estate)

Lampiran 5. Pemupukan 8 tahun terakhir.

Tahun	Perlakuan	Blok	Dosis Kg/Pokok									LA	JJK
			Urea	TSP	Dolomite	RP	MOP	Kieserit P	Kieserit G	Borate	Bunch Ass	M3/ha	Ton/ha
2014	Kontrol	A53	0,75						1,00	0,10			
	Tankos	F50	1,00		1,00	1,00	1,25			0,10			60,00
	Lcpks	F44					1,00			0,10		250,00	
2015	Kontrol	A53	2,50			1,25	2,00	1,00		0,10	4,00		
	Tankos	F50			0,75		1,00			0,10			60,00
	Lcpks	F44					1,00			0,10		250,00	
2016	Kontrol	A53	2,75				0,75				3,00		
	Tankos	F50	1,00										30,00
	Lcpks	F44										250,00	
2017	Kontrol	A53	2,50	1,75			1,75		1,50	0,10	3,50		
	Tankos	F50		1,50			1,5	0,50		0,10			30,00
	Lcpks	F44		0,50			1,00			0,10		250,00	
2018	Kontrol	A53	3,00	2,00			2,00		1,75	0,05	4,00		
	Tankos	F50											30,00
	Lcpks	F44					1,50			0,05		250,00	
2019	Kontrol	A53	2,25	1,50			1,25		1,50	0,05	4,50		
	Tankos	F50		2,50			1,50	0,50		0,05			30,00
	Lcpks	F44					0,50			0,05		250,00	
2020	Kontrol	A53	1,00		0,50	2,00				0,05	4,00		
	Tankos	F50	0,80							0,05			30,00
	Lcpks	F44								0,05		250,00	
2021	Kontrol	A53	1,75		3,00	1,50	2,00			0,05	5,00		
	Tankos	F50		1,75	1,50		0,50			0,05			30,00
	Lcpks	F44										250,00	

(Sumber : Kantor Besar Naga Sakti Estate)

Lampiran 6. Rekap Pemupukan 8 tahun terakhir.

Perlakuan	Blok	Dosis									Total	LA	Jankos
		Urea	TSP	Dolomite	RP	MOP	Kieserit P	Kieserit G	Borate	Bunch Ass		M3/ha/8 tahun	Ton/ha/8tahun
Kontrol	A53	16,50	5,25	3,50	4,75	10,80	1,00	5,75	0,50	28,50	76,50		
Tankos	F50	2,80	5,75	3,25	1,00	5,75	1,00		0,45		20,00		330,00
Lcpks	F44		0,50			6,00			0,45		6,95	2.000,00	

(Sumber : Rekapitulasi pemupukan 8 tahun terakhir)

Lampiran 7. Kandungan unsur hara pada limbah pabrik kelapa sawit.

Kandungan pada TANKOS

Variabel		Satuan	Kisaran
N	Nitrogen	%	0,64 - 0,95
P ₂ O	Phosphorus	%	0,160 - 0,318
K ₂ O	Kalium, Potasium	%	1,93 - 4,03
MgO	Magnesium	%	0,17 - 0,28
CaO	Kalsium, Calsium	%	0,23 - 0,41
Cl	Clor	%	0,20 -1,40
Mn	Mangan	Ppm	9 – 34
B	Boron	Ppm	10 – 16
Zn	Seng, Zinc	Ppm	22 – 50
Cu	Copper	Ppm	43 – 83
Fe	Besi, Ferum	Ppm	158 - 1.128

Kandungan pada LCPKS

No	Variabel	Unit	Minimal	Maksimal
1	pH		6,00	9,00
2	Total Solid	%	0,25	7,12
3	BOD	Ppm	3.000	4.500
4	COD	Ppm	15.000	22.000
5	Nitrogen (total)	Ppm	875	1.199
6	Phosphorous	Ppm	180	250
7	Potassium	Ppm	1.840	1.943
8	Magnesium	Ppm	398	440

Lampiran 8. Output hasil analisis Ton/ha dengan uji t.

Independent Samples Test										
		Levene's Test for Equality of Variances		t-test for Equality of Means						
		F	Sig.	t	df	Sig. (2-tailed)	Mean Difference	Std. Error Difference	95% Confidence Interval of the Difference	
									Lower	Upper
TON/HA	Equal variances assumed	,221	,644	-3,211	18	,005	-274,000	85,328	-453,267	-94,733
	Equal variances not assumed			-3,211	17,233	,005	-274,000	85,328	-453,841	-94,159

Independent Samples Test										
		Levene's Test for Equality of Variances		t-test for Equality of Means						
		F	Sig.	T	df	Sig. (2-tailed)	Mean Difference	Std. Error Difference	95% Confidence Interval of the Difference	
									Lower	Upper
TON/HA	Equal variances assumed	,016	,899	-4,132	18	,001	-372,600	90,164	-562,028	-183,172
	Equal variances not assumed			-4,132	17,872	,001	-372,600	90,164	-562,125	-183,075

Independent Samples Test										
		Levene's Test for Equality of Variances		t-test for Equality of Means						
		F	Sig.	T	df	Sig. (2-tailed)	Mean Difference	Std. Error Difference	95% Confidence Interval of the Difference	
									Lower	Upper
TON/HA	Equal variances assumed	,139	,714	-1,214	18	,240	-98,600	81,199	-269,193	71,993
	Equal variances not assumed			-1,214	17,707	,241	-98,600	81,199	-269,396	72,196

Lampiran 9. Output analisis jumlah janjang dengan uji t.

Independent Samples Test										
		Levene's Test for Equality of Variances		t-test for Equality of Means						
		F	Sig.	t	df	Sig. (2-tailed)	Mean Difference	Std. Error Difference	95% Confidence Interval of the Difference	
									Lower	Upper
JUMLAH_JANJANG	Equal variances assumed	,439	,516	-,571	18	,575	-70,200	122,895	-328,392	187,992
	Equal variances not assumed			-,571	17,763	,575	-70,200	122,895	-328,639	188,239

Independent Samples Test										
		Levene's Test for Equality of Variances		t-test for Equality of Means						
		F	Sig.	t	df	Sig. (2-tailed)	Mean Difference	Std. Error Difference	95% Confidence Interval of the Difference	
									Lower	Upper
JUMLAH_JANJANG	Equal variances assumed	1,003	,330	-,380	18	,709	-39,700	104,610	-259,478	180,078
	Equal variances not assumed			-,380	17,164	,709	-39,700	104,610	-260,248	180,848

Independent Samples Test										
		Levene's Test for Equality of Variances		t-test for Equality of Means						
		F	Sig.	t	df	Sig. (2-tailed)	Mean Difference	Std. Error Difference	95% Confidence Interval of the Difference	
									Lower	Upper
JUMLAH_JANJANG	Equal variances assumed	2,905	,106	,271	18	,790	30,500	112,639	-206,145	267,145
	Equal variances not assumed			,271	16,253	,790	30,500	112,639	-207,982	268,982

Lampiran 10. Output hasil analisis BJR menggunakan uji t.


Independent Samples Test										
		Levene's Test for Equality of Variances		t-test for Equality of Means						
		F	Sig.	t	df	Sig. (2-tailed)	Mean Difference	Std. Error Difference	95% Confidence Interval of the Difference	
									Lower	Upper
BJR	Equal variances assumed	2,012	,173	-7,342	18	,000	-2,713	,370	-3,489	-1,937
	Equal variances not assumed			-7,342	16,831	,000	-2,713	,370	-3,493	-1,933

Independent Samples Test										
		Levene's Test for Equality of Variances		t-test for Equality of Means						
		F	Sig.	t	df	Sig. (2-tailed)	Mean Difference	Std. Error Difference	95% Confidence Interval of the Difference	
									Lower	Upper
BJR	Equal variances assumed	1,352	,260	-8,980	18	,000	-3,530	,393	-4,356	-2,704
	Equal variances not assumed			-8,980	16,044	,000	-3,530	,393	-4,363	-2,697


Independent Samples Test										
		Levene's Test for Equality of Variances		t-test for Equality of Means						
		F	Sig.	t	df	Sig. (2-tailed)	Mean Difference	Std. Error Difference	95% Confidence Interval of the Difference	
									Lower	Upper
BJR	Equal variances assumed	,000	,983	-1,872	18	,078	-,817	,436	-1,734	,100
	Equal variances not assumed			-1,872	17,841	,078	-,817	,436	-1,735	,101

Lampiran 11. Korelasi curah hujan terhadap ton/ha


Pada blok KONTROL



Pada blok TANKOS




Pada blok LCPKS




Lampiran 12. Korelasi curah hujan terhadap jumlah janjang


Pada blok KONTROL



Pada blok TANKOS




Pada blok LCPKS




Lampiran 13. Korelasi curah hujan terhadap BJR


Pada blok KONTROL



Pada blok TANKOS



Pada blok LCPKS



Lampiran 14. Pengaplikasian LCPKS dan TANKOS di Perkebunan Naga Sakti Estate

Pengaplikasian LCPKS	
Pengaplikasian JANKOS	