

DAFTAR PUSTAKA

- Adriadi, Chairul A. dan Solfiyeni. 2012. Analisis vegetasi gulma pada perkebunan kelapa sawit (*Elaeis quineensis* jacq.) di Kilangan, Muaro Bulian, Batang Hari. *Jurnal Biologi Universitas Andalas* 1(2): 108-115.
- Anggraeni, D.S. 2007. Pengaruh deforestasi terhadap keanekaragaman polinator dan produktivitas kopi di kecamatan Silo Jember Jawa Timur. Tesis. Institut Teknologi Bandung.
- Basri, M. W; Simon Siburat; Ravigadevi S. dan Othman Arshad. 1999. Beneficial Plants For The Natural Enemies Of The Bagworm In Oil Palm Plantations. PORIM Mlaysia.
- Begon M, Harper JL, Townsend CR. 2008. Ecology: Individuals, Populations and Communities. Cambridge (GB): Blackwell Scientific.
- Black SH, Shepard M, Allen MM. 2001. Endangered invertebrates: the case for greater attention to invertebrate conservation. *Endangered Species Update*. 18(2):29-60.
- Bold, H.C. C.J. Alexopoulos, and T. Delevoryas. 1987. Morphology of Plant and Fungi. 5th edition. Harper dan Row Publisher. New York.
- Borror, Donald J dkk. 1992. Pengenalan Pelajaran Serangga Edisi Keenam. Yogyakarta: Gajah Mada University Press.
- Bogor. Erniwati dan S. Kahono. 2009. Peranan Tumbuhan Liar dalam Konservasi Serangga Penyerbuk Ordo Hymenoptera. *Jurnal Teknik Lingkungan* 10 (2): 195-203.
- Delsi Y. 2012. Studi alelopati teki (*Cyperus rotundus* L.) sebagai bioherbisida untuk pengendalian gulma berdaun lebar. Tesis. Institut Pertanian Bogor. Bogor.
- Dennis, S.H. 1994. Agricultural Entomology. Timber Press. Oregon.
- Drinkwater, L.E., D.K. Letourneau, F. Workneh, A.H.C. van Bruggen, & C. Shennan. 1995. Fundamental Differences between Conventional and Organic Tomato Agroecosystems in California. *Ecological Applications* 5: 1098-1112.
- Dobson HEM. 1994. Floral Volatiles in Insect Biology. Bernays E, editor. Boca Raton (US): CRC Pr. hlm 63-87. Terjemahan dari: Insect-Plant Interactions. Ed ke-5.
- Dhurve SS. 2008. Impact of honey bee pollination on seed production of Niger. [Thesis]. University of Agricultural Sciences, Dharwad.

- Ebtan, R., A.N. Sugiharto, E. Widaryanto. 2014. Ketahanan beberapa varietas jagung manis (*Zea mays Saccharata* Sturt) terhadap populasi gulma teki (*Cyperus rotundus*). *J. Prod. Tanaman* 1:471-477.
- El-Rokiek, K.G., S.A.S. El-Din, F.A.A. Sahara. 2010. Allelopathic behavior of *Cyperus rotundus* L. on both *Chorchorus olitorius* (broad leaved weed) and *Echinochloa crus-galli* (grassy weed) associated with soybean. *J. Plant Prot. Res.* 50:274-279.
- Esmaili, M., A. Heidarzade, H. Pirdasthi, F. Esmaili. 2012. Inhibitory activity of pure allelochemicals on Barnyardgrass (*Echinochloa crus-galli* L.) seed and seedling parameters. *IJACS.* 4:274-279.
- Fellows, K. 2013. Pollinator Patch-Wild pollinators for Food Crops: Pollinator Canada.
- Fitria, Y. 2011. Pengaruh alelopati gulma *Cyperus rotundus*, *Ageratum conyzoides* dan *Digitaria adscendens* terhadap pertumbuhan dan produksi tanaman tomat (*Lycopersicon esculentum* Mill.) skripsi. Institut Pertanian Bogor. Bogor.
- Gillison AN. 2000. Above ground biodiversity assessment working group summary report 1996-99: Impact of different land uses on biodiversity and social indicators. Nairobi: ASB Working Group Report, ICRAF.
- Hall, D.W., V.V. Vandiver, and J.A. Ferrell. 2009. Purple nutsedge, *Cyperus rotundus* L. University of Florida : SP37.
- Kalshoven, L.G.E. 1981. Pests of Crops in Indonesia. PT. Ichtiar Baru-Van Hoeve, Jakarta.
- Klein AM, Steffan-Dewenter I, Tscharnkte T. 2003. Fruits et of high land coffee increases with the diversity of pollinating bees. *Proceedings of The Royal Society of London B.* 270:955-961.
- Kusumawardhani. 2011. Keragaman serangga pengunjung bunga jantan kelapa sawit (*Elaeis guineensis* Jacq.) Bogor [skripsi]. Bogor (ID): Institut Pertanian Bogor.
- Kavitha, D., J. Prabhakaran, K. Arumugam. 2012. Phytotoxic effect of purple nutsedge (*Cyperus rotundus* L.) on germination and growth of finger millet (*Eleusine coracana* Gaertn.). *IJRPBS.* 3:615-619.
- Landis DA, Wratten SD, Gurr GM. 2000. Habitat management to conservenatural enemies of arthropod pets in agricultural. *Annual Review of Entomology* 45:175–201. doi: <https://doi.org/10.1146/annurev.ento.45.1.175>.
- Mairawita , Habazar T, Hasyim A, Nasyir N Suswati. 2012. Potensi serangga pengunjung bunga sebagai vector penyakit darah bakteri (*Ralstonia*

- solancearum Phylotype IV) pada pisang di Sumatera Barat. *Jurnal Entomologi Indonesia* 9 (1). 38-47.
- Mahmud, Z., 2006. Serangga Penyerbuk Pada Tanaman Jarak Pagar. *InfoTek Jarak Pagar* 1: 19.
- Pahan, I.2012. *Panduan Lengkap Kelapa Sawit*. Jakarta: Penebar Swadaya.
- Pracaya, 2010. Mengenal Ordo Serangga Predator dan Parasitoid jilid 4. Jakarta:Penebar Swadaya.
- Price PW. 1997. *Insect Ecology*. 3th ed. New York: John Wiley & Sons, Inc.
- Raju AJS, Ezradanam V. 2002. Pollination ecology and fruiting behavior in a monoecious species, *Jatropha curcas* L.(Euphorbiaceae). *Curr Sci* 83:1395-1398.
- Rianti P. 2008. Keanekaragaman, Efektifitas, dan Frekuensi kunjungan Serangga Penyerbuk pada Tanaman Jarak Pagar (*Jatropha curcas* L: Euphorbiaceae). [Tesis]. Institut Pertanian Bogor, Bogor.
- Rizali A, Buchori D, Triwidodo H. 2002. Keanekaragaman serangga pada lahan persawahan-tepian hutan: indikator untuk kesehatan lingkungan. *Hayati J Biosci*. 9:41-48.
- Roubik, D.W. 2002 . Feral African Bees Augment Neotropical Coffee Yield, in : Kevan P & Imperatriz Fonseca VL (eds) – Pollinating Bees – The Conservation Link Between Agriculture and Nature – Ministry of Environment/Brasilia, 222226.
- Schoonhoven, L.M. 1998. *Physiology to Evolution: Insect-Plant Biology*. Chapman and Hall. London.
- Siswanto dan E.A. Wikardi. 1996. Peranan serangga penyerbuk dan kemungkinan pemanfaatannya untuk meningkatkan produksi buah jambu mete. *Prosiding Forum Komunikasi Ilmiah Komoditas JambuMete*, 5-6 Maret 1996. Bogor:210- 217.
- Southwood TRE, Henderson PA. 2000. *Ecological methods*. 3thed. Cambridge (GB): The University Printing House.
- Tscharntke T, Clough Y, Wanger TC, Jackson L, Motzke I, Perfecto I, Vandermeer J, Whitbread A. 2012. Global food security, biodiversity conservation and the future of agricultural intensification. *Biological Conservation*. 151: 53-59.
- Tiharso, 2004. *Dasar-Dasar Perlindungan Tanaman*. Gadjah Mada University.

Yogyakarta.

Tjitrosoedirdjo S., Utomo I.H. dan Wiroatmodjo. 1984. Pengelolaan Gulma di Perkebunan. Gramedia, Jakarta.

Yunus, B. 2015. Populasi Hama Utama Pada Tanaman Padi. [Skripsi]. Makasar. Fakultas Pertanian. Universitas Hasanuddin.

LAMPIRAN

Lampiran 1. Indeks keanekaragaman pada pagi hari *Cyperus rotundus*

Serangga	Pagi	ni/N	Inni/N	H
Curculionidae	6	0.240000	-1.4271	-0.3425
Altica	1	0.040000	-3.2189	-0.1288
Formica	5	0.200000	-1.6094	-0.3219
Lasius	1	0.040000	-3.2189	-0.1288
Solenopsis invicta	1	0.040000	-3.2189	-0.1288
Oxyopes	2	0.080000	-2.5257	-0.2021
Valanga	3	0.120000	-2.1203	-0.2544
Locusta	1	0.040000	-3.2189	-0.1288
Oxya	2	0.080000	-2.5257	-0.2021
Leptocorisa	2	0.080000	-2.5257	-0.2021
Heirodula	1	0.040000	-3.2189	-0.1288
total	25			2.16878

Lampiran 2. Indeks keanekaragaman pada siang hari *Cyperus rotundus*

Serangga	Siang	ni/N	Inni/N	H
Curculionidae	8	0.296296	-1.2164	-0.3604
Altica	2	0.074074	-2.6027	-0.1928
Formica	4	0.148148	-1.9095	-0.2829
Lasius	1	0.037037	-3.2958	-0.1221
Solenopsis invicta	1	0.037037	-3.2958	-0.1221
Oxyopes	4	0.148148	-1.9095	-0.2829
Valanga	1	0.037037	-3.2958	-0.1221
Locusta	1	0.037037	-3.2958	-0.1221
Oxya	1	0.037037	-3.2958	-0.1221
Leptocorisa	2	0.074074	-2.6027	-0.1928
Heirodula	2	0.074074	-2.6027	-0.1928
total	27			2.11492

Lampiran 3. Indeks keanekaragaman pada sore hari *Cyperus rotundus*

Serangga	Sore	ni/N	Inni/N	H
Curculionidae	4	0.160000	-1.8326	-0.2932
Altica	2	0.080000	-2.5257	-0.2021
Formica	3	0.120000	-2.1203	-0.2544
Lasius	3	0.120000	-2.1203	-0.2544
Solenopsis invicta	1	0.040000	-3.2189	-0.1288
Oxyopes	2	0.080000	-2.5257	-0.2021
Valanga	1	0.040000	-3.2189	-0.1288
Locusta	1	0.040000	-3.2189	-0.1288
Oxya	2	0.080000	-2.5257	-0.2021
Leptocorisa	5	0.200000	-1.6094	-0.3219
Heirodula	1	0.040000	-3.2189	-0.1288
total	25			2.24516

Lampiran 4. Indeks keanekaragaman pada pagi hari *Cyperus Iria*

Serangga	Pagi	ni/N	Inni/N	H
Formica	3	0.120000	-2.1203	-0.2544
Oecophyllini	3	0.120000	-2.1203	-0.2544
Solenopsis invicta	3	0.120000	-2.1203	-0.2544
Lasius	4	0.160000	-1.8326	-0.2932
Eocantecona	3	0.120000	-2.1203	-0.2544
Leptocoria	1	0.040000	-3.2189	-0.1288
Oxyopes	4	0.160000	-1.8326	-0.2932
Teganaria	1	0.040000	-3.2189	-0.1288
Sitophilus	1	0.040000	-3.2189	-0.1288
Oxya	2	0.080000	-2.5257	-0.2021
Heirodula	0	0.000000	0	0
total	25			2.19248

Lampiran 5. Indeks keanekaragaman pada siang hari *Cyperus Iria*

Serangga	Siang	ni/N	Inni/N	H
Formica	7	0.205882	-1.5805	-0.3254
Oecophyllini	4	0.117647	-2.1401	-0.2518
Solenopsis invicta	6	0.176471	-1.7346	-0.3061
Lasius	2	0.058824	-2.8332	-0.1667
Eocanthecona	4	0.117647	-2.1401	-0.2518
Leptocoria	3	0.088235	-2.4277	-0.2142
Oxyopes	1	0.029412	-3.5264	-0.1037
Teganaria	2	0.058824	-2.8332	-0.1667
Sitophilus	0	0.000000	0	0
Oxya	2	0.058824	-2.8332	-0.1667
Heirodula	3	0.088235	-2.4277	-0.2142
total	34			2.16716

Lampiran 6. Indeks keanekaragaman pada sore hari *Cyperus Iria*

Serangga	Sore	ni/N	Inni/N	H
Formica	5	0.192308	-1.6487	-0.3170
Oecophyllini	1	0.038462	-3.2581	-0.1253
Solenopsis invicta	4	0.153846	-1.8718	-0.2880
Lasius	2	0.076923	-2.5649	-0.1973
Eocantecona	1	0.038462	-3.2581	-0.1253
Leptocoria	5	0.192308	-1.6487	-0.3170
Oxyopes	3	0.115385	-2.1595	-0.2492
Teganaria	1	0.038462	-3.2581	-0.1253
Sitophilus	1	0.038462	-3.2581	-0.1253
Oxya	2	0.076923	-2.5649	-0.1973
Heirodula	1	0.038462	-3.2581	-0.1253
total	26			2.1924

Gambar 1. Pengukuran suhu dan kelembapan



Gambar 2. Penangkapan serangga



Gambar 3. Pengawetan serangga

