

DAFTAR PUSTAKA

- Alouw, J. C. (2004). Tanggap fungsional predator *Euborellia annulata* (Fabricius) terhadap ngengat bunga kelapa. Prosiding Simposium IV hasil penelitian tanaman perkebunan, 28-30.
- Apriliani, L.A. 2015. *Keanekaragaman hama dan parasitoid pada perkebunan kelapa sawit di Jambi*. (Skripsi) Institut Pertanian Bogor.
- Arifin, M., & Subagyo, K. (2011). Ulat Bulu, Serangga Hama yang Mudah Dikendalikan. Balai Besar Pengkajian dan Pengembangan Tanaman Pangan, Bogor Jalan Tentara Pelajar, 10.
- Bahagiawati. 2002. *Penggunaan Bacillus thuringiensis sebagai Bioinsektisida*. Balai Penelitian Bioteknologi dan Sumberdaya Genetik Pertanian, Bogor.
- BARU, T. (2011). Beberapa produk baru insektisida untuk organisme pengganggu tanaman pangan, hortikultura dan tanaman perkebunan.
- Basri, M.W., M. Sharma dan N. Kamarudin. 1991. Field evaluation of insecticides and a cultural practice against the bunch moth, *Tirathaba Rufivena* (Lepidoptera: pyralidae) in a mature oil palm plantation. *Elaeis*. 3(2): 355-362.
- Bravo, A.S., S. Sarabia, L. Lopez, H. Ontiveros, C. Abarca, A. Otrhz, L. Lina, F.J. Villalobos, G. Pena, M-E. Nunez-Valdes, M. Soberon and R. Quintero. 1998. Characterization of cry genes in Mexican *Bacillus thuringiensis* strain collection. *Appl. Environ. Microbiol.* 64: 4965-4972.
- Corley, R. H. V., and Tinker, P. B., 2003. *The Oil Palm Fourth edition*. Blackwell Science Ltd. USA
- Debbab, M., El-Hajjaji, S., Aly, A. H., Dahchour, A., El Azzouzi, M., & Zrineh, A. (2014). Cypermethrin residues in fresh vegetables: Detection by HPLC and LC-ESIMS and their effect on antioxidant activity. *Mater. Environ. Sci*, 5(S1), 2257-2266.
- Gill, S.S., Cowles A.E., and Pietrantonio P.V. 1992. The Mode Of Action Of *Bacillus thuringiensis* Endotoxins. *Annu Rev Entomol* 37: 615-636.
- Höfte, H., & Whiteley, H. R. (1989). Insecticidal crystal proteins of *Bacillus thuringiensis*. *Microbiological reviews*, 53(2), 242-255.
- Kalshoven LGE. 1981. *The Pests of Crops in Indonesia*. PT Ichtiar Baru Van Hoeve, Jakarta.

- Khai, C. T. Z., Ming, S. C., & Hung, P. K. J. (2018). They are Different: Molecular Approach on Tirathaba Pest Infesting Oil Palm and Coconut Tree. *Adv Plants Agric Res*, 8(1), 00294.
- Lee, I., Eriksson, P., Fredriksson, A., Buratovic, S., & Viberg, H. (2015). Developmental neurotoxic effects of two pesticides: Behavior and neuroprotein studies on endosulfan and cypermethrin. *Toxicology*, 335, 1-10.
- Lee, Iwa, Per Eriksson, Anders Fredriksson, Sonja Buratovic, and Henrik Viberg. 2015. "Developmental Neurotoxic Effects of Two Pesticides: Behavior and Neuroprotein Studies on Endosulfan and Cypermethrin." *Toxicology* 335 (2015). Elsevier Ireland Ltd: 1-10. doi:10.1016/j.tox.2015.06.010.
- Lim, K H (2012). Integrated pest management of Tirathaba bunch moth on oil palm planted on peat. *The Planter*, 88(1031): 97-104.
- Lubis, F.I., I. Agustin, Riana, L. Kurniawan dan S. Latif. 2014. The occurrence of poor fruit set at Central Kalimantan. In: H. A. Hasibuan, H. Y. Rahmadi, R. Amalia, H. Priwiratama, S. Wening, Sujadi, E. S. Sutarta, D. Siahaan, T. Herawan, F. F. Tengoua, A. A. Arifin, S. Thongkrak, X. Xu, A. Raj, I. Pahan (eds). *International Oil Palm Conference 2014*. Bali, Indonesia, 17-19 June 2014. Indonesian Oil Palm Research Institute. 349-358.
- Masijan, Z., N. Kamarudin, R. Moslim, A.G. Sintik, S.N.H. Ahmad dan S.R.A. Ali. 2015. Bunch moth, Tirathaba Rufivena (Lepidoptera:Pyralidae) infestation census from oil palm plantation on peat soil in Sarawak. *Serangga*. 20(1).
- Mustakim, K., 2013. *Aplikasi sistem pakar untuk diagnosa hama dan penyakit tanaman kelapa sawit menggunakan Naive Bayes (Studi Kasus : PT. Perkebunan Nusantara V)*, Skripsi, Jurusan Teknik Informatika Fakultas Sains dan Teknologi Universitas Islam Negeri Sultan Syarif Kasim Riau.
- Pahan, Iyung, 2012. *Panduan Lengkap kelapa Sawit. Manajemen Hulu Hingga Hilir*. Penebar Swadaya. Jakarta.
- Prasetyo, A., J. Lopez, J. Eldridge, D. Zommick dan A.Susanto. 2018. Long-term study of Bacillusthuringiensis application to control Tirathaba Rufivena, along with the impact to Elaeidobius kamerunicus, insect biodiversity and oil palm productivity. *Journal of Oil Palm Research*.30(1): 71-82.
- Priwiratama, H., Rozziansha, T. A. P., & Prasetyo, A. E. (2018). EFEKTIVITAS FLUBENDIAMIDA DALAM PENGENDALIAN ULAT API Setothosea asigna Van Eecke, ULAT KANTUNG Metisa plana Walker, DAN PENGGEREK TANDAN Tirathaba Rufivena Walker SERTA PENGARUHNYA TERHADAP AKTIVITAS KUMBANG PENYERBUK

- Elaeidobius kamerunicus Faust. EFEKTI. Jurnal Penelitian Kelapa Sawit, 26(3), 129-140.
- Pujiastuti, Y., Asano, S-1., Sahara, K., Bando, H., & Iizuka, T. (1999). Toxicity of *Bacillus thuringiensis* subsp. wuhanensis crystal plotein to Bombyx mori and Spodoptera litura. J. SeLic. Sci. Japan 68(3), 165-169.
- Risza, I. S. (1994). *Kelapa Sawit, Upaya Peningkatan Produktivitas*. Kanisius.
- Sudjak, M Saenong.2007. Beberapa Produk Baru Insektisida Untuk Organisme Pengganggu Tanaman Pangan, Horikultura dan Tanaman Perkebunan. Hal 446
- Susanto, A., A.E. Prasetyo, D. Simanjuntak, T.A.P. Rozziansha, H. Priwiratama, P. Sudharto, R.D. de Chenon, A. Sipayung, A.T. Widi dan R.Y. Purba. 2012. EWS: *Ulat Api, Ulat Kantung, Ulat Bulu*. Medan, Pusat Penelitian Kelapa Sawit
- PERDANA, F. (2016). *Penetapan Kadar Pestisida Sipermetrin dalam Daun Teh Hijau (Camellia sinensis) dengan Metode KCKT* (Doctoral dissertation, Universitas Airlangga).
- Tarmadja, Samsuri, & Bobby Leonard. (2018). The Field Efficacy of Bio-Chemical Pesticide Mixture For Nettle Caterpillar Pest Control on Oil Palm Plantation. Prosiding Konser Karya Ilmiah Tingkat Nasional Tahun 2018 : Peluang dan Tantangan Pembangunan Pertanian Berkelanjutan di Era Global dan Digital, p. 207-211.
- Untung, K. (1993) .*Konsep Pengendalian Hama Terpadu*. Penerbit Andi Offset : Yogyakarta.

LAMPIRAN

Lampiran 1. Form pengamatan penelitian

1	PERLUKUAN	SKOR TANDAN BUNGA JANTAN					JML BUNGA JANTAN	IS(%)	SKOR TANDAN BUNGA BETINA					JML BUNGA BETINA	IS(%)	SKOR TANDAN BUAH					JMLH TANDAN BUAH	IS(%)	JUMLAH TANDAN BUNGA + BUAH	IS(%)
2		0	1	2	3	4			0	1	2	3	4			0	1	2	3	4				
3	SIPERMETRIN						0	0	1				1	2	37.5	2		2	4	3	11	63.84	13	59.675
4	SIPERMETRIN						0	0	1				1	2	37.5	1	1	1	4	3	10	67.50	12	62.5
5	SIPERMETRIN						0	0	1				1	2	37.5	1	1	1	4	2	9	63.89	11	59.091
6	SIPERMETRIN			1			1	75					1	1	75	1	1	3	3	3	11	63.84	13	65.385
7	TOTAL							75							46.875							64.57		61.65
8	BACILLUS						0		1				1	2	37.5	1	1	2	4	2	10	62.50	12	58.333
9	BACILLUS			1			1	75					1	2	50	2		1	3	3	9	63.89	12	62.5
10	BACILLUS						0		1				1	2	37.5	1	1	1	5	3	11	68.18	13	63.462
11	BACILLUS			1			1	75	1				1	2	37.5	1		1	3	4	9	75.00	12	68.75
12	TOTAL							75							40.625							67.39	0	63.28
13	S1m+B1m			1			1	75					1	1	75	1	1	3	2	3	10	62.50	12	64.583
14	S1m+B1m			1			1	75	1				1	2	50	1		3	3	3	10	67.50	13	65.385
15	S1m+B1m						0		1				1	1	0	1	2	2	3	3	11	61.36	12	56.25
16	S1m+B1m						0		1				1	2	37.5	1	2	1	3	3	10	62.50	12	58.333
17	TOTAL							75							40.625							63.47	0	61.14
18	S1.5m+B0.5m						0		1				1	2	50	1	1	3	3	3	11	63.64	13	61.538
19	S1.5m+B0.5m			1			1	75	1				1	2	37.5	2		1	3	3	9	63.89	12	60.417
20	S1.5m+B0.5m						0		1				1	2	37.5	1	1	2	2	4	10	67.50	12	62.5
21	S1.5m+B0.5m						0		1				1	2	37.5	1	2	2	3	3	11	61.36	13	57.692
22	TOTAL							75							40.625							64.10	0	60.54
23	bB1.5m+S0.5m						0		2					2	0	1	1	2	4	2	10	62.50	12	52.083
24	bB1.5m+S0.5m												1	1	75	1	1	3	3	3	11	63.64	12	64.583
25	bB1.5m+S0.5m												1	1	75	2		1	4	4	11	68.18	12	68.75
26	bB1.5m+S0.5m			1			1	75	1				1	2	37.5	2	1	2	5	2	12	58.33	15	58.667
27	TOTAL							75							46.875							63.16	0	60.52
28	KONTROL												1	1	75	2		1	3	3	9	63.89	10	65
29	KONTROL						0		1				1	1	0	2	1	1	4	2	10	57.50	11	52.273
30	KONTROL			1			1	75	1				1	2	37.5	1	2	3	3	3	12	60.42	15	58.333
31	KONTROL						0						1	1	75		1	2	4	3	10	72.50	11	72.727
32	TOTAL							75							46.875							63.56	0	62.08

Lampiran 2. Hasil analisis SPSS

rerata

Duncan^a

		Subset for alpha = 0.05		
Insektisida	N	1	2	3
S0.5+B1.5	36	27.0506		
B2	36		35.1100	
S1+B1	36		37.9167	
S2	36		38.6767	
S1.5+B0.5	36		38.7419	
Kontrol	36			67.7231
Sig.		1.000	.181	1.000

Means for groups in homogeneous subsets are displayed.

a. Uses Harmonic Mean Sample Size = 36.000.

Lampiran 3. Dokumentasi penelitian




Gambar 1. serangan Tirathaba di pokok sampel



Gambar 2. Kriteria nilai skoring



Gambar 3. Alat dan bahan penelitian



Gambar 4. Pelaksanaan penelitian