

## DAFTAR PUSTAKA

- Agele, S., Aiyelari, P., & Friday, C. E. (2017). Effects of shading, irrigation and mycorrhizal inoculation on growth and development of oil palm (*Elaeis guineensis* Jacq.) seedlings in the nursery. *Brazilian Journal of Biological Sciences*, 4(7), 113–122. <https://doi.org/10.21472/bjbs.040712>
- Akb, O., Gk, O. B., JC, N., & Amoah, P. (2018). Growth, dry matter yield and nutrient uptake of oil palm seedlings (*Elaeis guineensis* Jacq.) as affected by different soil amendments. *Advances in Crop Science and Technology*, 6(2), 1–6. <https://doi.org/10.4172/2329-8863.1000345>
- Anaba, B. D., Yemefack, M., Abossolo-Angue, M., Ntsefong, G. N., Bilong, E. G., Ebongue, G. F. N., & Bell, J. M. (2020). Soil texture and watering impact on pot recovery of soil-stripped oil palm (*Elaeis guineensis* Jacq.) seedlings. *Heliyon*, 6(10), e05310. <https://doi.org/10.1016/j.heliyon.2020.e05310>
- Brito, A. E. de A., Cardoso, K. P. S., Costa, T. C., Martins, J. T. da S., Machado, L. C., Nogueira, G. A. dos S., Conceição, S. S., Oliveira, J. T. de, Silva, P. A., Silva, R. T. L. da, & Neto, C. F. de O. (2023). The effect of aluminum treatment on metabolism in oil palm seedlings. *Bioscience Journal*, 39, 1–10. <https://doi.org/10.14393/bj-v39n0a2023-61615>
- Hapsoh, H., Dini, I. R., Wawan, W., & Sianipar, A. H. (2020). The growth of oil palm seedlings using a combination medium of organic oil palm empty fruit bunch and NPK fertilizer at main nursery. *Journal of Tropical Soils*, 25(2), 61–69. <https://doi.org/10.5400/jts.2020.v25i2.61-69>
- Mohidin, H., Man, S., Hanafi, M., Rufai, S., Idris, J., Fonguimgo, T. F., Idris, A. S., & Rafii, M. Y. (2019). Optimum levels of N, P, and K nutrition for oil palm seedlings grown in tropical peat soil. *Journal of Plant Nutrition*, 42(13), 1461–1472. <https://doi.org/10.1080/01904167.2019.1628975>
- Najihah, T. S., Ibrahim, M. H., Razak, A. A., Nulit, R., & Wahab, P. E. M. (2019). Effects of water stress on the growth, physiology and biochemical properties of oil palm seedlings. *AIMS Agriculture and Food*, 4(4), 854–866. <https://doi.org/10.3934/agrfood.2019.4.854>
- Pramuhadi, G., Setiawan, M. A., & Daliesta, N. F. P. (2020). Studi peremajaan tanaman kelapa sawit di areal lahan tanah mineral dan lahan gambut. *Jurnal Teknik Pertanian Lampung*, 9(3), 201–212. <https://doi.org/10.23960/jtep-l.v9i3.201-212>

- Rosenani, A. B., Rovica, R., Cheah, P. M., & Lim, C. T. S. (2016). Growth performance and nutrient uptake of oil palm seedling in prenursery stage as influenced by oil palm waste compost in growing media. *International Journal of Agronomy*, 2016, 1–8. <https://doi.org/10.1155/2016/6930735>
- Salamat, S. S., Hassan, M. A., Shirai, Y., Hanif, A. H. M., Arifin, I., & Norizan, M. S. (2019). Application of compost in mixed media improved oil palm nursery's secondary root structure thereby reducing the fertilizer requirement for growth. *Asia-Pacific Journal of Molecular Biology and Biotechnology*, 27(3), 39–47. <https://doi.org/10.35118/apjmabb.2019.027.3.05>
- Seman, I. F., Zulkefly, S., Salisu, M. A., & Samad, M. Y. A. (2018). Effect of different media combination on growth and biomass production of oil palm (*Elaeis guineensis*) seedlings. *International Journal of Environment, Agriculture and Biotechnology*, 3(1), 140–145. <https://doi.org/10.22161/ijeab/3.1.18>
- Sigalingging, R., Sumono, & Pratiwi, O. (2024). The effect of NPK fertiliser on oil palm coefficient as a baseline water management during the nursery phase. *IOP Conference Series: Earth and Environmental Science*, 1302(1), 012107. <https://doi.org/10.1088/1755-1315/1302/1/012107>
- Sukmawan, Y., & Riniarti, D. (2020). Respons pertumbuhan bibit kelapa sawit akibat pengaturan bobot mulsa tandan kosong dan frekuensi penyiraman. *Jurnal Penelitian Kelapa Sawit*, 28(3), 159–168. <https://doi.org/10.22302/iopri.jur.jpks.v28i3.121>
- Dwiyana S. R., Sampoerna, Ardian. (2015). Waktu Dan Volume Pemberian Air Pada Bibit Kelapa Sawit (*Elaeis Gueneensis* Jacq) Di Main Nursery. Fakultas Pertanian Universitas Riau. Pekanbaru <http://jom.unri.ac.id/index.php/JOMFAPERTA/article/view/5542/5419>.
- Fadilla, U., Gusnidar, G., & Yasin, S. (2020). Pengaruh Aplikasi Kompos Granul Dengan Perikat Liat Terhadap Sifat Kimia Regosol. *Jurnal Tanah Dan Sumberdaya Lahan*, 8(1), 83–90. <https://doi.org/10.21776/ub.jtsl.2021.008.1.11>
- Febrianto, E. B., Tarigan, S. M., & Azri, I. (2019). Evaluasi karakter agronomi kelapa sawit (*Elaeis guineensis* Jacq.) varietas DXP avros pada kondisi cekaman kekeringan di main nursery. *Bernas Agricultural Research Journal*, 15(1), 202–211.
- Hamim. (2018). Fisiologi tumbuhan 1: Air, Energi dan Metabolisme Karbon. IPB Perss. Bogor.

- Lumbantoruan, S. M., Anggraini, S., & Siaga, E. (2021). Potensi Pupuk Hayati dalam Optimalisasi Pertumbuhan Tanaman Jagung di Tanah Gambut Cekaman Kekeringan. *Seminar Nasional Lahan Suboptimal*, 1(1), 162–171.
- Maryani, A. T. (2012). The Influence of Water Supply Volume to The Growth Of Oil Palm Seedlings(*Elaeis guineensis jacq*) in main nursery. *Bioplantae*, 1(2), 64–75.
- Najiyati, S., Muslihat, L., & Suryadiputra, I. N. N. (2005). Panduan Pengelolaan Lahan Gambut untuk Pertanian Berkelanjutan. Proyek Climate Change, Forest and Peatlands in Indonesia, Wetlands International-Indonesia Programme and Wildlife Habitat Canada., Bogor. Indonesia.
- Pusat Penelitian Kelapa Sawit. (2014). Petunjuk Teknis Pembibitan Kelapa Sawit. Pusat Penelitian Kelapa Sawit, Medan.
- Pusat Penelitian Kelapa Sawit. (2020). Standar Pertumbuhan Bibit Kelapa Sawit. Sumatra Utara.
- Riyono, A. (2022). Peran Perkebunan Kelapa Sawit Dalam Meningkatkan Kondisi Sosial Ekonomi Masyarakat Desa Wahau Baru Kabupaten Kutai Timur. *E-Journal Sosiatri-Sosiologi*, 10(1), 1-15.
- Sani, A. (2021). Pengaruh pemberian dolomit dan pupuk NPK terhadap pertumbuhan bibit kelapa sawit (*Elaeis guineensis Jacq.*) pre nursery pada tanah gambut. *Pharmacognosy Magazine*, 75(17), 399-405.
- Siregar, S., Yuniasih, B., & Mawandha, H. G. (2025). Pengaruh Ketebalan Mulsa dan Volume Penyiraman terhadap Pertumbuhan Bibit Kelapa Sawit Main Nursery. *AGROFORETECH*, 3(1), 176-185.
- Sopialena. (2017). Segitiga Penyakit Tanaman. Mulawarman University Press. Samarinda.
- Sumantri, A. (2017). Respon Bibit Kelapa Sawit (*Elaeis guineensis Jacq*) Pada Prenursery Terhadap Jenis Kompos Dan Takaran Pupuk Urea. *Klorofil: Jurnal Penelitian Ilmu-Ilmu Pertanian*, 12(1), 17-24. <https://doi.org/10.32502/jk.v12i1.61>
- Sutanto, R. (2005). Dasar-Dasar Ilmu Tanah Konsep Dan Kenyataan. Kanisius. Yogyakarta.
- Tampubolon et al. (2019). Pengaruh Frekuensi Penyiraman terhadap Beberapa Jenis Bibit Unggul Kelapa Sawit (*Elaeis guineensis Jacq.*) yang Bermesokarp Tebal di Main Nursery Umur 4 Sampai 7 Bulan. 7(2), 167–186.

- Wahyudi, A. I., Mulana, B., & Sumekar, D. S. 2022. Perencanaan Penyiraman Otomatis Bertenaga Surya Berbasis Arduino Uno Untuk Tanaman Bibit Sawit. *RODA: Jurnal Pendidikan dan Teknologi Otomotif*, 2(1), 18-22.
- Wahyudi, E. T., Ariani, E., & Saputra, S. I. (2017). Respon Pertumbuhan Bibit Kelapa Sawit (*Elaeis Guinensis* Jacq) yang Diberi Pupuk Hijau Kirinyuh dan Pupuk NPK (Doctoral dissertation, Riau University).

## LAMPIRAN

### Lampiran 2: Hasil Sidik Ragam

#### Descriptive Statistics

Dependent Variable: PTT

| Jenis_Tanah | Volume_Penyiraman | Mean    | Std. Deviation | N  |
|-------------|-------------------|---------|----------------|----|
| T1          | A1                | 20.0000 | .00000         | 7  |
|             | A2                | 20.1857 | .49135         | 7  |
|             | A3                | 20.0000 | .00000         | 7  |
|             | Total             | 20.0619 | .28368         | 21 |
| T2          | A1                | 20.3429 | .58838         | 7  |
|             | A2                | 20.5429 | 1.07681        | 7  |
|             | A3                | 20.3571 | .94491         | 7  |
|             | Total             | 20.4143 | .85340         | 21 |
| Total       | A1                | 20.1714 | .43753         | 14 |
|             | A2                | 20.3643 | .82519         | 14 |
|             | A3                | 20.1786 | .66815         | 14 |
|             | Total             | 20.2381 | .65293         | 42 |

#### Tests of Between-Subjects Effects

Dependent Variable: PTT

| Source                          | Type III Sum of Squares | df | Mean Square | F         | Sig. |
|---------------------------------|-------------------------|----|-------------|-----------|------|
| Corrected Model                 | 1.639 <sup>a</sup>      | 5  | .328        | .745      | .595 |
| Intercept                       | 17202.381               | 1  | 17202.381   | 39096.320 | .000 |
| Jenis_Tanah                     | 1.304                   | 1  | 1.304       | 2.963     | .094 |
| Volume_Penyiraman               | .335                    | 2  | .167        | .380      | .686 |
| Jenis_Tanah * Volume_Penyiraman | .000                    | 2  | .000        | .001      | .999 |
| Error                           | 15.840                  | 36 | .440        |           |      |
| Total                           | 17219.860               | 42 |             |           |      |
| Corrected Total                 | 17.479                  | 41 |             |           |      |

a. R Squared = .094 (Adjusted R Squared = -.032)

#### Descriptive Statistics

Dependent Variable: PJD

| Jenis_Tanah | Volume_Penyiraman | Mean   | Std. Deviation | N |
|-------------|-------------------|--------|----------------|---|
| T1          | A1                | 5.0000 | 1.15470        | 7 |

|       |       |        |         |    |
|-------|-------|--------|---------|----|
| T2    | A2    | 4.4286 | .78680  | 7  |
|       | A3    | 3.5714 | .97590  | 7  |
|       | Total | 4.3333 | 1.11056 | 21 |
|       |       |        |         |    |
| T2    | A1    | 4.0000 | 1.29099 | 7  |
|       | A2    | 4.8571 | .37796  | 7  |
|       | A3    | 3.8571 | .89974  | 7  |
|       | Total | 4.2381 | .99523  | 21 |
| Total | A1    | 4.5000 | 1.28602 | 14 |
|       | A2    | 4.6429 | .63332  | 14 |
|       | A3    | 3.7143 | .91387  | 14 |
|       | Total | 4.2857 | 1.04264 | 42 |

### Tests of Between-Subjects Effects

Dependent Variable: PJD

| Source                          | Type III Sum of Squares | df | Mean Square | F       | Sig. |
|---------------------------------|-------------------------|----|-------------|---------|------|
| Corrected Model                 | 11.429 <sup>a</sup>     | 5  | 2.286       | 2.483   | .050 |
| Intercept                       | 771.429                 | 1  | 771.429     | 837.931 | .000 |
| Jenis_Tanah                     | .095                    | 1  | .095        | .103    | .750 |
| Volume_Penyiraman               | 7.000                   | 2  | 3.500       | 3.802   | .032 |
| Jenis_Tanah * Volume_Penyiraman | 4.333                   | 2  | 2.167       | 2.353   | .110 |
| Error                           | 33.143                  | 36 | .921        |         |      |
| Total                           | 816.000                 | 42 |             |         |      |
| Corrected Total                 | 44.571                  | 41 |             |         |      |

a. R Squared = .256 (Adjusted R Squared = .153)

### PJD

Duncan<sup>a,b</sup>

| Volume_Penyiraman | N  | Subset |        |
|-------------------|----|--------|--------|
|                   |    | 1      | 2      |
| A3                | 14 | 3.7143 |        |
| A1                | 14 |        | 4.5000 |
| A2                | 14 |        | 4.6429 |
| Sig.              |    | 1.000  | .696   |

Means for groups in homogeneous subsets are displayed.

Based on observed means.

The error term is Mean Square(Error) = .921.

- a. Uses Harmonic Mean Sample Size = 14.000.  
b. Alpha = ,05.

### Descriptive Statistics

Dependent Variable: DB

| Jenis_Tanah | Volume_Penyiraman | Mean    | Std. Deviation | N  |
|-------------|-------------------|---------|----------------|----|
| T1          | A1                | 16.3857 | .69144         | 7  |
|             | A2                | 18.3714 | .73872         | 7  |
|             | A3                | 18.6429 | 1.68410        | 7  |
|             | Total             | 17.8000 | 1.49030        | 21 |
| T2          | A1                | 19.6286 | .85189         | 7  |
|             | A2                | 19.6143 | .71514         | 7  |
|             | A3                | 19.0143 | 1.14080        | 7  |
|             | Total             | 19.4190 | .92066         | 21 |
| Total       | A1                | 18.0071 | 1.84034        | 14 |
|             | A2                | 18.9929 | .95068         | 14 |
|             | A3                | 18.8286 | 1.39528        | 14 |
|             | Total             | 18.6095 | 1.47248        | 42 |

### Tests of Between-Subjects Effects

Dependent Variable: DB

| Source                          | Type III Sum of Squares | df | Mean Square | F         | Sig. |
|---------------------------------|-------------------------|----|-------------|-----------|------|
| Corrected Model                 | 50.505 <sup>a</sup>     | 5  | 10.101      | 9.472     | .000 |
| Intercept                       | 14545.204               | 1  | 14545.204   | 13639.173 | .000 |
| Jenis_Tanah                     | 27.524                  | 1  | 27.524      | 25.809    | .000 |
| Volume_Penyiraman               | 7.809                   | 2  | 3.905       | 3.661     | .036 |
| Jenis_Tanah * Volume_Penyiraman | 15.172                  | 2  | 7.586       | 7.113     | .002 |
| Error                           | 38.391                  | 36 | 1.066       |           |      |
| Total                           | 14634.100               | 42 |             |           |      |
| Corrected Total                 | 88.896                  | 41 |             |           |      |

a. R Squared = .568 (Adjusted R Squared = .508)

### DB

Duncan<sup>a,b</sup>

| Interaksi | N | Subset  |         |         |
|-----------|---|---------|---------|---------|
|           |   | 1       | 2       | 3       |
| T1A1      | 7 | 16.3857 |         |         |
| T1A2      | 7 |         | 18.3714 |         |
| T1A3      | 7 |         | 18.6429 | 18.6429 |
| T2A3      | 7 |         | 19.0143 | 19.0143 |
| T2A2      | 7 |         |         | 19.6143 |
| T2A1      | 7 |         |         | 19.6286 |
| Sig.      |   | 1.000   | .280    | .111    |

Means for groups in homogeneous subsets are displayed.

Based on observed means.

The error term is Mean Square(Error) = 1.066.

a. Uses Harmonic Mean Sample Size = 7.000.

b. Alpha = 0,05.

### Descriptive Statistics

Dependent Variable: BST

| Jenis_Tanah | Volume_Penyiraman | Mean    | Std. Deviation | N  |
|-------------|-------------------|---------|----------------|----|
| T1          | A1                | 52.6529 | 23.17150       | 7  |
|             | A2                | 39.2629 | 17.73797       | 7  |
|             | A3                | 35.4571 | 8.63116        | 7  |
|             | Total             | 42.4576 | 18.30082       | 21 |
| T2          | A1                | 27.3871 | 16.57704       | 7  |
|             | A2                | 27.8883 | 8.80388        | 6  |
|             | A3                | 26.0871 | 9.98896        | 7  |
|             | Total             | 27.0825 | 11.80207       | 20 |
| Total       | A1                | 40.0200 | 23.37742       | 14 |
|             | A2                | 34.0131 | 14.98152       | 13 |
|             | A3                | 30.7721 | 10.20161       | 14 |
|             | Total             | 34.9576 | 17.15116       | 41 |

### Tests of Between-Subjects Effects

Dependent Variable: BST

| Source                          | Type III Sum of Squares | df | Mean Square | F       | Sig. |
|---------------------------------|-------------------------|----|-------------|---------|------|
| Corrected Model                 | 3575.173 <sup>a</sup>   | 5  | 715.035     | 3.055   | .022 |
| Intercept                       | 49458.404               | 1  | 49458.404   | 211.327 | .000 |
| Jenis_Tanah                     | 2403.015                | 1  | 2403.015    | 10.268  | .003 |
| Volume_Penyiraman               | 627.964                 | 2  | 313.982     | 1.342   | .275 |
| Jenis_Tanah * Volume_Penyiraman | 520.262                 | 2  | 260.131     | 1.111   | .340 |
| Error                           | 8191.313                | 35 | 234.038     |         |      |
| Total                           | 61869.760               | 41 |             |         |      |
| Corrected Total                 | 11766.486               | 40 |             |         |      |

a. R Squared = .304 (Adjusted R Squared = .204)

### Descriptive Statistics

Dependent Variable: BKT

| Jenis_Tanah | Volume_Penyiraman | Mean    | Std. Deviation | N  |
|-------------|-------------------|---------|----------------|----|
| T1          | A1                | 12.5929 | 3.16612        | 7  |
|             | A2                | 11.3557 | 5.08253        | 7  |
|             | A3                | 10.3100 | 2.44994        | 7  |
|             | Total             | 11.4195 | 3.67038        | 21 |
| T2          | A1                | 9.7043  | 4.58302        | 7  |
|             | A2                | 7.7329  | 2.59247        | 7  |
|             | A3                | 8.0371  | 3.07454        | 7  |
|             | Total             | 8.4914  | 3.45570        | 21 |
| Total       | A1                | 11.1486 | 4.07029        | 14 |
|             | A2                | 9.5443  | 4.30792        | 14 |
|             | A3                | 9.1736  | 2.91957        | 14 |
|             | Total             | 9.9555  | 3.82002        | 42 |

### Tests of Between-Subjects Effects

Dependent Variable: BKT

| Source          | Type III Sum of Squares | df | Mean Square | F     | Sig. |
|-----------------|-------------------------|----|-------------|-------|------|
| Corrected Model | 124.077 <sup>a</sup>    | 5  | 24.815      | 1.884 | .121 |

|                                    |          |    |          |         |      |
|------------------------------------|----------|----|----------|---------|------|
| Intercept                          | 4162.683 | 1  | 4162.683 | 316.007 | .000 |
| Jenis_Tanah                        | 90.024   | 1  | 90.024   | 6.834   | .013 |
| Volume_Penyiraman                  | 30.855   | 2  | 15.428   | 1.171   | .322 |
| Jenis_Tanah *<br>Volume_Penyiraman | 3.198    | 2  | 1.599    | .121    | .886 |
| Error                              | 474.219  | 36 | 13.173   |         |      |
| Total                              | 4760.979 | 42 |          |         |      |
| Corrected Total                    | 598.295  | 41 |          |         |      |

a. R Squared = .207 (Adjusted R Squared = .097)

### Descriptive Statistics

Dependent Variable: BSA

| Jenis_Tanah | Volume_Penyiraman | Mean    | Std. Deviation | N  |
|-------------|-------------------|---------|----------------|----|
| T1          | A1                | 16.9571 | 3.51751        | 7  |
|             | A2                | 16.5833 | 5.61548        | 6  |
|             | A3                | 16.5714 | 5.18354        | 7  |
|             | Total             | 16.7100 | 4.55249        | 20 |
| T2          | A1                | 16.5857 | 9.72604        | 7  |
|             | A2                | 10.9829 | 3.51269        | 7  |
|             | A3                | 14.0057 | 2.59234        | 7  |
|             | Total             | 13.8581 | 6.29298        | 21 |
| Total       | A1                | 16.7714 | 7.02903        | 14 |
|             | A2                | 13.5677 | 5.26812        | 13 |
|             | A3                | 15.2886 | 4.15633        | 14 |
|             | Total             | 15.2493 | 5.63278        | 41 |

### Tests of Between-Subjects Effects

Dependent Variable: BSA

| Source                             | Type III Sum of Squares | df | Mean Square | F       | Sig. |
|------------------------------------|-------------------------|----|-------------|---------|------|
| Corrected Model                    | 194.076 <sup>a</sup>    | 5  | 38.815      | 1.264   | .301 |
| Intercept                          | 9542.352                | 1  | 9542.352    | 310.667 | .000 |
| Jenis_Tanah                        | 82.741                  | 1  | 82.741      | 2.694   | .110 |
| Volume_Penyiraman                  | 60.032                  | 2  | 30.016      | .977    | .386 |
| Jenis_Tanah *<br>Volume_Penyiraman | 46.166                  | 2  | 23.083      | .751    | .479 |

|                 |           |    |        |  |  |
|-----------------|-----------|----|--------|--|--|
| Error           | 1075.050  | 35 | 30.716 |  |  |
| Total           | 10803.274 | 41 |        |  |  |
| Corrected Total | 1269.126  | 40 |        |  |  |

a. R Squared = .153 (Adjusted R Squared = .032)

### Descriptive Statistics

Dependent Variable: BKA

| Jenis_Tanah | Volume_Penyiraman | Mean   | Std. Deviation | N  |
|-------------|-------------------|--------|----------------|----|
| T1          | A1                | 7.1529 | 2.46463        | 7  |
|             | A2                | 6.5614 | 3.38689        | 7  |
|             | A3                | 5.6429 | 1.01136        | 7  |
|             | Total             | 6.4524 | 2.44453        | 21 |
| T2          | A1                | 4.9771 | 2.82056        | 7  |
|             | A2                | 4.2214 | 1.53256        | 7  |
|             | A3                | 4.2657 | .62522         | 7  |
|             | Total             | 4.4881 | 1.82605        | 21 |
| Total       | A1                | 6.0650 | 2.78385        | 14 |
|             | A2                | 5.3914 | 2.80224        | 14 |
|             | A3                | 4.9543 | 1.07847        | 14 |
|             | Total             | 5.4702 | 2.35153        | 42 |

### Tests of Between-Subjects Effects

Dependent Variable: BKA

| Source                             | Type III Sum of Squares | df | Mean Square | F       | Sig. |
|------------------------------------|-------------------------|----|-------------|---------|------|
| Corrected Model                    | 51.137 <sup>a</sup>     | 5  | 10.227      | 2.097   | .088 |
| Intercept                          | 1256.787                | 1  | 1256.787    | 257.684 | .000 |
| Jenis_Tanah                        | 40.513                  | 1  | 40.513      | 8.307   | .007 |
| Volume_Penyiraman                  | 8.766                   | 2  | 4.383       | .899    | .416 |
| Jenis_Tanah *<br>Volume_Penyiraman | 1.857                   | 2  | .929        | .190    | .827 |
| Error                              | 175.581                 | 36 | 4.877       |         |      |
| Total                              | 1483.505                | 42 |             |         |      |
| Corrected Total                    | 226.718                 | 41 |             |         |      |

a. R Squared = .226 (Adjusted R Squared = .118)

### Descriptive Statistics

Dependent Variable: PA

| Jenis_Tanah | Volume_Penyiraman | Mean    | Std. Deviation | N  |
|-------------|-------------------|---------|----------------|----|
| T1          | A1                | 50.1000 | 12.31598       | 7  |
|             | A2                | 44.4571 | 12.83937       | 7  |
|             | A3                | 48.0286 | 8.07005        | 7  |
|             | Total             | 47.5286 | 10.96363       | 21 |
| T2          | A1                | 45.6857 | 10.62849       | 7  |
|             | A2                | 47.9000 | 10.03511       | 7  |
|             | A3                | 51.1000 | 9.54131        | 7  |
|             | Total             | 48.2286 | 9.82844        | 21 |
| Total       | A1                | 47.8929 | 11.28678       | 14 |
|             | A2                | 46.1786 | 11.21401       | 14 |
|             | A3                | 49.5643 | 8.63798        | 14 |
|             | Total             | 47.8786 | 10.28986       | 42 |

### Tests of Between-Subjects Effects

Dependent Variable: PA

| Source                          | Type III Sum of Squares | df | Mean Square | F       | Sig. |
|---------------------------------|-------------------------|----|-------------|---------|------|
| Corrected Model                 | 222.951 <sup>a</sup>    | 5  | 44.590      | .390    | .853 |
| Intercept                       | 96279.019               | 1  | 96279.019   | 841.645 | .000 |
| Jenis_Tanah                     | 5.145                   | 1  | 5.145       | .045    | .833 |
| Volume_Penyiraman               | 80.246                  | 2  | 40.123      | .351    | .707 |
| Jenis_Tanah * Volume_Penyiraman | 137.560                 | 2  | 68.780      | .601    | .554 |
| Error                           | 4118.180                | 36 | 114.394     |         |      |
| Total                           | 100620.150              | 42 |             |         |      |
| Corrected Total                 | 4341.131                | 41 |             |         |      |

a. R Squared = .051 (Adjusted R Squared = -.080)

### Descriptive Statistics

Dependent Variable: VA

| Jenis_Tanah | Volume_Penyiraman | Mean | Std. Deviation | N |
|-------------|-------------------|------|----------------|---|
|-------------|-------------------|------|----------------|---|

|       |       |         |          |    |
|-------|-------|---------|----------|----|
| T1    | A1    | 25.0714 | 11.85829 | 7  |
|       | A2    | 20.0143 | 2.67110  | 7  |
|       | A3    | 18.2571 | 5.59906  | 7  |
|       | Total | 21.1143 | 7.90521  | 21 |
| T2    | A1    | 15.3429 | 5.31722  | 7  |
|       | A2    | 14.2143 | 4.58746  | 7  |
|       | A3    | 15.5429 | 4.85244  | 7  |
|       | Total | 15.0333 | 4.71363  | 21 |
| Total | A1    | 20.2071 | 10.17013 | 14 |
|       | A2    | 17.1143 | 4.69711  | 14 |
|       | A3    | 16.9000 | 5.22685  | 14 |
|       | Total | 18.0738 | 7.12687  | 42 |

### Tests of Between-Subjects Effects

Dependent Variable: VA

| Source                          | Type III Sum of Squares | df | Mean Square | F       | Sig. |
|---------------------------------|-------------------------|----|-------------|---------|------|
| Corrected Model                 | 570.678 <sup>a</sup>    | 5  | 114.136     | 2.718   | .035 |
| Intercept                       | 13719.829               | 1  | 13719.829   | 326.705 | .000 |
| Jenis_Tanah                     | 388.269                 | 1  | 388.269     | 9.246   | .004 |
| Volume_Penyiraman               | 95.895                  | 2  | 47.947      | 1.142   | .331 |
| Jenis_Tanah * Volume_Penyiraman | 86.515                  | 2  | 43.257      | 1.030   | .367 |
| Error                           | 1511.803                | 36 | 41.995      |         |      |
| Total                           | 15802.310               | 42 |             |         |      |
| Corrected Total                 | 2082.481                | 41 |             |         |      |

a. R Squared = .274 (Adjusted R Squared = .173)

### Descriptive Statistics

Dependent Variable: LD

| Jenis_Tanah | Volume_Penyiraman | Mean     | Std. Deviation | N  |
|-------------|-------------------|----------|----------------|----|
| T1          | A1                | 657.7143 | 28.42625       | 7  |
|             | A2                | 742.6143 | 27.24307       | 7  |
|             | A3                | 661.5286 | 27.06503       | 7  |
|             | Total             | 687.2857 | 47.90123       | 21 |
| T2          | A1                | 746.3571 | 28.84897       | 7  |
|             | A2                | 654.4286 | 30.30796       | 7  |
|             | A3                | 743.0000 | 28.43671       | 7  |
|             | Total             | 714.5952 | 51.67525       | 21 |

|       |       |          |          |    |
|-------|-------|----------|----------|----|
| Total | A1    | 702.0357 | 53.59631 | 14 |
|       | A2    | 698.5214 | 53.48117 | 14 |
|       | A3    | 702.2643 | 49.98350 | 14 |
|       | Total | 700.9405 | 51.11637 | 42 |

### Tests of Between-Subjects Effects

Dependent Variable: LD

| Source                          | Type III Sum of Squares | df | Mean Square  | F         | Sig. |
|---------------------------------|-------------------------|----|--------------|-----------|------|
| Corrected Model                 | 78074.798 <sup>a</sup>  | 5  | 15614.960    | 19.348    | .000 |
| Intercept                       | 20635337.149            | 1  | 20635337.149 | 25569.195 | .000 |
| Jenis_Tanah                     | 7831.006                | 1  | 7831.006     | 9.703     | .004 |
| Volume_Penyiraman               | 123.253                 | 2  | 61.627       | .076      | .927 |
| Jenis_Tanah * Volume_Penyiraman | 70120.539               | 2  | 35060.270    | 43.443    | .000 |
| Error                           | 29053.403               | 36 | 807.039      |           |      |
| Total                           | 20742465.350            | 42 |              |           |      |
| Corrected Total                 | 107128.201              | 41 |              |           |      |

a. R Squared = .729 (Adjusted R Squared = .691)

### LD

Duncan<sup>a,b</sup>

| Interaksi | N | Subset   |          |
|-----------|---|----------|----------|
|           |   | 1        | 2        |
| T2A2      | 7 | 654.4286 |          |
| T1A1      | 7 | 657.7143 |          |
| T1A3      | 7 | 661.5286 |          |
| T1A2      | 7 |          | 742.6143 |
| T2A3      | 7 |          | 743.0000 |
| T2A1      | 7 |          | 746.3571 |
| Sig.      |   | .664     | .819     |

Means for groups in homogeneous subsets are displayed.

Based on observed means.

The error term is Mean Square(Error) = 807.039.

a. Uses Harmonic Mean Sample Size = 7.000.

b. Alpha = 0,05.

### Descriptive Statistics

Dependent Variable: pH\_Tanah

| Jenis_Tanah | Volume_Penyiraman | Mean   | Std. Deviation | N  |
|-------------|-------------------|--------|----------------|----|
| T1          | A1                | 6.5429 | .09759         | 7  |
|             | A2                | 6.8000 | .08165         | 7  |
|             | A3                | 6.6000 | .08165         | 7  |
|             | Total             | 6.6476 | .14007         | 21 |
| T2          | A1                | 5.2000 | .08165         | 7  |
|             | A2                | 5.4000 | .08165         | 7  |
|             | A3                | 5.2857 | .06901         | 7  |
|             | Total             | 5.2952 | .11170         | 21 |
| Total       | A1                | 5.8714 | .70212         | 14 |
|             | A2                | 6.1000 | .73065         | 14 |
|             | A3                | 5.9429 | .68581         | 14 |
|             | Total             | 5.9714 | .69573         | 42 |

### Tests of Between-Subjects Effects

Dependent Variable: pH\_Tanah

| Source                          | Type III Sum of Squares | df | Mean Square | F          | Sig. |
|---------------------------------|-------------------------|----|-------------|------------|------|
| Corrected Model                 | 19.600 <sup>a</sup>     | 5  | 3.920       | 574.326    | .000 |
| Intercept                       | 1497.634                | 1  | 1497.634    | 219420.837 | .000 |
| Jenis_Tanah                     | 19.204                  | 1  | 19.204      | 2813.581   | .000 |
| Volume_Penyiraman               | .383                    | 2  | .191        | 28.047     | .000 |
| Jenis_Tanah * Volume_Penyiraman | .013                    | 2  | .007        | .977       | .386 |
| Error                           | .246                    | 36 | .007        |            |      |
| Total                           | 1517.480                | 42 |             |            |      |
| Corrected Total                 | 19.846                  | 41 |             |            |      |

a. R Squared = .988 (Adjusted R Squared = .986)

| pH_Tanah              |    |        |        |        |
|-----------------------|----|--------|--------|--------|
| Duncan <sup>a,b</sup> |    |        |        |        |
| Volume_Penyiraman     | N  | Subset |        |        |
|                       |    | 1      | 2      | 3      |
| A1                    | 14 | 5.8714 |        |        |
| A3                    | 14 |        | 5.9429 |        |
| A2                    | 14 |        |        | 6.1000 |
| Sig.                  |    | 1.000  | 1.000  | 1.000  |

Means for groups in homogeneous subsets are displayed.

Based on observed means.

The error term is Mean Square(Error) = .007.

a. Uses Harmonic Mean Sample Size = 14.000.

b. Alpha = ,05.

### Lampiran 3. Layout penelitian

|        |        |        |        |        |        |        |
|--------|--------|--------|--------|--------|--------|--------|
| T1A1U1 | T2A2U1 | T1A3U6 | T1A1U7 | T1A3U7 | T2A1U3 | T1A2U2 |
| T2A1U1 | T2A3U4 | T1A2U6 | T1A3U1 | T1A2U7 | T2A2U6 | T2A1U7 |
| T1A2U4 | T1A1U5 | T2A1U2 | T2A1U6 | T2A2U5 | T1A1U6 | T1A2U5 |
| T1A3U4 | T2A1U5 | T2A2U3 | T2A3U5 | T2A1U4 | T2A3U1 | T1A3U5 |
| T2A2U2 | T2A3U2 | T2A3U3 | T2A2U4 | T2A3U7 | T2A3U6 | T2A2U7 |
| T1A2U1 | T1A3U3 | T1A1U3 | T1A2U3 | T1A1U4 | T1A3U2 | T1A1U2 |

Keterangan

G1=Tanah gambut

R1=Tanah regosol

A1=1 Liter\Hari

A2=1,5Liter \Hari

A3=2 Liter\Hari

### Lampiran 3: Dokumentasi









