

DAFTAR PUSTAKA

- Arini, D., Sari, S. M., & Driptufany, D. M. (2022). Pemanfaatan Citra Landsat 8 untuk mendeteksi tingkat kesehatan tanaman kelapa sawit menggunakan metode *Normalized Difference Vegetation Index* (NDVI) di Kabupaten Bengkalis Kecamatan Mandau. *El-Jughrafiyah*, 2(2), 50. <https://doi.org/10.24014/jej.v2i2.18744>
- Badan Pusat Statistik. (2021). *Buku statistik perkebunan Indonesia 2019–2021*. Kementerian Pertanian RI.
- Badan Pusat Statistik. (2023). *Statistik kelapa sawit Indonesia*. BPS RI.
- Campbell, J. B., & Wynne, R. H. (2011). *Introduction to remote sensing* (5th ed.). Guilford Press.
- Corley, R. H. V., & Tinker, P. B. (2016). *The oil palm* (5th ed.). Wiley-Blackwell.
- Fadlin, F., Kurniadin, N., & Prasetya, A. S. (2020). Analisis indeks kekritisian lingkungan di Kota Makassar menggunakan citra satelit Landsat 8 OLI/TIRS. *Elipsoida: Jurnal Geodesi dan Geomatika*, 3(01), 55–63. <https://doi.org/10.14710/elipsoida.2020.6232>
- Food and Agriculture Organization (FAO). (2020). *Sustainable oil palm development*. FAO.
- Goh, K. J., & Härdter, R. (2003). General oil palm nutrition. *International Potash Institute Bulletin*.
- Hatfield, J. L., & Prueger, J. H. (2015). Temperature extremes: Effect on plant growth and development. *Weather and Climate Extremes*, 10, 4–10.
- Huete, A. (1988). A soil-adjusted vegetation index (SAVI). *Remote Sensing of Environment*, 25(3), 295–309.
- Huete, A., Didan, K., Miura, T., Rodriguez, E. P., Gao, X., & Ferreira, L. (2002). Overview of the radiometric and biophysical performance of the MODIS vegetation indices. *Remote Sensing of Environment*, 83, 195–213.
- Jiang, Z., Huete, A. R., Chen, J., Chen, Y., Li, J., Yan, G., & Zhang, X. (2006). Analysis of NDVI and scaled difference vegetation index retrievals of vegetation fraction. *Remote Sensing of Environment*, 101(3), 366–378. <https://doi.org/10.1016/j.rse.2006.01.003>

- Lambin, E. F., & Meyfroidt, P. (2011). Global land use change, economic globalization, and the looming land scarcity. *Proceedings of the National Academy of Sciences*, 108(9), 3465–3472.
- Lillesand, T., Kiefer, R. W., & Chipman, J. (2015). *Remote sensing and image interpretation* (7th ed.). Wiley.
- Lutfiah Abdullah, S., Fadliyah Akbariyah, A., Wikansari, R., & App, P. (2024). Potensi ekspor crude palm oil (CPO) di Indonesia. *Journal of Science and Social Research*, 4307(1), 61–67.
- Manurung, R., Gunawan, J., Hazriani, R., & Suharmoko, J. (2022). Pemetaan status unsur hara N, P dan K tanah pada perkebunan kelapa sawit di lahan gambut. *Pedontropika: Jurnal Ilmu Tanah dan Sumber Daya Lahan*, 3(1), 89. <https://doi.org/10.26418/pedontropika.v3i1.23438>
- Nailufar, B. (2018). Analisis perubahan indeks kerapatan vegetasi dengan metode NDVI di Kota Batu berbasis GIS dan penginderaan jauh. *Mintakat: Jurnal Arsitektur*, 19(2), 59–67. <https://doi.org/10.26905/mintakat.v19i2.2356>
- National Aeronautics and Space Administration (NASA). (2013). *Landsat 8 overview*. NASA Earth Observatory.
- Nugraha, M. F. (2021). Analisis strategi perlawanan Indonesia dalam diskriminasi kelapa sawit oleh Uni Eropa. *Al-Adalah: Jurnal Hukum dan Politik Islam*, 6(1), 88–105. <https://doi.org/10.35673/ajmpi.v6i1.1458>
- Prayitno, B., & Widyawati, R. F. (2021). Analisis daya saing minyak kelapa sawit Indonesia. *Media Mahardhika*, 20(1), 96–105. <https://doi.org/10.29062/mahardika.v20i1.326>
- Purwanto, A. (2015). Pemanfaatan citra Landsat 8 untuk identifikasi NDVI di Kecamatan Silat Hilir Kabupaten Kapuas Hulu. *Edukasi*, 13(1), 27–36.
- Rahmawati, L., & Santoso, E. P. (2017). Penerapan metode LSU (Leaf Sampling Unit) untuk analisis kandungan unsur hara pada sampel daun kelapa sawit (*Elaeis guineensis* Jacq.). *Jurnal Budidaya Tanaman Perkebunan Politeknik Hasnur*, 3(1), 59–66.
- Riyono, A. (2022). Peran perkebunan kelapa sawit dalam meningkatkan kondisi sosial ekonomi masyarakat Desa Wahau Baru Kabupaten Kutai Timur. *EJournal Sosiatri-Sosiologi*, 2022(1), 1–15.
- Rouse, J. W., Haas, R. H., Schell, J. A., & Deering, D. W. (1974). Monitoring vegetation systems in the Great Plains with ERTS. *Proceedings of the Third Earth Resources Technology Satellite-1 Symposium*, 1, 309–317.

- Roy, D. P., Wulder, M. A., Loveland, T. R., Woodcock, C. E., Allen, R. G., Anderson, M. C., ... Zhu, Z. (2014). Landsat-8: Science and product vision for terrestrial global change research. *Remote Sensing of Environment*, 145, 154–172. <https://doi.org/10.1016/j.rse.2014.02.001>
- Simarmata, N., Wikantika, K., Agnestasia, T., Aldyansyah, M., Tohir, R. K., Fauziah, A., & Purnama, Y. (2020). Analisis transformasi indeks NDVI, NDWI, dan SAVI untuk identifikasi kerapatan vegetasi mangrove. *Jurnal Geografi dan Pengajarannya*, 19(2), 69–79.
- Singgalen, R. (2023). Aplikasi NDVI dan SAVI dalam monitoring vegetasi perkebunan. *Jurnal Ilmu Lingkungan*, 15(2), 45–56.
- Singgalen, Y. A. (2023). Penerapan metode spatio-temporal analysis dalam analisis dinamika tutupan dan penggunaan lahan berbasis NDVI dan NDWI. *Kajian Ilmiah Informatika dan Komputer*, 4(2), 1052–1061. <https://doi.org/10.30865/klik.v4i2.1313>
- Tucker, C. J., & Sellers, P. J. (1986). Satellite remote sensing of primary production. *International Journal of Remote Sensing*, 7(11), 1395–1416.
- Trenberth, K. E. (1997). The definition of El Niño. *Bulletin of the American Meteorological Society*, 78(12), 2771–2777.
- United States Geological Survey (USGS). (2019). *Landsat 8 (L8) data users handbook*. U.S. Geological Survey.
- Wardana, D. A. S., Yuniasih, B., & Wirianata, H. (2024). Perbandingan indeks vegetasi NDVI dan SAVI di kebun kelapa sawit pada kondisi El Niño dan La Niña. *AGROISTA: Jurnal Agroteknologi*, 7(2), 118–125. <https://doi.org/10.55180/agi.v7i2.584>
- Yudistira, R., Meha, A. I., Yulianto, S., & Prasetyo, J. (2018). Perubahan konversi lahan menggunakan NDVI, EVI, SAVI dan PCA pada Citra Landsat 8 (Studi kasus: Kota Salatiga). *Indonesian Journal of Computing and Modeling*, 2(1), 25–30.
- Yuniasih, B., & Adjie, A. R. P. (2022). Evaluasi kondisi kebun kelapa sawit menggunakan indeks NDVI dari citra satelit Sentinel-2. *Jurnal Teknotan*, 16(2), 127. <https://doi.org/10.24198/jt.voll6n2.10>
- Yuniasih, B., Adjie, A. R. P., & Budi, B. (2022). Evaluation of pre-replanting oil palm plant health using the NDVI index from Landsat 8 satellite imagery. *Jurnal Teknik Pertanian Lampung*, 11(2), 304–313.

- Yuniasih, B., Harahap, W. N., & Wardana, D. A. S. (2023). Anomali iklim El Niño dan La Niña di Indonesia pada 2013–2022. *AGROISTA: Jurnal Agroteknologi*, 6(2), 136–143. <https://doi.org/10.55180/agi.v6i2.332>
- Yuniasih, I., & Adjie, M. (2022). Pemanfaatan indeks vegetasi untuk analisis kesehatan tanaman kelapa sawit. *Jurnal Teknologi Penginderaan Jauh*, 8(1), 12–23.
- Ang, Y., Shafri, H. Z. M., Lee, Y. P., Bakar, S. A., Abidin, H., Junaidi, M. U. U. M., Hashim, S. J., Che'Ya, N. N., Hassan, M. R., Lim, H. S., Abdullah, R., Yusup, Y., Muhammad, S. A., Teh, S. Y., & Samad, M. N. (2022). Oil palm yield prediction across blocks using multi-source data and machine learning. *Research Square*. <https://doi.org/10.21203/rs.3.rs-1938493/v1>
- Ata, A., & Putra, P. H. M. (2025). Methodological concerns regarding RSPO certification and plantation efficiency in Malaysia: A commentary on “Sustainable palm oil certification inadvertently affects production efficiency in Malaysia” by Zachlod *et al.* (2025). *Research Square*. <https://doi.org/10.31223/x5c453>
- Balasundram, S. K., Memarian, H., & Khosla, R. (2013). Estimating oil palm yields using vegetation indices derived from QuickBird. *Universiti Putra Malaysia Institutional Repository*.
- James, J., Daliman, S., Rendra, P. P. R., Sukiyah, E., Hadian, M. S. D., & Sulaksana, N. (2023). Integrating remote sensing and GIS techniques for accurate mapping and analysis of oil palm plantation distribution in Kelantan: A case study. *BIO Web of Conferences*, 73, 05009. <https://doi.org/10.1051/bioconf/20237305009>
- Kok, Z. H., Shariff, A. R. M., Bejo, S. K., Kim, H. T., Ahamed, T., Cheah, S. S., & Wahid, S. A. A. (2021). Plot-based classification of macronutrient levels in oil palm trees with Landsat-8 images and machine learning. *Remote Sensing*, 13(11), 2029. <https://doi.org/10.3390/rs13112029>
- Nadaraja, D., Lu, C., & Islam, M. M. (2021). The sustainability assessment of plantation agriculture: A systematic review of sustainability indicators. *Sustainable Production and Consumption*, 26, 892–910. <https://doi.org/10.1016/j.spc.2020.12.042>
- Piedallu, C., Cheret, V., Denux, J. P., Pérez, V., Azcona, J. S., Seynave, I., & Gégout, J. C. (2018). Soil and climate differently impact NDVI patterns according to the season and the stand type. *Science of the Total Environment*, 651, 2874–2885. <https://doi.org/10.1016/j.scitotenv.2018.10.052>

- Sholikah, D. H. (2026). Integrating MESMA classification with vegetation indices for Robusta coffee yield prediction in smallholder plantations at various mesolandform. *Transactions of the Chinese Society of Agricultural Machinery*. <https://doi.org/10.62321/issn.1000-1298.2026.1.1>
- Siallagan, M. B., Salim, S., Muslim, R. T. P. A., Sihotang, E. F. A., Irwansyah, E., & Pramudya, F. S. (2024). Comparison of vegetation index using aerial imagery data for oil palm tree health assessment. *Proceedings of the International Conference on Advanced Geospatial and Environmental Research Systems (AGERS)*, 38–42. <https://doi.org/10.1109/AGERS65212.2024.10932890>
- Soares, J. A. C., Santos, A. V. F. dos, Farias, P. R. S., Medeiros, L. R., & Gomes, A. A. C. (2020). Detection of diseases in oil palm plantations in the Brazilian Amazon through orbital image. *Journal of Agricultural Science*, 12(4), 138–145. <https://doi.org/10.5539/jas.v12n4p138>
- Watson-Hernández, F., Gómez-Calderón, N., & Silva, R. P. da. (2022). Oil palm yield estimation based on vegetation and humidity indices generated from satellite images and machine learning techniques. *AgriEngineering*, 4(1), 279–291. <https://doi.org/10.3390/agriengineering4010019>
- Wiratmoko, D., Sabrina, T., Minasny, B., & Nasution, Z. (2025). Using the soil-adjustment vegetation index from Landsat-8 imagery for estimating the nutrient content of oil palm leaves for optimized fertilizer application. *BIO Web of Conferences*, 192, 01002. <https://doi.org/10.1051/bioconf/202519201002>
- Yadegari, M., Shamshiri, R. R., Shariff, A. R. M., Balasundram, S. K., & Mahns, B. (2020). Using SPOT-7 for nitrogen fertilizer management in oil palm. *Agriculture*, 10(4), 133. <https://doi.org/10.3390/agriculture10040133>