

DAFTAR PUSTAKA

- Alfian, A., & Nelvia, N. (2017). *Pengaruh pemberian amelioran organik dan anorganik pada media subsoil ultisol terhadap pertumbuhan bibit kelapa sawit (Elaeis guineensis jacq.) di Pre nursery*. Riau University <https://media.neliti.com/media/publications/201700-pengaruh-pemberian-amelioran-organik-dan.pdf>
- Cahyono, B. (2003). Teknik dan Strategi Budidaya Sawi Hijau (Pai-Trai) Yayasan Pustaka Nusantara. Yogyakarta. *Hlm*, 12–62.
- Hoe, T. K. (2014). Utilization of oil palm fruits mesocarp fibres waste as growing media for banana tissue culture seedling in Malaysia. *Journal of Advanced Agricultural Technologies*, 1(1). https://www.researchgate.net/publication/270517973_Utilization_of_Oil_Palm_Fruits_Mesocarp_Fibres_Waste_as_Growing_Media_for_Banana_Tissue_Culture_Seedling_in_Malaysia
- Kani, A., Adrian, R., Purba, C. L. A., Gunawan, H., Sinulingga, G. G., & Efendi, J. (2026). Pengaruh Intnsitas Cahaya Terhadap Tanaman Kelapa Sawit Di Fase Pembibitan (*Elaeis guineensis jacq.*). *Jurnal Pertanian Agros*, 28(1), 36–42. <https://doi.org/10.37159/jpa.v28i1.161>
- Lingga, P. (2001). *Petunjuk penggunaan pupuk*. Niaga Swadaya.
- Lubis, A. U. (2008). *Kelapa sawit (Elaeis guineensis jacq.) di Indonesia*. Pusat Penelitian Kelapa Sawit.
- Maryani, A. T. (2012). Pengaruh volume pemberian air terhadap pertumbuhan bibit kelapa sawit di pembibitan utama. *Jurnal Agroekoteknologi*, 1(2), 64–75. <https://doi.org/10.24014/ja.v1i1.16>
- Mustaqim, N. S., Kristalisasi, E. N., & Rusmarini, U. K. (2023). Pengaruh Mikoriza Dan Penyiraman Terhadap Pertumbuhan Bibit Kelapa Sawit Di *Pre nursery*. *Agritech: Jurnal Fakultas Pertanian Universitas Muhammadiyah Purwokerto*, 25(2), 180–185. <https://jurnalnasional.ump.ac.id/index.php/AGRITECH/article/view/17062>
- Pahan, I. (2006). Panduan Lengkap Kelapa Sawit Manajemen Agribisnis dari Hulu hingga. *Hilir, Penebar Swadaya, Jakarta*.
- Pahan, I. (2011). Panduan Lengkap Kelapa Sawit-Manajemen Agribisnis dari Hulu Hingga Hilir, Penebar Swadaya. Depok. *Indonesia*.
- Priyambada, G., Yenie, E., & Andesgur, I. (2015). *Studi Pemnfaatan Lumpur, Abu Boiler, dan Serat (Fiber) Kelapa Sawit sebagai Kompos Menggunakan Variasi Effective Microorganisme (EM-4)*. Riau University. <https://www.neliti.com/publications/203496/>
- Purwosetyoko, N. S., Nasruddin, N., Rafli, M., Faisal, F., & Nurdin, M. Y. (2022).

- Pertumbuhan Bibit Kelapa Sawit (*Elaeis guineensis* Jacq) Fase *Pre nursery* Menggunakan Ekstraks Daun *Muccuna Bracteata*. *Jurnal Ilmiah Mahasiswa Agroekoteknologi*, 1(2), 34–38. <https://doi.org/10.29103/jimatek.v1i2.8463>
- Rosdiana, R., Apriyanto, E., & Santika, A. (2021). Potensi Limbah Serat Buah Sawit Sebagai Media Tanam Untuk Pertumbuhan dan Produksi Tanaman Pakcoy (*Brassica rapa* L.). *Jurnal Agrosains Dan Teknologi*, 6(2), 107–116. <https://doi.org/10.24853/jat.6.2.107-116>
- Saputra, A., Setyawati, E. R., & Wilisiani, F. (2025). Pengaruh Cocopeat sebagai Campuran Media Tanam pada Beberapa Kedalaman Tanah (Top Soil, Sub Soil) terhadap Pertumbuhan Bibit Kelapa Sawit (*Elaeis guineensis* Jacq) di Main Nursery. *Agroforetech*, 3(3), 1591–1598. <https://jurnal.instiperjogja.ac.id/index.php/JOM/article/view/2202>
- Saragih, I. K., Rachmina, D., & Krisnamurthi, B. (2020). Analisis status keberlanjutan perkebunan kelapa sawit rakyat Provinsi Jambi. *Journal of Indonesian Agribusiness*, 8(1), 17–32. <https://doi.org/10.29244/jai.2020.8.1.17-32>
- Setiawan, A., Saputra, I., & Ridha, R. (2025). Perbandingan Media Tanam Dan Interval Waktu Penyiraman Terhadap Pertumbuhan Bibit Kelapa SAWIT (*Elaeis guineensis* Jacq) TAHAP *PRE NURSERY*. *Jurnal Penelitian Agrosamudra*, 12(1), 25–33. <https://doi.org/10.46880/mtg.v11i2.5079>
- Sitinjak, M. R., Sirait, B., & Pasaribu, N. (2025). Pengaruh Aplikasi Pupuk Urea dan Frekuensi Penyiraman terhadap Pertumbuhan Bibit Kelapa Sawit (*Elaeis guineensis* Jacq.) pada Tahap *Pre nursery*. *Jurnal METHODAGRO*, 11(2), 1–10. <https://doi.org/10.46880/mtg.v11i2.5079>
- Solihin, R., & Badal, B. (2024). Uji Komposisi Media (Top Soil Kompos Tkks dan Arang Sekam) Pada Pembibitan Kelapa Sawit (*Elaeis Guineensis* Jacq.) di Tahap *Pre nursery*. *Jurnal Research Ilmu Pertanian*, 4(1), 66–76. <https://doi.org/10.31933/nqj04z14>
- Tarigan, E. E. B. (2020). *Analisis Finansial Bibit Kelapa Sawit pada Beberapa Produsen Benih di Provinsi Sumatera Utara*. Universitas Medan Area.in skripsi <https://repository.uma.ac.id/handle/123456789/16566>
- Trianah, Y. (2022). Pengaruh Penambahan Serabut (Fiber) Kelapa Sawit Terhadap Porositas Beton. *Jurnal Teknik Sipil Cendekia (Jtsc)*, 3(2), 28–37. <https://doi.org/10.51988/jtsc.v3i2.49>. <https://doi.org/10.31851/deformasi.v7i1.7766>
- Effendy, I., Gribaldi, G., & Jalal, B. A. (2019). Aplikasi sabut kelapa dan pupuk bokasi kotoran ayam terhadap pertumbuhan bibit sawit di pre-nursery. *Jurnal Agrotek Tropika*, 7(2), 405. <https://doi.org/10.23960/jat.v7i2.3367>

- Madusari, S., Ani, R., & Ningsih, W. (2019). Utilization of microbial-assisted composting of the palm-press fiber as *pre nursery* growing medium for oil palm seedlings. *IOP Conference Series: Earth and Environmental Science*, 299(1), 012011. <https://doi.org/10.1088/1755-1315/299/1/012011>
- Madusari, S., Sari, V. I., Jumardin, J., Hardianto, S., & Lubis, B. P. (2024). Respons pertumbuhan bibit kelapa sawit pada media tanam kompos limbah organik perkebunan. *Jurnal Galung Tropika*, 13(3), 408–417. <https://doi.org/10.31850/jgt.v13i3.1111>
- Nababan, J., Islan, I., & Manurung, G. M. (2014). Uji pemberian volume air melalui sistem irigasi tetes pada pembibitan utama (main nursery) kelapa sawit (*Elaeis guineensis* Jacq.). *Jurnal Online Mahasiswa Fakultas Pertanian Universitas Riau*, 1(2), 1–9. <https://www.neliti.com/publications/186281/uji-pemberian-volume-air-melalui-sistem-irigasi-tetes-pada-pembibitan-utama-main>
- Priwiratama, H., & Susanto, A. (2020). Kejadian penyakit busuk pangkal batang pada tanaman belum menghasilkan varietas toleran Ganoderma dengan sistem lubang tanam standar. *Warta Pusat Penelitian Kelapa Sawit*, 25(3), 115–122. <https://doi.org/10.22302/iopri.war.warta.v25i3.20>
- Xu, S. C., Xing, C. H., Shao, B., Tao, L. X., & Xiao, Y. (2011). Growth and physiological responses to water and nutrient stress in oil palm. *African Journal of Biotechnology*, 10(51), 10465–10471. <https://doi.org/10.5897/AJB11.463>

Lampiran 2: Hasil Pengolahan Data

Descriptive Statistics

Dependent Variable: Tinggi_Bibit

Fiber_Kelapa_Sawit	Volume_Penyiraman	Mean	Std. Deviation	N
F1	V1	16.3333	.28868	3
	V2	18.5000	3.50000	3
	V3	18.3000	2.85832	3
	Total	17.7111	2.49020	9
F2	V1	17.0000	2.78388	3
	V2	16.7333	5.21664	3
	V3	19.2667	2.96873	3
	Total	17.6667	3.52101	9
F3	V1	17.3000	1.96723	3
	V2	12.2333	1.64418	3
	V3	21.3333	1.52753	3
	Total	16.9556	4.22141	9
F4	V1	15.4000	.85440	3
	V2	15.7667	3.45881	3
	V3	20.0667	3.00056	3
	Total	17.0778	3.23642	9
F5	V1	15.0000	1.56205	3
	V2	19.6000	2.92062	3
	V3	20.2333	4.53468	3
	Total	18.2778	3.74192	9
Total	V1	16.2067	1.72356	15
	V2	16.5667	3.98635	15
	V3	19.8400	2.84324	15
	Total	17.5378	3.36245	45

Tests of Between-Subjects Effects

Dependent Variable: Tinggi_Bibit

Source	Type III Sum of Squares	df	Mean Square	F	Sig.
Corrected Model	244.632 ^a	14	17.474	2.073	.046

Intercept	13840.814	1	13840.814	1642.285	.000
Fiber_Kelapa_Sawit	10.304	4	2.576	.306	.872
Volume_Penyiraman	120.227	2	60.114	7.133	.003
Fiber_Kelapa_Sawit * Volume_Penyiraman	114.102	8	14.263	1.692	.141
Error	252.833	30	8.428		
Total	14338.280	45			
Corrected Total	497.466	44			

a. R Squared = .492 (Adjusted R Squared = .255)

Tinggi_Bibit

Duncan^{a,b}

Volume_Penyiraman	N	Subset	
		1	2
V1	15	16.2067	
V2	15	16.5667	
V3	15		19.8400
Sig.		.737	1.000

Means for groups in homogeneous subsets are displayed.

Based on observed means.

The error term is Mean Square(Error) = 8.428.

a. Uses Harmonic Mean Sample Size = 15.000.

b. Alpha = .05.

Descriptive Statistics

Dependent Variable: Jumlah_Daun

Fiber_Kelapa_Sawit	Volume_Penyiraman	Mean	Std. Deviation	N
F1	V1	4.0000	.00000	3
	V2	4.3333	.57735	3
	V3	4.6667	.57735	3
	Total	4.3333	.50000	9
F2	V1	4.0000	.00000	3
	V2	4.0000	.00000	3
	V3	4.3333	.57735	3
	Total	4.1111	.33333	9
F3	V1	4.6667	.57735	3
	V2	4.3333	.57735	3
	V3	4.6667	.57735	3
	Total	4.5556	.52705	9
F4	V1	4.6667	.57735	3
	V2	4.6667	1.15470	3
	V3	4.6667	1.15470	3

	Total	4.6667	.86603	9
F5	V1	4.0000	.00000	3
	V2	4.3333	.57735	3
	V3	5.0000	.00000	3
	Total	4.4444	.52705	9
Total	V1	4.2667	.45774	15
	V2	4.3333	.61721	15
	V3	4.6667	.61721	15
	Total	4.4222	.58344	45

Tests of Between-Subjects Effects

Dependent Variable: Jumlah_Daun

Source	Type III Sum of Squares	df	Mean Square	F	Sig.
Corrected Model	4.311 ^a	14	.308	.866	.599
Intercept	880.022	1	880.022	2475.063	.000
Fiber_Kelapa_Sawit	1.644	4	.411	1.156	.350
Volume_Penyiraman	1.378	2	.689	1.938	.162
Fiber_Kelapa_Sawit * Volume_Penyiraman	1.289	8	.161	.453	.879
Error	10.667	30	.356		
Total	895.000	45			
Corrected Total	14.978	44			

a. R Squared = .288 (Adjusted R Squared = -.045)

Descriptive Statistics

Dependent Variable: Diameter_Batang

Fiber_Kelapa_Sawit	Volume_Penyiraman	Mean	Std. Deviation	N
F1	V1	6.9667	.30551	3
	V2	7.2333	1.06927	3
	V3	7.3000	.34641	3
	Total	7.1667	.60208	9
F2	V1	7.2333	.32146	3
	V2	7.8333	.60277	3
	V3	7.9000	.40000	3
	Total	7.6556	.50772	9
F3	V1	6.6333	.61101	3
	V2	7.0000	.85440	3
	V3	8.6000	.10000	3
	Total	7.4111	1.04815	9
F4	V1	7.5667	.41633	3
	V2	7.8000	.45826	3
	V3	7.8333	1.04083	3
	Total	7.7333	.61847	9

F5	V1	7.2333	.30551	3
	V2	7.3333	.66583	3
	V3	8.5000	.20000	3
	Total	7.6889	.71841	9
Total	V1	7.1267	.47278	15
	V2	7.4400	.72585	15
	V3	8.0267	.66705	15
	Total	7.5311	.72294	45

Tests of Between-Subjects Effects

Dependent Variable: Diameter_Batang

Source	Type III Sum of Squares	df	Mean Square	F	Sig.
Corrected Model	12.716 ^a	14	.908	2.651	.012
Intercept	2552.294	1	2552.294	7448.327	.000
Fiber_Kelapa_Sawit	2.056	4	.514	1.500	.227
Volume_Penyiraman	6.262	2	3.131	9.137	.001
Fiber_Kelapa_Sawit * Volume_Penyiraman	4.398	8	.550	1.604	.165
Error	10.280	30	.343		
Total	2575.290	45			
Corrected Total	22.996	44			

a. R Squared = .553 (Adjusted R Squared = .344)

Diameter_Batang

Duncan^{a,b}

Volume_Penyiraman	N	Subset	
		1	2
V1	15	7.1267	
V2	15	7.4400	
V3	15		8.0267
Sig.		.153	1.000

Means for groups in homogeneous subsets are displayed.

Based on observed means.

The error term is Mean Square(Error) = .343.

a. Uses Harmonic Mean Sample Size = 15.000.

b. Alpha = .05.

Descriptive Statistics

Dependent Variable: BST

Fiber_Kelapa_Sawit	Volume_Penyiraman	Mean	Std. Deviation	N
F1	V1	3.0800	.10536	3

	V2	3.4033	1.33463	3
	V3	3.7967	1.74855	3
	Total	3.4267	1.14414	9
F2	V1	2.7900	.87504	3
	V2	3.0533	1.29477	3
	V3	3.6833	.77501	3
	Total	3.1756	.95850	9
F3	V1	2.7900	.89822	3
	V2	2.6633	.53799	3
	V3	4.6200	1.34911	3
	Total	3.3578	1.27604	9
F4	V1	2.4400	.46808	3
	V2	3.2000	1.04417	3
	V3	4.1367	.73711	3
	Total	3.2589	1.00244	9
F5	V1	2.0567	.36692	3
	V2	3.9100	1.41715	3
	V3	4.9000	2.00082	3
	Total	3.6222	1.76040	9
Total	V1	2.6313	.63976	15
	V2	3.2460	1.07652	15
	V3	4.2273	1.29114	15
	Total	3.3682	1.21294	45

Tests of Between-Subjects Effects

Dependent Variable: BST

Source	Type III Sum of Squares	df	Mean Square	F	Sig.
Corrected Model	27.118 ^a	14	1.937	1.545	.155
Intercept	510.521	1	510.521	407.161	.000
Fiber_Kelapa_Sawit	1.054	4	.264	.210	.931
Volume_Penyiraman	19.440	2	9.720	7.752	.002
Fiber_Kelapa_Sawit * Volume_Penyiraman	6.624	8	.828	.660	.721
Error	37.616	30	1.254		
Total	575.255	45			
Corrected Total	64.733	44			

a. R Squared = .419 (Adjusted R Squared = .148)

BST

Duncan^{a,b}

Volume_Penyiraman	N	Subset	
		1	2

V1	15	2.6313	
V2	15	3.2460	
V3	15		4.2273
Sig.		.143	1.000

Means for groups in homogeneous subsets are displayed.

Based on observed means.

The error term is Mean Square(Error) = 1.254.

a. Uses Harmonic Mean Sample Size = 15.000.

b. Alpha = .05.

Descriptive Statistics

Dependent Variable: BKT

Fiber_Kelapa_Sawit	Volume_Penyiraman	Mean	Std. Deviation	N
F1	V1	.7233	.07506	3
	V2	.6900	.12767	3
	V3	.9400	.37802	3
	Total	.7844	.23458	9
F2	V1	.6633	.16042	3
	V2	.7033	.28042	3
	V3	.9500	.24434	3
	Total	.7722	.24309	9
F3	V1	.6733	.22121	3
	V2	.6567	.21962	3
	V3	1.1567	.34962	3
	Total	.8289	.33961	9
F4	V1	.5867	.10786	3
	V2	.7667	.22502	3
	V3	1.0433	.20551	3
	Total	.7989	.25654	9
F5	V1	.5533	.05859	3
	V2	.9433	.24379	3
	V3	1.1967	.50063	3
	Total	.8978	.39641	9
Total	V1	.6400	.13299	15
	V2	.7520	.21759	15
	V3	1.0573	.31619	15
	Total	.8164	.29037	45

Tests of Between-Subjects Effects

Dependent Variable: BKT

Source	Type III Sum of Squares	df	Mean Square	F	Sig.
Corrected Model	1.777 ^a	14	.127	1.971	.058
Intercept	29.996	1	29.996	465.634	.000
Fiber_Kelapa_Sawit	.091	4	.023	.351	.841
Volume_Penyiraman	1.400	2	.700	10.864	.000
Fiber_Kelapa_Sawit * Volume_Penyiraman	.287	8	.036	.557	.804
Error	1.933	30	.064		
Total	33.706	45			
Corrected Total	3.710	44			

a. R Squared = .479 (Adjusted R Squared = .236)

BKT

Duncan^{a,b}

Volume_Penyiraman	N	Subset	
		1	2
V1	15	.6400	
V2	15	.7520	
V3	15		1.0573
Sig.		.236	1.000

Means for groups in homogeneous subsets are displayed.

Based on observed means.

The error term is Mean Square(Error) = .064.

a. Uses Harmonic Mean Sample Size = 15.000.

b. Alpha = .05.

Descriptive Statistics

Dependent Variable: BSA

Fiber_Kelapa_Sawit	Volume_Penyiraman	Mean	Std. Deviation	N
F1	V1	1.3367	.19553	3
	V2	1.5600	.90714	3
	V3	1.8967	.73759	3
	Total	1.5978	.64101	9
F2	V1	1.3733	.55103	3
	V2	1.5567	.63122	3
	V3	1.8167	.42336	3
	Total	1.5822	.50749	9
F3	V1	1.5700	.60754	3
	V2	1.0467	.24906	3
	V3	2.2867	.32716	3

	Total	1.6344	.65206	9
F4	V1	1.4833	.24007	3
	V2	1.6567	.56766	3
	V3	2.1000	.45902	3
	Total	1.7467	.47276	9
F5	V1	1.1833	.42336	3
	V2	1.8667	.65317	3
	V3	3.0867	1.51226	3
	Total	2.0456	1.19183	9
Total	V1	1.3893	.39247	15
	V2	1.5373	.60695	15
	V3	2.2373	.83507	15
	Total	1.7213	.72663	45

Tests of Between-Subjects Effects

Dependent Variable: BSA

Source	Type III Sum of Squares	df	Mean Square	F	Sig.
Corrected Model	10.616 ^a	14	.758	1.803	.086
Intercept	133.334	1	133.334	317.060	.000
Fiber_Kelapa_Sawit	1.331	4	.333	.791	.540
Volume_Penyiraman	6.155	2	3.078	7.318	.003
Fiber_Kelapa_Sawit * Volume_Penyiraman	3.130	8	.391	.930	.506
Error	12.616	30	.421		
Total	156.566	45			
Corrected Total	23.232	44			

a. R Squared = .457 (Adjusted R Squared = .204)

BSA

Duncan^{a,b}

Volume_Penyiraman	N	Subset	
		1	2
V1	15	1.3893	
V2	15	1.5373	
V3	15		2.2373
Sig.		.537	1.000

Means for groups in homogeneous subsets are displayed.

Based on observed means.

The error term is Mean Square(Error) = .421.

a. Uses Harmonic Mean Sample Size = 15.000.

b. Alpha = .05.

Descriptive Statistics

Dependent Variable: BKA

Fiber_Kelapa_Sawit	Volume_Penyiraman	Mean	Std. Deviation	N
F1	V1	.3933	.14012	3
	V2	.3833	.16258	3
	V3	.4433	.14742	3
	Total	.4067	.13314	9
F2	V1	.4300	.14799	3
	V2	.4500	.18358	3
	V3	.5167	.07506	3
	Total	.4656	.12982	9
F3	V1	.4167	.13317	3
	V2	.2733	.05508	3
	V3	.6333	.06429	3
	Total	.4411	.17567	9
F4	V1	.4467	.05859	3
	V2	.4933	.13868	3
	V3	.6533	.18930	3
	Total	.5311	.15309	9
F5	V1	.3467	.05508	3
	V2	.5800	.18735	3
	V3	.7633	.30238	3
	Total	.5633	.25515	9
Total	V1	.4067	.10335	15
	V2	.4360	.16805	15
	V3	.6020	.18971	15
	Total	.4816	.17720	45

Tests of Between-Subjects Effects

Dependent Variable: BKA

Source	Type III Sum of Squares	df	Mean Square	F	Sig.
Corrected Model	.698 ^a	14	.050	2.185	.036
Intercept	10.435	1	10.435	457.689	.000

Fiber_Kelapa_Sawit	.150	4	.037	1.642	.189
Volume_Penyiraman	.333	2	.166	7.300	.003
Fiber_Kelapa_Sawit * Volume_Penyiraman	.215	8	.027	1.178	.344
Error	.684	30	.023		
Total	11.817	45			
Corrected Total	1.382	44			

a. R Squared = .505 (Adjusted R Squared = .274)

BKA

Duncan^{a,b}

Volume_Penyiraman	N	Subset	
		1	2
V1	15	.4067	
V2	15	.4360	
V3	15		.6020
Sig.		.599	1.000

Means for groups in homogeneous subsets are displayed.

Based on observed means.

The error term is Mean Square(Error) = .023.

a. Uses Harmonic Mean Sample Size = 15.000.

b. Alpha = .05.

Descriptive Statistics

Dependent Variable: Panjang_Akar

Fiber_Kelapa_Sawit	Volume_Penyiraman	Mean	Std. Deviation	N
F1	V1	18.2000	1.15326	3
	V2	18.1000	5.36936	3
	V3	24.5000	7.39932	3
	Total	20.2667	5.59553	9
F2	V1	21.8333	9.67385	3
	V2	25.5667	3.39755	3
	V3	30.3000	4.30349	3
	Total	25.9000	6.66446	9
F3	V1	21.7333	7.16543	3
	V2	22.5333	7.51820	3
	V3	35.7000	6.58255	3
	Total	26.6556	9.16148	9

F4	V1	28.9333	4.16813	3
	V2	30.7667	17.40297	3
	V3	34.5667	7.74360	3
	Total	31.4222	10.06191	9
F5	V1	31.3333	9.01850	3
	V2	30.0000	4.38634	3
	V3	33.3000	3.65923	3
	Total	31.5444	5.52791	9
Total	V1	24.4067	7.80206	15
	V2	25.3933	9.15146	15
	V3	31.6733	6.66349	15
	Total	27.1578	8.41050	45

Tests of Between-Subjects Effects

Dependent Variable: Panjang_Akar

Source	Type III Sum of Squares	df	Mean Square	F	Sig.
Corrected Model	1404.576 ^a	14	100.327	1.762	.094
Intercept	33189.520	1	33189.520	583.011	.000
Fiber_Kelapa_Sawit	780.750	4	195.187	3.429	.020
Volume_Penyiraman	466.082	2	233.041	4.094	.027
Fiber_Kelapa_Sawit * Volume_Penyiraman	157.745	8	19.718	.346	.940
Error	1707.833	30	56.928		
Total	36301.930	45			
Corrected Total	3112.410	44			

a. R Squared = .451 (Adjusted R Squared = .195)

Panjang_Akar

Duncan^{a,b}

Fiber_Kelapa_Sawit	N	Subset	
		1	2
F1	9	20.2667	
F2	9	25.9000	25.9000
F3	9	26.6556	26.6556
F4	9		31.4222
F5	9		31.5444
Sig.		.099	.157

Means for groups in homogeneous subsets are displayed.

Based on observed means.

The error term is Mean Square(Error) = 56.928.

- a. Uses Harmonic Mean Sample Size = 9.000.
b. Alpha = ,05.

Panjang_Akar

Duncan^{a,b}

Volume_Penyiraman	N	Subset	
		1	2
V1	15	24.4067	
V2	15	25.3933	
V3	15		31.6733
Sig.		.723	1.000

Means for groups in homogeneous subsets are displayed.

Based on observed means.

The error term is Mean Square(Error) = 56.928.

- a. Uses Harmonic Mean Sample Size = 15.000.
b. Alpha = ,05.

Descriptive Statistics

Dependent Variable: Volume_Akar

Fiber_Kelapa_Sawit	Volume_Penyiraman	Mean	Std. Deviation	N
F1	V1	1.8333	.28868	3
	V2	1.8333	1.04083	3
	V3	2.6667	1.15470	3
	Total	2.1111	.89365	9
F2	V1	2.1667	.76376	3
	V2	1.8333	.76376	3
	V3	2.3333	.57735	3
	Total	2.1111	.65085	9
F3	V1	1.8333	.76376	3
	V2	1.3333	.57735	3
	V3	3.0000	.50000	3
	Total	2.0556	.91667	9
F4	V1	2.0000	.00000	3
	V2	2.1667	1.04083	3
	V3	3.0000	.00000	3
	Total	2.3889	.69722	9
F5	V1	2.1667	.76376	3
	V2	3.2667	.64291	3
	V3	4.5000	2.17945	3
	Total	3.3111	1.56800	9
Total	V1	2.0000	.53452	15
	V2	2.0867	.97385	15

V3	3.1000	1.24212	15
Total	2.3956	1.06706	45

Tests of Between-Subjects Effects

Dependent Variable: Volume_Akar

Source	Type III Sum of Squares	df	Mean Square	F	Sig.
Corrected Model	26.106 ^a	14	1.865	2.332	.025
Intercept	258.241	1	258.241	322.891	.000
Fiber_Kelapa_Sawit	10.041	4	2.510	3.139	.029
Volume_Penyiraman	11.222	2	5.611	7.016	.003
Fiber_Kelapa_Sawit * Volume_Penyiraman	4.843	8	.605	.757	.642
Error	23.993	30	.800		
Total	308.340	45			
Corrected Total	50.099	44			

a. R Squared = .521 (Adjusted R Squared = .298)

Volume_Akar

Duncan^{a,b}

Fiber_Kelapa_Sawit	N	Subset	
		1	2
F3	9	2.0556	
F1	9	2.1111	
F2	9	2.1111	
F4	9	2.3889	
F5	9		3.3111
Sig.		.478	1.000

Means for groups in homogeneous subsets are displayed.

Based on observed means.

The error term is Mean Square(Error) = .800.

a. Uses Harmonic Mean Sample Size = 9.000.

b. Alpha = .05.

Volume_Akar

Duncan^{a,b}

Volume_Penyiraman	N	Subset	
		1	2
V1	15	2.0000	
V2	15	2.0867	
V3	15		3.1000
Sig.		.793	1.000

Means for groups in homogeneous subsets are displayed.

Based on observed means.

The error term is Mean Square(Error) = .800.

a. Uses Harmonic Mean Sample Size = 15.000.

b. Alpha = ,05.

Descriptive Statistics

Dependent Variable: Suhu

Fiber_Kelapa_Sawit	Volume_Penyiraman	Mean	Std. Deviation	N
F1	V1	30.6667	.57735	3
	V2	31.3333	1.15470	3
	V3	31.3333	1.52753	3
	Total	31.1111	1.05409	9
F2	V1	31.3333	1.15470	3
	V2	30.3333	1.15470	3
	V3	31.0000	1.73205	3
	Total	30.8889	1.26930	9
F3	V1	34.0000	.00000	3
	V2	32.3333	.57735	3
	V3	31.0000	1.00000	3
	Total	32.4444	1.42400	9
F4	V1	32.3333	2.51661	3
	V2	32.3333	1.52753	3
	V3	31.6667	.57735	3
	Total	32.1111	1.53659	9
F5	V1	36.3333	1.15470	3
	V2	35.3333	.57735	3
	V3	34.0000	1.00000	3
	Total	35.2222	1.30171	9
Total	V1	32.9333	2.40436	15
	V2	32.3333	1.95180	15
	V3	31.8000	1.56753	15
	Total	32.3556	2.01309	45

Tests of Between-Subjects Effects

Dependent Variable: Suhu

Source	Type III Sum of Squares	df	Mean Square	F	Sig.
Corrected Model	132.978 ^a	14	9.498	6.286	.000
Intercept	47109.689	1	47109.689	31175.529	.000
Fiber_Kelapa_Sawit	107.867	4	26.967	17.846	.000
Volume_Penyiraman	9.644	2	4.822	3.191	.055

Fiber_Kelapa_Sawit *	15.467	8	1.933	1.279	.291
Volume_Penyiraman					
Error	45.333	30	1.511		
Total	47288.000	45			
Corrected Total	178.311	44			

a. R Squared = .746 (Adjusted R Squared = .627)

Suhu

Duncan^{a,b}

Fiber_Kelapa_Sawit	N	Subset		
		1	2	3
F2	9	30.8889		
F1	9	31.1111		
F4	9	32.1111	32.1111	
F3	9		32.4444	
F5	9			35.2222
Sig.		.054	.569	1.000

Means for groups in homogeneous subsets are displayed.

Based on observed means.

The error term is Mean Square(Error) = 1.511.

a. Uses Harmonic Mean Sample Size = 9.000.

b. Alpha = ,05.

Suhu

Duncan^{a,b}

Volume_Penyiraman	N	Subset	
		1	2
V3	15	31.8000	
V2	15	32.3333	32.3333
V1	15		32.9333
Sig.		.244	.191

Means for groups in homogeneous subsets are displayed.

Based on observed means.

The error term is Mean Square(Error) = 1.511.

a. Uses Harmonic Mean Sample Size = 15.000.

b. Alpha = ,05.

Descriptive Statistics

Dependent Variable: Kelembaban

Fiber_Kelapa_Sawit	Volume_Penyiraman	Mean	Std. Deviation	N
F1	V1	80.0000	2.00000	3
	V2	92.3333	5.85947	3
	V3	86.6667	1.15470	3
	Total	86.3333	6.20484	9
F2	V1	80.6667	2.08167	3
	V2	91.3333	1.52753	3
	V3	98.6667	.57735	3
	Total	90.2222	7.94949	9
F3	V1	71.3333	4.16333	3
	V2	84.0000	3.60555	3
	V3	92.6667	3.78594	3
	Total	82.6667	9.87421	9
F4	V1	73.3333	5.50757	3
	V2	73.0000	2.64575	3
	V3	84.6667	4.50925	3
	Total	77.0000	6.89202	9
F5	V1	81.6667	2.88675	3
	V2	93.3333	3.51188	3
	V3	98.0000	1.00000	3
	Total	91.0000	7.64853	9
Total	V1	77.4000	5.31574	15
	V2	86.8000	8.51218	15
	V3	92.1333	6.34560	15
	Total	85.4444	9.09934	45

Tests of Between-Subjects Effects

Dependent Variable: Kelembaban

Source	Type III Sum of Squares	df	Mean Square	F	Sig.
Corrected Model	3301.778 ^a	14	235.841	20.728	.000
Intercept	328533.889	1	328533.889	28875.049	.000
Fiber_Kelapa_Sawit	1201.556	4	300.389	26.401	.000
Volume_Penyiraman	1669.378	2	834.689	73.361	.000
Fiber_Kelapa_Sawit * Volume_Penyiraman	430.844	8	53.856	4.733	.001
Error	341.333	30	11.378		
Total	332177.000	45			
Corrected Total	3643.111	44			

a. R Squared = .906 (Adjusted R Squared = .863)

Kelembaban

Duncan^{a,b}

Fiber_Kelapa_Sawit	N	Subset			
		1	2	3	4
F4	9	77.0000			
F3	9		82.6667		
F1	9			86.3333	
F2	9				90.2222
F5	9				91.0000
Sig.		1.000	1.000	1.000	.628

Means for groups in homogeneous subsets are displayed.

Based on observed means.

The error term is Mean Square(Error) = 11.378.

a. Uses Harmonic Mean Sample Size = 9.000.

b. Alpha = ,05.

Kelembaban

Duncan^{a,b}

Volume_Penyiraman	N	Subset		
		1	2	3
V1	15	77.4000		
V2	15		86.8000	
V3	15			92.1333
Sig.		1.000	1.000	1.000

Means for groups in homogeneous subsets are displayed.

Based on observed means.

The error term is Mean Square(Error) = 11.378.

a. Uses Harmonic Mean Sample Size = 15.000.

b. Alpha = ,05.

Kelembaban

Duncan^{a,b}

Interaksi	N	Subset						
		1	2	3	4	5	6	7
F3V1	3	71.3333						
F4V2	3	73.0000						
F4V1	3	73.3333						
F1V1	3		80.0000					
F2V1	3		80.6667	80.6667				
F5V1	3		81.6667	81.6667				
F3V2	3		84.0000	84.0000				
F4V3	3		84.6667	84.6667				
F1V3	3			86.6667	86.6667			
F2V2	3				91.3333	91.3333		
F1V2	3				92.3333	92.3333	92.3333	

F3V3	3				92.6667	92.6667	92.6667	92.6667
F5V2	3					93.3333	93.3333	93.3333
F5V3	3						98.0000	98.0000
F2V3	3							98.6667
Sig.		.500	.140	.059	.054	.515	.068	.054

Means for groups in homogeneous subsets are displayed.

Based on observed means.

The error term is Mean Square(Error) = 11.378.

a. Uses Harmonic Mean Sample Size = 3.000.

b. Alpha = .05.

DOKUMENTASI

1. Penanaman



2. Perlakuan fiber kelapa sawit



3. Pemeliharaan tanaman



4. Pemupukan



5. Penyiraman



6. Pengamatan

